

THE COMPLETE SYSTEMS PROVIDER™

FIREARMS • AMMUNITION • ELECTRO-OPTICS • SUPPRESSORS • AIRGUNS • TRAINING

sigsauer.com



3	HISTORY							
4	LEGION INTRO							
8	PISTOLS GUIDE							
12	P220							
14	P227							
16	P226							
18	P229							
20	P225-A1							
21	P239							
22	P320							
28	SP2022							
29	P290RS							
30	1911							
34	P938							
36	P238							
38	Rimfire							
39	CUSTOM SHOP							
40	RIFLES GUIDE							
42	SIG MCX							
46	SIG MPX							
48	SIGM400							
50	SIG516							
52	SIG716							
54	Ammunition							
62	Electro-Optics							
94	Suppressors							
98	ASP Airguns							
106	Academy							
108	Accessories							
112	Merchandise							
113	Purchase Programs							
114	Specifications							

INTRODUCTION 2




In our world-class facilities, we build the finest firearms, ammunition, electro-optics, suppressors and Advanced Sport Pellet (ASP) airguns, while also offering the highest quality firearms and tactics training at our SIG SAUER AcademySM. We do this because we share the same drive to be the best, the same love of freedom, the same unwillingness to compromise and the same pride in our country as those who choose SIG. Regardless of whether a SIG product will be used by a soldier, a law enforcement officer, or a private citizen, it receives the

same rigorous quality control to ensure that it will perform when it matters most.

MADE BY SIG™





When business entrepreneurs, Friedrich Peyer im Hof, Heinrich Moser, and Conrad Neher opened a wagon factory near the Rhine Falls in Switzerland in 1853, they had no idea that their humble waqon factory would later become known as an international leader in the small arms industry. In response to a challenge from Switzerland's Federal Ministry of Defense, the Swiss Wagon Factory entered a competition to develop a state-of-the-art rifle, in hopes that the Swiss Army would adopt it. Four years later, they found themselves facing an order for 30,000 of the rifles, changing the name of the company to the Swiss Industrial Company. In German, the name was Schweizerische Industrie-Gesellschaft, later shortened to SIG.

In the 1970's, SIG's small arms division expanded to include Hämmerli Tarqet Arms from Lenzburg, Switzerland, and J.P. Sauer & Sohn, GmbH, of Eckernförde, West Germany, known worldwide for their hunting rifles. In the 1980's, SIG set its sights on the United States of America. With a rich history of German and Swiss influence, the company opened its first American location in Tysons Corner, Virginia, under the name SIGARMS. Two years later, the firearms manufacturer relocated to a larger location in Virginia where the company's classic handguns (P220®/P230/P225®/ P226®) were imported and assembled. SIGARMS enlarged its footprint on American soil in 1990 by opening new manufacturing facilities in Exeter, New Hampshire. In 2005, SIGARMS changed its name to SIG SAUER, Inc. and continued to expand its market share in the firearms industry.

In 2014, SIG SAUER invested more than \$18 million to develop a new corporate headquarters at Pease International Tradeport in Newington, N.H. Encompassing 206,000 square feet, the leading edge manufacturing plant includes quality control testing facilities, a multi-position test-fire range, and a modern workspace designed from the ground up for efficiency. Today, SIG SAUER serves as the second largest employer in the state and is widely recognized as the fastest growing firearms manufacturer in the United States.

Pioneering designs and state-of-the-art manufacturing capabilities are the hallmarks of the company's past successes, providing the foundation for future growth. SIG SAUER has recently expanded its product line, now offering Elite Performance ammunition, electro-optics, suppressors, and Advanced Sport Pellet (ASP) airguns, earning the company a unique reputation as The Complete Systems Provider™. This total package approach sets SIG apart from other firearms manufacturers, as its diverse and innovative product line and complementary training programs are unmatched in the firearms industry.

SIG SAUER remains committed to hiring the foremost industry experts in all product categories to ensure that all new products live up to the SIG SAUER® name. When it is "MADE BY SIG $^{\text{TM}}$ ", it boasts the same exacting standards of quality, reliability, and performance that have made SIG SAUER the brand the choice of many of the most elite military, government, and law enforcement units across the globe.

FOR THOUSANDS OF YEARS, ONE SYMBOL HAS BEEN A RALLYING CRY FOR THE WORLD'S MOST REVERED WARRIORS.

AND FOR DECADES, ONE BRAND OF FIREARMS HAS SERVED MORE ELITE FIGHTING FORCES THAN ANY OTHER.

WELCOME TO THE LEGION

BY SIG SAUER®

PAINSTAKINGLY ENGINEERED AND ENHANCED FOR THE DISCERNING FEW WITH THE SAME WARRIOR SPIRIT THAT INSPIRED IT.

WE HAVE ALWAYS GIVEN PROFESSIONALS WHAT THEY NEED.

NOW, WE ARE GIVING THEM WHAT THEY WANT.



sigsauer.com/legion

The SIG P220°, P226° and P229°, three of the most highly regarded firearms in the professional community, are receiving a series of enhancements based on the needs and wants of elite users. For those who demand the best, we now have something even better.

LEGION ENHANCEMENTS

- 1 | PVD Finish Enhances durability & lubricity
- 2 | Solid Steel Guide Rod Reduces muzzle flip
- 3 | Checkering Under Trigger Guard Minimizes lateral movement
- 4 | X5 Undercut Accommodates high grip techniques
- 5 | Grayguns Inc. P-SAIT Trigger Adjustable for over travel
- Reduced Profile Controls Prevents premature activation of slide stop, with improved texture for better control
- 7 | Three Magazines Delivers more value

- 8 | Elite Beavertail Reduction Reduces printing when concealed
- 9 | Enhanced Polished Action with SRT Smoother DA trigger press that enables faster follow-up shots
- Reduced Decocker Slimmed down and knurled decocker for ease of use
- 11 | Custom G10 Grips Provides enhanced control for high grip techniques
- 12 | X-RAY3™ Sights
 - Optimizes sight acquisition in all lighting conditions

SIGSAUER P229

13 | Enhanced Front Strap Checkering Provides a more secure grip which provides better control

13



P220 LEGION PG. 12



P226 LEGION SAO PG. 17




P229 LEGION PG. 19











JOIN THE LEGION.

Become part of the Legion for members-only access to unique opportunities and gear. Purchase and register your Legion Series™ firearm, to unlock a full range of exclusive benefits.



FREE GEAR

Legion membership entitles you to a complimentary Thermo-mold carrying case for your Legion firearm, plus a challenge coin matched to your gun.




EXCLUSIVE ACCESS

When you call to receive your free case and coin, you will be automatically registered as a Legion member, providing you exclusive access to gear and merchandise.



EXCLUSIVE COMMUNICATIONS

Be the first to know about new additions to the Legion Series. You'll also receive other exclusive communications from SIG SAUER® and the Legion.



THIS IS ONLY THE BEGINNING

The initial Legion Series™ models just scratch the surface of the vast

SIG SAUER® lineup. In the future, expect to see a broad array of Legion Series firearms
and accessories, along with unique experiences only available to Legion owners.

#jointhelegion

sigsauer.com







Legion members get exclusive access to Legion gear and merchandise you cannot get anywhere else.



- ▶ S-7 Steel
- ▶ Legion medallion
- ▶ Hand-Sharpened & Honed Edge
- ▶ Blade guard included for accessory use
- ▶ Black Hogue® G-10 Handle
- ▶ Sheath with Positive and Magnetic Retention
- ▶ Form-Fitting case
- ▶ Made Exclusively for SIG Legion by Hogue



LEGION LEATHER WING OWB HOLSTER LEGION LEATHER WING MAG POUCH

- ▶ Blend of KYDEX® and leather
- ▶ All day comfort with superb concealment and retention
- ▶ Crafted by BlackPoint Tactical
- ▶ Offered with 0 Degree cant.
- ▶ Mag pouch can be joined with holster for an integrated system



LEGION TITANIUM KEY-BAR

- ▶ Compact and organized carry of your keys
- ► Removable Titanium pocket clip in your choice of color
- ► Finished in gray nitride-coated titanium with black screws



LEGION SUREFIRE® EB1B BACKUP LIGHT

- ► Compact dual-output flashlight with a 200-lumen maximum output
- Ideal for everyday-carry, self-defense, or outdoor applications
- ► Indestructible LED emitter and a precision Total Internal Reflection (TIR) lens,
- Lightweight Mil-Spec hard-anodized aluminum body



LEGION XM-18 KNIFE BY RICK HINDERER

- ▶ The knife that has been sought after by professionals
- ▶ Fiinished in gray PVD and black G-10
- ▶ 8.25" long with a 3.5"blade
- ▶ CPM S35VN blade material



LEGION PELTOR™ COMTAC™ III HEARING DEFENDER

- ▶ Redesigned cup profiles to better accommodate ACH and MICH helmet compatibility
- ▶ 500 hour battery life, common AAA battery power
- ▶ Comfort gel cups
- ▶ Highest rated (passive) hearing protector available
- ▶ External microphones for "talk-thru" capability

® PISTOLS Choose from a full array of sizes, triggers, calibers, finishes, and features—all with unfailing SIG reliability and accuracy.

INSPIRED BY THE ELITE PROFESSIONAL. CARRIED BY ALL WHO DEMAND THE BEST.

A handgun is a handgun. Unless it's a SIG. Engineered to perform anywhere, at any time, and under any circumstance, SIG pistols boast unique, advanced features that stand out among the rest. Key features include:



SIGLITE® Night Sights





4-Point Safety System



Nitron® Stainless Steel Slide



SAS® (SIG ANTI-SNAG)



Threaded Barrels



SRT™ (Short Reset Trigger)



Front Cocking Serrations

SIZING UP YOUR SITUATION

You want a pistol with frame dimensions directly suited to your needs. Whether you'll be sliding your handgun into a range bag or concealing it in a purse, shooting competitively or defending your home, SIG SAUER® offers a pistol for every shooter and scenario.



FULL-SIZE

When shootability and sighted accuracy are a must. Generous dimensions and even weight distribution help to deliver a more accurate sight picture and reduced felt recoil.

4"

Frame > 7.5 x 5.5"



CARRY

A balance of shootability with concealment. A full-size grip allows the shooter more control while reduced slide length allows for lighter carry.

arrel	≈ 3.9"	Fran

me 7 x 5.5"



COMPACT

If concealment is an essential requirement, the reduced slide length and grip height enable easy concealment and carry with eraonomics designed to promote point-and-shoot accuracy.



Barrel < 4" Frame ≈ 7 x 5"



SUBCOMPACT

For the next level of concealment. SIG's subcompact handguns feature even shorter slide length and grip height.



Barrel ≈ 3.5" Frame < 7 x 5"

MICRO-COMPACT

Often called "pocket pistols," the SIG micro-compacts deliver the ultimate in concealment. Discreet, lightweight, and able to fit almost anywhere.

Barrel < 3" Frame < 6 x 4"

TRIGGER TIME

Any expert will tell you, it's the trigger that ultimately puts rounds on target. Weigh the pros and cons of each trigger carefully to select the one you can fire most accurately and carry most confidently.

STRIKER-FIRED TRIGGER

STR | Short Tactile Reset

Once fired the pistol resets quickly with a tactile feel, offering less time between shots.

6 lb Trigger / Striker

HAMMER-FIRED TRIGGERS

DA/SA | Double-Action/Single-Action

The first trigger pull performs the double-action of cocking the hammer and then releasing the sear. Followed by lighter, single action trigger pulls on all subsequent shots. The heavier first trigger pull acts to reduce inadvertent discharges.

10/4.4 lb Trigger / Decocking Lever Short Reset Available

SAO | Single-Action-Only

The trigger performs the single-action of releasing the hammer with a consistent trigger pull that is generally regarded as the shortest, lightest, and smoothest available. The slide can still be actuated with the safety engaged (a SIG exclusive). All models feature a manual thumb safety.

5 lb Trigger / Manual Thumb Safety

DAO | Double-Action-Only

Every trigger pull performs two actions: first, cocking the hammer, and second, releasing the sear. The pistol remains decocked after each shot and does not require an external safety.

9 lb Trigger

THE CALIBER DEBATE

Popular opinions vary widely. Only you can select the best caliber for you. In addition to the right combination of bullet weight and velocity, think about your desired magazine capacity, plus ammunition cost and availability.



10MM

Offers higher velocity, greater range and more kinetic energy than the .45ACP.



.45ACP

Known for a combination of power and controlled penetration, due to a large diameter bullet and moderate velocities.



.40S&W

Designed to match the performance of the FBI's reduced-velocity 10mm in a smaller cartridge size while offering an energy advantage over the 9mm.



.357SIG

Developed in 1994 to duplicate the performance of a 125 gr .357 Magnum cartridge, it combines relatively high velocity with remarkably flat trajectory.



9MM

Regarded as the world's most popular and widely used handgun cartridge. It combines a flat trajectory with relatively low felt recoil.



.380ACP

Compact and light design make it popular in handguns designed for concealed carry. Less powerful than larger calibers minimizing recoil and improving controllability.



.22LR

Among the lightest and most affordable rounds in handguns, the .22LR is ideal for target shooting and training.

(I) PISTOL GUIDE SIG SAUER® pistols can be grouped into three family categories; Classics, Polymer and 1911-style.

CLASSICS

All-metal durability, DA/SA trigger, plus a 4-Point Safety System including decocking lever, safety intercept notch, trigger bar disconnector and patented automatic firing pin safety block.

(SAO available in select models)

POLYMER

Proven SIG engineering in hard-use polymer, this series offers options in size, caliber, and trigger system.

1911-STYLE

The crisp SAO trigger system and styling of the 1911, enhanced by SIG engineering and all-metal durability.

	FULL-SIZE CARF		CARRY		COMP	ACT	SUBCOMPACT	MICRO- COMPACT		
	P220°	P227°	P226°	P220 Carry	P227 Carry	P229°	P225-A1	P239"		11
	¥ ;	+	•	+ FEEU Gally	FEE/ Gally	¥	FEED-AT	¥	*	<u> </u>
.22LR .380acp		İ	10							
9mm		1	15			15	В	8		
.357sig		1	(12)			(12)		7		
.40sew			(12)			12		7		
. 45 acp	8	10		В	10			<u> </u>		
.10mm	8									
.22LR .380ACP		P320° Full			P320 Carry		P320 Compact	SP2022*	P320 Subcompact	P290RS"
9mm		17)			17)		15)	15	15)	6
.357sig		14			14		13	(12)	(12)	
.45ACP	(10)			(10)		(9)	(12)	(it)		
		1911		1	1911 Carry		1911 Corr	npact	1911 Ultra	P938" P238"
.22LR		Ť			*		Ĭ		•	
.380 _{ACP}										(B)
9 mm		9							B	6
.357 sig		8			8					
38super		9								
.40sew		8								
. 45 ACP		8			В		7)	7	

*DENOTES MAGAZINE CAPACITY



The original that started it all—a Classic .45ACP handgun now available in 10mm.



Grayguns Inc. P-SIAT Trigger



Legion Gray PVD Slide and Frame



X-RAY3™ Day/Night Sights



TRIGGER ACTION			
DA/SA	10/4.4 LBS	ALSO AVAILABLE SAO	5.0 LBS

FRAME SIZE / BARREL	LENGTH
MATCH	5.0"
FULL-SIZE	4.4"
CARRY	3.9"

CALIBER	.45 _{ACP}	10 mm	STANDARD FEATURES
MAGAZINE CAPACITY	8	8	 Nitron® Stainless Steel Slide Lightweight Alloy Frame SIGLITE® Night Sights One-Piece Ergonomic Grip

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE





COMPLETE YOUR SYSTEM









V-Crown®/FMJ | PG. 54/59

NEW

P220° LEGION SAO

220R-45-LEGION-SAO



- ▶ Available in DA/SA



▶ One-Piece Ergonomic Grip

► Truglo® TFO Front Sight

▶ Hogue® Black and Gray G-10 Grips



▶ Custom Rosewood Grips



▶ G-10 Custom Grips with Medalion

- ▶ X-RAY3™ Day/Night Sights
- 3 Magazines





- SIG Anti-Snag Treatment on Slide and Frame
- ▶ Carry Length Slide
- ▶ Short Reset Trigger





A high-capacity .45ACP that comfortably fits in the palm of your hand.



G-10 Custom Grips with Magwell



(4) 14-Round Extended Magazines



TRUGLO® TFP Front Sight



TRIGGER ACTION	
DA/SA	10/4.4 LBS

FRAME SIZE / BARREL LENGTH					
FULL-SIZE 4.4"					
CARRY	3.9"				

CALIBER	.45 ACP
MAGAZINE	10
CAPACITY	10

.45 ACP	STANDARD FEATURE
	▶ Nitron® Stainless Stee
(10)	▶ Lightweight Alloy Fra
	▶ SIGLITE® Night Sights

STA	ND	ARD	FEA	TURES


- eel Slide

- ▶ One-Piece Ergonomic Grip

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE









SRD45 | PG. 95







X-RAY3™ Day/Night Sights PG. 86


V-Crown®/FMJ | PG. 54/59













Accessory Rail, Threaded



Corrosion-Resistant Internal Coating



Anchor Engraving, UID Label



TRIGGER ACTION			
DA/SA	10/4.4 LBS	SAO	5.0 LBS

FRAME SIZE / BARREL LENGTH		
FULL-SIZE	4.4"	


CALIBER	9 _{mm}	.357sig	.40sew
MAGAZINE CAPACITY	15	12	(12)

STANDARD FEATURES
▶ Nitron Stainless Steel Slide
▶ Lightweight Alloy Frame
► SIGLITE® Night Sights
➤ One-Piece Ergonomic Grip

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE





















PART #: Replace (X) with Choice of Caliber

▶ (3) 15-Round Magazines



Compact reliability that's been trusted by federal law enforcement professionals for decades.



Nitron® Stainless Slide/ Flat Dark Earth Anodized



Corrosion-Resistant Internal Coating



Phosphate-Coated Chrome-Lined Barrel



TRIGGER ACTION	
DA/SA	10/4.4 LBS

FRAME SIZE / BARREL LENGTH		
CARRY	3.9"	

CALIBER	9 _{mm}	.357sig	.40sew
MAGAZINE CAPACITY	(15)	(12)	(12)

STANDARD FEATURES

- ▶ Nitron Stainless Steel Slide
- ▶ Lightweight Alloy Frame
- ▶ SIGLITE® Night Sights
- ▶ One-Piece Ergonomic Grip





ARMED PROFESSIONAL PROGRAM PG. 113

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE

COMPLETE YOUR SYSTEM







X-RAY3™ Day/Night Sights PG. 86



V-Crown®/FMJ | PG. 54/59









PART #: Replace (X) with Choice of Caliber



The original SIG Classic carry gun is back with cutting-edge enhancements that today's users demand.




Single-Stack Magazine



SIGLITE® Night Sights



Nitron® Stainless Steel Slide









FRAME SIZE / BARREL LENGTH		
COMPACT	3.6"	

CALIBER	9 _{mm}
MAGAZINE CAPACITY	8

m	STANDARD FEATURES	
	▶ Nitron Stainless Steel Slide	
)	▶ Lightweight Alloy Frame	
	▶ SIGLITE Night Sights	

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE

*DENOTES MAGAZINE CAPACITY





Ideal for concealed carry or as a backup pistol, without sacrificing choice of caliber.



Single-Stack Magazine



SIG Anti-Snag Treatment on



SIGLITE® Night Sights





TRIGGER ACTION

DA/SA

10/4.4 LBS

FRAME SIZE / BARREL LENGTH

COMPACT 3.6"

CALIBER	9 _{mm}	.357 sig	.40sew
MAGAZINE CAPACITY	8	7	7

STANDARD FEATURES

➤ Nitron Stainless Steel Slide

➤ Lightweight Alloy Frame

➤ SIGLITE Night Sights

S PG. 69 () *DENOTES MAGAZINE CAPACITY





Convert to any of the available calibers.



9MM



.357SIG



.40S&W



CALIBER X-CHANGE KIT PG. 108

CHANGE GRIP FIT:

Interchangeable grip modules provide optimal grip circumference and access to controls unlike simply changing a backstrap.



GRIP MODULES

PG. 108

LARGE

MEDIUM

SMALL







EXCEPTIONAL TRIGGER

A smooth, crisp trigger pull and short tactile reset deliver heightened accuracy.



3-POINT TAKEDOWN No trigger pull or tools required:

- 1. Remove magazine
- 2. Lock slide to the rear
- 3. Rotate takedown lever

ADDITIONAL SAFETY FEATURES:

- ▶ Striker Safety
- ▶ Disconnect Safety

CHOOSE SIZE:

Provides the modularity to switch between multiple sizes.

STEEL FRAME

from size to caliber to grip at will.

SERIALIZED, STAINLESS

The serialized unit can be changed on everything



FULL-SIZE



CARRY



COMPACT



SUBCOMPACT



Unprecedented modularity with a cleaner, crisper short trigger reset, flexibility in caliber and frame size, and a safe takedown system. Available in three grip sizes for the perfect fit.



TruGlo® TFO Front Sight



(4) 21-Round Magazines





TRIGGER ACTION	
STRIKER-FIRED	
WITH SHORT TACTILE RESET	6.0 LBS

FRAME SIZE / BARREL I	LENGTH
FULL-SIZE	4.7"
CARRY	3.9"
COMPACT	3.9"
SUBCOMPACT	3.6"

CALIBER	9 _{mm}	.357 sig	.40sew	.45 _{ACP}
	17)		14)	10
MAGAZINE	17)	14	14)	10
CAPACITY	(15)	13	13	g
	(12)	10	10	

CALIBER	9 _{mm}	.357 sig	.40sew	.45 _{ACP}	
	17)		14)	10	
MAGAZINE	17	14	14	10	
CAPACITY	(15)	(13)	(13)	9	
	(12)	(10)	(10)		


STA	NDA	RD	FE/	λTU	RE:

- ▶ Modular Striker-Fired Pistol
- ▶ Nitron® Stainless Steel Slide
- ▶ Serialized Stainless Steel Frame
- ▶ Contrast or SIGLITE Night Sights
- Multiple Sizes: Sub-Compact, Compact, Carry, Full-Size
- ▶ Multiple Calibers
- ▶ Multiple Grip Sizes

*DENOTES MAGAZINE CAPACITY



▶ (4) 21-Round Magazines











V-Crown®/FMJ | PG. 54/59



X-RAY3™ Day/Night Sights PG. 86













PART #: Replace (X) with Choice of Caliber

.45ACP Only)

P320 RX

The world's only fully integrated shooting system. No other manufacturer offers a pistol with a reflex sight and co-witnessed sights ready to go out of the box. Shoot confidently with faster target acquisition and improved accuracy. Installed. Zeroed.



Interchangeable Grip Modules



omeo1® Reflex Sight




terchangeable Trigge

STRIKER-FIRED

WITH SHORT TACTILE RESET

TRIGGER ACTION





FRAME SIZE / BARREI	LENGTH
FULL SIZE	4.7"
COMPACT	3.9"

CALIBER	9 _{mm}
MAGAZINE	17)
CAPACITY	(15)

STANDARD FEATURES	
▶ Modular Striker-Fired Pistol	
▶ Nitron® Stainless Steel Slide	
▶ Serialized Stainless Steel Frame	
▶ Romeo1® Reflex Sight Installed	
► Co-Witness Back-Up Sights	

NEW

P320 COMPACT RX

Modular Striker-Fired PistolCompact SlideCompact Grip

▶ SIGLITE® Suppressor Sights (Contrast

▶ Romeo1® Reflex Sight

Sights Available)

320C-9-BSS-RX

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE





(1) **P320** X-SERIES

X-Series models include the enhanced X grip module with extended beavertail, 4-sided beveled maqwell, and a crisp trigger quard undercut. The flat trigger and slide lightening cuts make the 320X stand above the rest.



Slide Lightening Cuts



Enhanced Flat Trigger



(4) 21/18-Round Magazines (9mm/40S&W)





P320 X CARRY

320XCA-9-BXR3



NEW

P320 X V-TAC°

▶ (3) 17-Round Magazines

320F-9-VTAC



- ▶ VTAC® Day/Night Sights
- ▶ FDE Stainless Slide
- ▶ Reduced Slide Catch Lever
- ▶ Slide Lightening Cuts

STANDARD FEATURES

▶ (3) 17-Round Magazines



WITH SHORT TACTILE RESET

FRAME SIZE / BARREL LENGTH	
X FIVE	5.0"
X VTAC	4.7"
X-CARRY	3.9

CALIBER	9 _{mm}	.40sew
	(21)	18
MAGAZINE CAPACITY	17)	
	(17)	

*DENOTES MAGAZINE CAPACITY

▶ Modular XGrip	
▶ Extended Beavertail	
▶ Improved Slide Serrations	
▶ Enhanced Flat Trigger	
▶ 4-Sided Beveled Magwell	
Slide Lightening Cuts	

ARMED PROFESSIONAL PROGRAM PG. 113

COMPLETE SPECS PG. 109 | ACCESSORIES PG. 103 | ALL SPECIFICATIONS SUBJECT TO CHANGE



All the Classic Line SIG features in a lightweight and durable polymer package.



SIGLITE® Night Sights



DA/SA Trigger



Alternate Smaller Size Grip







PART #: Replace (X) with Choice of Caliber

TRIGGER ACTION DA/SA

FRAME SIZE / BARREL LENGTH COMPACT 3.9" CALIBER 9_{mm} .40sew MAGAZINE (15) (12) CAPACITY

STANDARD FEATURES

▶ Nitron® Stainless Steel Slide ▶ Lightweight Polymer Grip

▶ Contrast Sights (SIGLITE Night Sights Available)

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE

*DENOTES MAGAZINE CAPACITY



The ideal concealed carry pistol in a 9mm with restrike capability.



Restrike Capable



Nitron® Stainless Steel Slide



Custom Flat Dark Earth





FRAME SIZE / BARREL LENGTH	
MICRO-COMPACT	2 9"

CALIBER	9 _{mm}
MAGAZINE CAPACITY	6 / B

STANDARD FEATURES	
▶ Nitron Stainless Steel Slide	
▶ Lightweight Polymer Grip	
▶ SIGLITE® Night Sights	

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE **DENOTES MAGAZINE CAPACITY



®1911

The legendary ergonomics and accuracy of the 1911, engineered for today's shooter with SIG reliability and modern refinements.



Hogue® G-10 Piranha Magwell Grips



Accessory Rail



FDE PVD Coated Slide and





.45ACP

54B074310

1911R-45-ESCPN

- ▶ FDE PVD Coated Slide and Frame
- ▶ Front Cocking Serrations
- ▶ Hogue® G-10 Piranha Magwell Grips with G-10 Mainspring Housing
- ▶ Ambidextrous Manual Safety

TRIGGER ACTION		

SAO



FRAME SIZE / BARREL LENGTH		
FULL-SIZE	5.0"	
CARRY	4.2"	
COMPACT	4.2"	
ULTRA COMPACT	3.3"	

CALIBER	9 mm	.357 sig	.40sew	.45 _{ACP}
	9	В	8	В
MAGAZINE		8		В
CAPACITY				7
	В			7

SIG SAUER INC.

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE () *DENOTES MAGAZINE CAPACITY



- ▶ Match Grade Barrel
- ▶ Stainless Steel Slide
- ▶ Front Strap Checkering
- ▶ Beavertail Grip Safety
- ▶ Extended Thumb Safety



Slide Contour



ontour Slide

W

COMPLETE YOUR SYSTEM SRD45 | PG. 95 V-Crown®/FMJ | PG. 54/59 LIMA1™ | PG. 82









PART #: Replace (X) with Choice of Caliber









▶ Custom Brown Vector Grips

▶ Stainless Steel Magwell

▶ Low-Profile Night Sights















COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE

PART #: Replace (X) with Choice of Caliber

COMPLETE YOUR SYSTEM



SRD45 | PG. 95





V-Crown®/FMJ | PG. 54/59



1911FCA-45-NMR .45ACP



- ▶ Hogue Black G-10 Grips
- ▶ Low-Profile Night Sights











PART #: Replace (X) with Choice of Caliber



A 1911-inspired 9mm that's easy to conceal and even easier to shoot.



SIGLITE® Night Sights



Polished and Engraved Nitron® Slide



Custom Redwood Medallion Inlay Grips

TRIGGER ACTION

SAO







FRAME SIZE / BARREL LENGTH	CALIBER	9 _{mm}	STANDARD FEATURES		
MICRO-COMPACT 3.0"	MAGAZINE CAPACITY	6 /7	➤ Stainless Steel Slide ➤ Alloy Frame	► 1911 Styling ► Manual Safety	➤ Skeletonized hammer

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE () *DENOTES MAGAZINE CAPACITY



COMPLETE YOUR SYSTEM









V-Crown®/FMJ | PG. 54/59



















Inspired by the 1911, this easy-to-conceal, all-metal firearm chambered in .380ACP has exceptional accuracy.



Polished and Engraved Nitron® Slide



SIGLITE® Night Sights



Custom Pearlescent Grips





TRIGGER ACTION	
SAO	7.5 LBS

FRAME SIZE / BARREL LENGTH		
MICRO-COMPACT	2.7"	

CALIBER	.380 _{ACP}
MAGAZINE CAPACITY	6/7


STANDARD FEATURES		
➤ Stainless Steel Slide ➤ Alloy Frame	1911 StylingManual Safety	➤ Skeletonized hammer

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE () *DENOTES MAGAZINE CAPACITY





























®RIMFIRE

Matched to the original centerfire models to make practice realistic and affordable.



Black Hard-Coat Anodized



Interchangeable Trigger



Interchangeable Grip Modules







TRIGGER ACTION

7.5/8.5 LBS

9.0 LBS

10/4.4

LBS

GTH
4.5"
3.9"
3.3"

CALIBER	.22 LR
MAGAZINE CAPACITY	10 10

Black Hard-Coat Anodized Slide Adjustable Sights 10-Round Magazine	STANDARD FEATURES	
, ,	▶ Black Hard-Coat Anodized Slide	
▶ 10-Round Magazine	▶ Adjustable Sights	
	▶ 10-Round Magazine	

COMPLETE SPECS PG. 114 | ACCESSORIES PG. 108 | ALL SPECIFICATIONS SUBJECT TO CHANGE

*DENOTES MAGAZINE CAPACITY



© CUSTOM SHOP

Expert Skills, Maintenance and Performance Testing

The SIG SAUER® Custom Shop offers a wide range of services to keep your SIG SAUER pistol in peak operating condition. Services include refurbishing, action jobs, sight replacement and service programs that won't void your warranty. With years of experience and a detailed understanding of the SIG product line, our gunsmiths can bring your pistol back to top performance and appearance using only original factory parts and finishes.

CUSTOM SERVICES

ACTION ENHANCEMENT PACKAGE

- · Hone and polish critical surfaces to lighten and smooth both the double-action and single-action trigger pulls
- · Includes Feed Ramp Polish
- Excludes SP2009, SP2340, SP2022°, 226X5/X6, Mosquito, 1911-22, P210°, P220° SA0, P226° SA0, P232°/230°, P238°, P938°, P250°, P290° and DAK models

ACTION ENHANCEMENT PACKAGE FOR 226X5 AR (ALL AROUND)

- · Hone and polish critical surfaces to lighten and smooth both the double-action and single-action trigger pulls
- · Includes Feed Ramp Polish
- For the 226X5 All Around model only, not available for any of the other X5 or X6 models

SHORT RESET TRIGGER PACKAGE

- Retrofit your P220, P224°, P225°, P226, P227°, P228°, P229°, P239° and P245™ with sear and safety lever parts
- Reduces the trigger reset travel by about 60%
- · Perfect for both competition and combat shooters who want to reduce their follow-up shot times
- Price includes parts and labor
- · Original parts returned with your firearm

FULL SERVICE PACKAGE

- Detailed stripping and complete and thorough cleaning of the entire pistol
- Professional safety inspection of critical components by factory certified personnel
- Replacement of springs prone to wear (trigger bar spring, slide catch lever spring, recoil spring) and any needed small parts
- · Lubrication to factory standards, reassembly and function testing.
- · Not available for 1911-22 or Mosquito models

For more information on Custom Shop services, or instructions to send in your pistol for service, call the SIG SAUER Customer Service Department: (603) 610-3000, option 1. Please have your pistol's serial number on-hand. All firearms shipped to SIG SAUER must have a Return Material Authorization (RMA) number or they will be refused and returned to the sender.



RIFLES While others may settle, SIG uses world-class engineering to elevate and redefine every aspect of rifle performance, delivering unmatched reliability and precision. Learn more about the complete rifle line at sigsauer.com

CARBINE


A firearm with a 16" or longer barrel.

SHORT BARREL

A firearm with a barrel length under 16" subject to NFA tax.

PISTOL

A firearm with a barrel length under 16" not subject to NFA tax.



DENOTES MAGZINE CAPACITY | SIGHTS SOLD SEPARATELY

Not just another AR, but an entirely new rifle platform and complete weapons system-fully configurable for any scenario or environment.

THE FIRST TRUE MISSION-ADAPTABLE WEAPONS SYSTEM, USED BY THE MOST ELITE MILITARY UNITS IN THE WORLD.

Introducing the SIG MCX. Engineered from the ground up to be silenced, light, and short. With an innovative short-stroke gas piston operating system, users can change barrels, calibers, stocks, and handguards in the field. Hardened and replaceable upper receiver wear points, ambi AR-style controls, and backward compatibility with legacy MILSPEC AR lower receivers. The SIG MCX eclipses everything that has preceded it.



Rail-Mounted Stocks (Folding/Collapsible/Telescopic)



User-Changeable Barrels



AR-Style Ambidextrous Controls



Integral Steel QD Sling Points



Reinforced Cam Path and Feed Ramp



KeyMod™ Handguards



M1913 Picatinny Top Rail and Free-Floating Barrel



Flared and Beveled Magwell

ONE SYSTEM. ANY SITUATION.





The first true mission-adaptable weapons system engineered to be silenced, light, and short.









User Changeable Barrels



Ambidextrous Manual Safety (Standard on All Models)

SIG MCX PATROL R



5.56 NATO

RMCX-16B-P-R

- ▶ 16 " 5.56 NATO Barrel with 3-Prong Flash Hider
- ▶ Telescoping/Folding 5-Position Stock
- ▶ KeyMod™ Handguard
- ▶ Ambidextrous Charging Handle and Controls
- ▶ 30-Round Magazine
- **▶** Sights Sold Separately

OPERATING SYSTEM	
	GAS VALVE
SHORT-STROKE GAS PISTON	2-POSITION

CALIBER	5.56 NATO	300 _{BLK}
MAGAZINE CAPACITY	30)	30

NEW FEATURES FOR 2017

- ▶ Telescoping/Folding 5-Position Stock
- ▶ Reinforced Metal QD Inserts
- ▶ KeyMod Hand Guard

COMPLETE SPECS PG. 116 | ACCESSORIES PG. 110 | ALL SPECIFICATIONS SUBJECT TO CHANGE











- ▶ 16-inch Barrel with 3-Prong Flash Hider
- ▶ FDE Anodized Receivers and KeyMod Handguard
- ▶ FDE Telescoping/Folding Stock and FDE Grip
- ▶ Ambidextrous Charging Handle and Controls
- **▶** Sights Sold Separately





Available in Black Nitron®

Available in

Flat Dark Earth





- ▶ 11.5-inch Barrel with 3-Prong Flash Hider
- KeyMod Handguard
- ▶ Telescoping Folding Stock
- ▶ Ambidextrous Charging Handle and Controls
- **▶** Sights Sold Separately

Barrel Length 11.5"



300_{BLK} RMCX-300B-9B-TELE-SBR / RMCX-300B-9B-TELE-FDE-SBR



- ▶ 9-inch Barrel with 3-Prong Flash Hider
- ▶ Telescoping Folding Stock
- ▶ KeyMod Handguard
- ▶ Ambidextrous Charging Handle and Controls
- > Sights Sold Separately

Barrel Length 9"



Available in Flat Dark Earth

Flat Dark Earth

PMCX WITH PSB

5.56NATO | 300BLK

PMCX-11B-PSB / PMCX-300B-9B-PSB PMCX-11B-PSB-FDE / PMCX-9B-300B-PSB-FDE



- ▶ 9 inch (300BLK) / 11.5-inch (5.56 NATO) Barrel with 3-Prong Flash Hider
- ▶ Side-Folding SBX Pistol Stabilizing Brace
- ▶ Ambidextrous Charging Handle and Controls
- > Sights Sold Separately

Barrel Length 9" (300 BLK) / 11.5" (5.56 NATO)



The sub-qun breakthrough 50 years in the making, with a new standard in operator safety and in-field adaptability.





Familiar, Ambidextrous AR Controls



Two-Position Collapsible Stock with Integrated QD Sling Cups



Closed and Locked Rotating Bolt System

SIG MP	(PISTOL
--------	----------

MPX-P-9-KM

- ▶ 8-inch Barrel with A2 Compensator
- ▶ Aluminum KeyMod™ Handguard
- ▶ Fixed Gas Valve
- ▶ Sights Sold Separately

Barrel Length 8"

OPERATING SYSTEM	GAS VALVE
SHORT-STROKE GAS PISTON	FIXED VALVE

C	ALIBER	9мм
1	AGAZINE APACITY	(30)

FE#	λТШ	R	E:

- ▶ Fully Closed and Locked Rotating Bolt System
- ▶ Easily Changed Barrel Length, Stock, and Handguard
- ▶ Familiar, Ambidextrous AR Controls

COMPLETE SPECS PG. 116 | ACCESSORIES PG. 110 | ALL SPECIFICATIONS SUBJECT TO CHANGE











Sights Sold Separately Barrel Length 8"





A true AR platform exceeding military standards to be the most accurate and reliable rifle in its class.









Romeo5® Red Dot Sight Included



Ambidextrous Controls

SIGM400 ELITE



5.56NATO

RM400-16B-E-R, RM400-16B-E, RM400-16B-E-TI-R, RM400-16B-E-TI

- ▶ Sig Dualock Handguard (M-Lock and Keymod Compatible)
- ▶ Sig Sauer® Foregrip
- ▶ Polymer 30rd Magazine
- ▶ Micro Gas Block
- ▶ Enhanced Single Stage Trigger
- ▶ Ambi Charging Handle

Barrel Length 16"

OPERATING SYSTEM

DIRECT IMPINGEMENT GAS SYSTEM

CALIBER	5.56 NATO
MAGAZINE CAPACITY	30)

FEATURES

- ▶ Traditional AR-15 Tactical Rifle
- ▶ Ambidextrous Controls
- ▶ Integral Ambi QD Sling Mounts

COMPLETE SPECS PG. 116 | ACCESSORIES PG. 110 | ALL SPECIFICATIONS SUBJECT TO CHANGE





COMPLETE YOUR SYSTEM SIGSAUER TANGO6™ | PG. 64 SRD556-QD | PG. 97 300BLK Match Grade Rifle Ammo | PG. 56

NEW

SIGM400 V-TAC

5.56NATO

RM400-16B-VTACP



- ▶ Designed by Kyle Lamb Sgt Maj. Retired
- ▶ 16-inch Barrel with Taper-Lok® Flash Hider
- ▶ Laser Engraved V-TAC® logo on Lower Receiver
- ▶ Aluminum Free-Float V-TAC Handguard
- ▶ Rail Mounted QD Sling Cup
- **▶** Sights Sold Separately
- ▶ Includes V-TAC Adjustable Sling and Rifle Bag

Barrel Length 16"

SIGM400 PREDATOR

5.56NATO 300BLK

RM400-H18SS-PRED



- ▶ Stainless Steel Heavy Contour Barrel
- ▶ ALG Aluminum Free-Floating Handguard
- ▶ 2-Stage Match Trigger
- Available in 16" (.300BLK) and 18" (5.56NATO) barrel

Barrel Length 16"

Barrel Length 18"





- ▶ 16-inch Barrel with A2 Compensator
- ▶ Alloy Keymod Extended Forend
- ▶ "F" Marked Front/Locking Flip-Up Rear Sight
- ▶ Telescoping M4 Stock

Barrel Length 16"

PM400 ELITE with PSB

5.56NATO 300BLK





- ▶ 11.5-inch 5.56 NATO Barrel with 3-Prong Flash Hider
- ▶ 9-inch 300BLK Barrel with 3-Prong Flash Hider
- ▶ ALG Aluminum Free-Floating Handguard
- ▶ SBX Pistol Stabilizing Brace
- ▶ Sights Sold Separately

Barrel Length 9" / 11.5"



An enhanced AR platform with a clean-running, more reliable operating system.









Aluminum Free-Floating Handguard



16" Hammer-Forged Barrel

R516G2-16B-P-FDE

- ▶ 16-inch Hammer-Forged Barrel
- ▶ FDE Cerakote Upper and Lower Receivers
- ▶ FDE B5 Systems® Bravo SOPMOD Stock
- ▶ Lightweight Gas Block

5.56NATO

- ▶ Ambidextrous Charging Handle
- ▶ Sights Sold Separately

Barrel Length 16"

OPERATING SYSTEM

SHORT-STROKE GAS PISTON

GAS VALVE

4-POSITION

CALIBER	5.56 NATO
MAGAZINE CAPACITY	30

FEATURES

- ▶ Built for Harsh Tactical Environments
- ▶ Ambidextrous Charging Handle and Controls
- ▶ Lightweight Gas Block

COMPLETE SPECS PG. 116 | ACCESSORIES PG. 110 | ALL SPECIFICATIONS SUBJECT TO CHANGE

DENOTES MAGZINE CAPACITY | ALL SIGHTS SOLD SEPARATELY











Lightweight sub MOA precision, reliability and big bore performance in a familiar AR package.









AR-Style Ambidextrous Controls



2-Position Adjustable Gas Valve

SIG716G2 DMR



7.62NATO

R716G2-H16B-DMR

- ▶ 16-inch HBar with Enhanced Muzzle Brake
- ▶ Aluminum KeyMod™ Handguard with Continuous 20 MOA M1913 Top Rail
- ▶ Improved Lighweight Design
- ▶ 2-Position Adjustable Gas Valve
- 2-Stage Match Trigger

Barrel Length 16"

OPERATING SYSTEM

SHORT-STROKE GAS PISTON

GAS VALVE 2-POSITION **ADJUSTABLE** CALIBER 7.62 NATO MAGAZINE (20) CAPACITY

FEATURES


- ▶ AR Platform, 7.62NATO Caliber Performance
- ▶ Integral Ambidextrous Steel QD Sling Mounts
- ▶ Ambidextrous Controls

COMPLETE SPECS PG. 116 | ACCESSORIES PG. 110 | ALL SPECIFICATIONS SUBJECT TO CHANGE

DENOTES MAGZINE CAPACITY | ALL SIGHTS SOLD SEPARATELY



COMPLETE YOUR SYSTEM FINGOG** | PG. 64 SRD762Ti-QD | PG. 97 Match Grade Rifle Ammo | PG. 56



Barrel Length 16"



Barrel Length 16"



Amid relentless testing of perfected variations in weight retention, energy transfer and controlled expansion, SIG Elite Performance Ammunition delivers a higher standard of maximized reliability and accuracy across every caliber. Manufactured to SAAMI standards in the SIG SAUER, Inc. plant in Arkansas, SIG V-Crown®, FMJ and Match Grade ammunition have earned the same reputation for quality that consumers have come to expect from every SIG product.

Learn more about the Ammo line at sigsauer.com/ammunition



SIG V-CROWN JACKETED HOLLOW POINT

THE COMPLETE SYSTEMS PROVIDER™



Jacketed Hollow Point Pistol Cartridges

Ballistic Features

Innovative SIG V-Crown cartridges utilize a perfect storm of features from low-flash propellant to a cannelured shank, resulting in maximum weight retention with reliable terminal ballistic performance.

- -Consistent Penetration
- -Uniform Controlled Expansion
- -Maximum Weight Retention

A. V-SHAPED JACKET SKIVES AND SCORES PROVIDE CONTROLLED, UNIFORM EXPANSION.

B. STACKED HOLLOW POINT BULLET DESIGN WITH ADDITIONAL HOLLOW POINT CAVITY.

C. UNIQUE TOOTHED CANNELURE HALFWAY UP SHANK ENSURES MAXIMUM WEIGHT RETENTION AND TERMINAL EXPANSION.

D. COATED NICKEL CASES PROVIDE ENHANCED LUBRICITY, SUPERIOR CORROSION RESISTANCE, AND RELIABLE FEEDING AND EXTRACTION.

E. LOW FLASH PROPELLANT.

SIG V-Crown defensive rounds combine perfected material specifications and fine-tuned design innovations, featuring a stacked hollow point cavity, to deliver exceptional on-target energy with maximum weight retention and optimal expansion – the ultimate in stopping power.

V-Crown Loads are optimized for maximum terminal ballistic performance in small-frame firearms including 380 AUTO 90 gr, 9 MM Luger 115 gr, 44 S&W SPL 200 gr, 45 AUTO 185 gr, and 38SPL +P 125 gr.





SIG Match Grade rifle rounds are engineered to excel in today's precision auto-loading platforms as well as bolt-action rifles.

Consistent bullet weight retention with minimal velocity variations from optimized shell case metallurgy with premium primers. Rounds are precision-loaded using state-of-the-art, electromechanical monitoring for geometric conformity.

FEATURES

- -Minimal Velocity Variations
- -Precision Loaded for Conformity
- -Maximum Bullet Weight Retention
- -Renowned Sierra Matchking® Projectile
- -Temperature Stable Propellants

SIG 300 BLK SUBSONIC

SIG propellant chemistry has been optimized to produce the ideal amount of down-bore pressure for cycling both piston and gas-driven platforms, with or without sound suppression. SIG 300BLK Subsonic rounds minimize recoil, sound and muzzle flash, while maximizing the number of hits on target.


SIG 300 BLK SUPERSONIC

The ultimate round for precision shots at extended range, SIG 300BLK Supersonic features Sierra MatchKing® projectiles in a pointed meplat design for maximum velocity retention – yielding flatter trajectories and more on-target energy.





SIG 300 BLK Supersonic



SIG HT superior hunting rounds yield consistent 1.8X diameter expansion using premium-quality powders and primers for minimum velocity variation. Perfected for AR style rifle feeding, optimized nose geometry combined with premium nickel-plated shell casings deliver consistently reliable accuracy for taking down game.

FEATURES

- -Consistent 1.8X Diameter Expansion
- -Minimal Velocity Variation
- -Lead-Free Projectile
- -AR-Style Rifle Feeding

SIG 223 REM

The 60gr 223 Rem bullet has a muzzle velocity of 3,100 fps and muzzle energy of 1,280 ft-lbs, making it an effective, hard-hitting varmint and predator round.



223 REM

SIG 300 BLK

The 120gr 300 BLK bullet has a muzzle velocity of 2250 fps and muzzle energy of 1,349 ft-lbs making it an effective, hard-hitting hog, varmint and predator round, including mid-sized game.

SIG 308 WIN

The 150gr 308 Win features a muzzle velocity of 2,900 fps and muzzle energy of 2,801 ft-lbs. This SIG HT 308 Win cartridge is excellent for mid-sized game including deer, antelope, hogs and predators.







NEW

SIG SAUER Varmint & Predator rounds utilize smoked gray tipped projectiles designed specifically for explosive expansion and unmatched accuracy. All loads feature projectiles that are light for their caliber (40 grains for the 22 caliber, 55 grains for 6mm), yielding higher muzzle velocities and flatter trajectories across all practical hunting distances. The Varmint and Predator rounds contain the same high quality single base extruded powders as SIG Match Grade rounds. This ensures consistent round-to-round muzzle velocities and insensitivity to temperature change. All SIG SAUER Varmint & Predator rounds are produced on state-of-the-art loading equipment with electromechanical monitoring for charge weight consistency and geometric conformity.

FEATURES

- Match Grade Accuracy
- Flat Trajectories
- Explosive Expansion










223 REM



Engineered to match SIG V-Crown® ballistics for a more seamless transition from practice to carry ammunition, SIG FMJ Ammunition delivers round after round of affordable, premium-level performance. Featuring dependable primers and the same exceptional, clean-burning propellants used in the breakthrough defense rounds, SIG FMJ durable copper-jacketed bullets remain intact on impact with equivalent point-of-impact, recoil and energy. Practice or competition, SIG FMJ measures up.

FEATURES

- -Ballistically Matched to SIG V-Crown
- -Affordable Practice
- -Premium Performance





	CALIBER	BULLET WEIGHT [grs]	BULLET STYLE	VELOCITY IN FPS MUZZLE 25 YDS 50 YDS 100 YDS	ENERGY IN FTLBS. MUZZLE 25 YDS 50 YDS 100 YDS	TRAJECTORY IN INCHES 25 YOS 50 YOS 100 YOS
	380AUTO	90	JHP	980 949 921 871	192 180 169 152	1.0 0.0 -9.8
		115		1185 1126 1076 1000	359 324 296 255	0.6 0.0 -7.0
	9MM LUGER	124	JHP	1165 1102 1051 973	374 334 304 261	0.6 0.0 -7.3
		147		985 958 934 891	317 300 285 259	0.9 0.0 -9.5
	357SIG	125	JHP	1356 1271 1197 1080	511 449 398 324	0.4 0.0 -5.6
	38SUPER+P	125	JHP	1230 1156 1095 1004	420 371 333 280	0.6 0.0 -6.7
z	38SPL +P	125	JHP	900 936 910 863	258 243 230 207	1.0 0.0 -10.0
SIG V-CROWN	357MAG	125	JHP	1450 1346 1252 1106	584 503 435 340	0.3 0.0 -5.1
. V-C	40S&W	165	JHP	1090 1048 1013 954	435 403 376 334	0.7 0.0 -8.0
SIG		180	5111	985 958 934 890	388 367 348 317	0.9 0.0 -9.4
	10MM AUTO	180	JHP	1250 1174 1111 1017	624 551 493 413	0.5 0.0 -6.5
	45.4470	185		995 953 917 855	407 373 345 300	0.9 0.0 -9.8
		200	JHP	918 900 884 853	374 360 347 323	0.8 0.0 -10.1
		230		830 810 791 755	352 335 319 291	1.4 0.0 -13.4
	44S&W SPL	200	JHP	700 685 671 643	218 208 200 184	2.1 0.0 -18.8
	44REM MAG	240	JHP	1300 1231 1171 1075	901 807 730 615	0.5 0.0 -5.8
	45COLT	230	JHP	850 829 809 771	369 351 334 304	1.3 0.0 -12.7







	CALIBER	BULLET WEIGHT [grs]	BULLET STYLE	VELOCITY IN FPS MUZZLE 25 YDS 50 YDS 100YDS	ENERGY IN FTLBS. MUZZLE 25 YDS 50 YDS 100YDS	TRAJECTORY IN INCHES 25 YDS 50 YDS 100YDS
	380AUTO	100	FMJ	910 879 851 800	184 172 161 142	1.2 0.0 -11.5
		115	FMJ	1185 1125 1076 999	359 323 296 255	0,6 0,0 -7,0
	9MM LUGER	124 NEW	FMJ	1165 1111 1065 993	374 340 312 272	0,6 0,0 -7,1
		147 NEW	FMJ	985 960 936 895	317 301 286 261	0,6 0,0 -9,4
	357SIG	124	FMJ	1356 1246 1154 1024	506 427 367 289	0.5 0.0 -6.0
FM	38SUPER +P	125	FMJ	1230 1166 1111 1026	420 377 343 292	0.5 0.0 -6.5
SIGF	38SPL	125	FMJ	900 881 863 829	225 215 207 191	1.2 0.0 -11.2
C)	357MAG	125	FMJ	1450 1330 1225 1072	584 491 417 319	0.4 0.0 -5.3
	40S&W	180	FMJ	985 959 935 893	388 367 349 319	0.9 0.0 -9.4
	10MM AUTO	180	FMJ	1250 1185 1129 1042	624 561 510 434	0.5 0.0 -6.3
	45AUTO	230	FMJ	830 816 803 777	352 340 329 308	1,4 0,0 -12,9
300BLK	300BLK SUPERSONIC	125	DTM	2200 2140 2080 1964	1343 1270 1201 1071	-1.1 -0.2 0.0
SIG 30	300BLK SUBSONIC	220	ОТМ	1000 992 983 968	488 480 472 457	1.5 3.2 0.0



	CALIBER	BULLET WEIGHT [grs]	BULLET STYLE	VELOCITY IN FPS MUZZLE 100 YDS 200 YDS 300YDS	ENERGY IN FTLBS. MUZZLE 100 YDS 200 YDS 300YDS	TRAJECTORY IN INCHES 100 YDS 200 YDS 300YDS
а.	223 REM	40 NEW	TIPPED HP	3650 3089 2570 2093	1183 847 587 389	0.0 -0.7 -6.7
SIG VP	22-250 REM	40 NEW	TIPPED HP	3975 3390 2844 2346	1403 1021 718 489	0.0 -0.1 -4.5
S	243 WIN	55 NEW	TIPPED HP	3880 3377 2928 2496	1838 1393 1047 761	0.0 -0.1 -4.2
_	223 REM	60	HT	3100 2704 2340 2006	1280 974 730 536	0.0 -1.8 -10.0
SIG HT	300 BLK	120	НТ	2250 1977 1726 1501	1349 1042 792 600	0.0 -6.0 -23.6
S	308 WIN	150	нт	2900 2669 2449 2239	2801 2372 1997 1670	0.0 -1.9 -9.6

	CALIBER	BULLET WEIGHT	BULLET STYLE	VELOCITY IN FPS	ENERGY IN FTLBS.	TRAJECTORY IN INCHES
		(grs)		MUZZLE 100 YDS 200 YDS 300YDS 400YDS 500YDS	MUZZLE 100YDS 200YDS 300YDS 400YDS 500YDS	100YDS 200YDS 300YDS 400YDS 500YDS
_	223 REM	77	ОТМ	2750 2499 2262 2038 1828 1633	1293 1068 875 710 571 465	0.0 -4.1 -15.0 -34.3 -64.1
SIG MATCH	308 WIN 175	168	ОТМ	2700 2505 2318 2138 1967 1805	2719 2340 2003 1705 1443 1215	0.0 -4.1 -14.6 -32.8 -59.9
		UIM	2600 2424 2256 2094 1939 1791	2626 2284 1977 1703 1460 1246	0.0 -2.9 -12.7 -30.4 -574	
	300 WIN	190	ОТМ	2850 2674 2505 2343 2186 2035	3426 3017 2648 2315 2016 1748	0.0 -3.4 -12.3 -27.5 -50.1



SEE THE DIFFERENCE: ADVANCED ELECTRONIC TECHNOLOGY AND SUPERIOR DESIGN.

SIG SAUER® Electro-Optics fuses together advanced electronic technologies, superior, high-definition glass, and military-inspired designs to achieve maximum clarity, accuracy, and performance shot after shot.



SIG SAUER® ELECTRO-OPTIC INFINITE GUARANTEE™

- Unlimited Lifetime Guarantee
- Fully Transferable
- · No Warranty Card Required
- · No Receipt Required
- · No Time Limit Applies
- No Charge



Electronic and Tritium Limited 5-YEAR WARRANTY

Covers any defects in materials and workmanship in the electronic and Tritium components of illuminated riflescopes/sights, pistol sights, electronic sights, flashlights, lasers, binoculars, spotting scopes and rangefinders for five years from date of manufacture.



2016 Guns and Ammo Optic of the Year ROMEO1®

SBT® / SIG Ballistic Turret

- ▶ a custom, laser-etched elevation dial on most SIG SAUER® TANGO and WHISKEY riflescopes
- ▶ matched to the ballistics of the shooter's system at no extra cost
- inputs bullet specifications, ballistic coefficient, muzzle velocity, elevation, and other environmental factors
- allows for correct bullet drop compensation and pinpoint accuracy at any range

FREE CUSTOM SBT DIAL

ON ALL TANGO AND MOST WHISKEY RIFLESCOPES









LOCKDOWN® ZERO SYSTEM

- zero stop-locking turret allows a rapid return to Zero and locks at Zero
- eliminates concern about how far to turn the elevation dial to return to Zero

STEALTH ID™

- ► deflection armor trapezoidal surfacing breaks up the shape and visibility of the optic
- ▶ slide serrations and grip checkering add function to the form of all SIG SAUER electro-optics

HELLFIRE® RETICLE

- ▶ electronically illuminated utilizes advanced fiber-optic technology
- varies the light intensity of the central aiming point from IR (InfraRed) dim to HellFire bright for daylight illumination
- results in a bright, defined aiming point for precision shot placement in any condition

LEVELPLEX™ ANTI-CANT SYSTEM

- ▶ utilizes an integrated digital level that is accurate to +/- 0.5°
- offered in FFP with 4 different reticle options (MOA Milling, MRAD Milling, MOA DEV-L Holdover, and MRAD DEV-L Holdover)

MEGAVIEW™

- provides massive Field of View (FOV), allowing faster target acquisition
- enhances awareness of objects in the shooter's periphery

ALT™ Aspheric Lens Technology

- ▶ eliminates aberration, reduces weight, and helps to focus the projected image through the lenses
- ▶ superior low distortion optical performance

SPECTRACOAT™

- ▶ highly efficient, ultra-wide broadband, anti-reflection lens coatings
- reduces surface reflections to extremely low levels across the entire visible spectrum
- ▶ provides superior light transmission

HDX™

- ► comprises both High Definition (ED) and High Transmittance (HT) glass
- ▶ ultra-high resolution, optical performance, and light transmission

LENSARMOR™

- ▶ abrasion-resistant lens coatings
- extreme durability ensures the lenses on the scope will stay sharp, bright, and clear

LENSHIELD™

- ► Mil-Spec[™] oleophobic coating
- ▶ sheds water, oil, and gunk, ensuring a clean sight image at all times

MOTAC™ Motion Activated Illumination

- motion-sensing technology
- powers up illumination when sensing motion, and powers down when it does not, extending battery life

SOLAR POWERED ILLUMINATION SYSTEM

- powered by a solar cell
- extends runtime and improves daylight brightness of the reticle without a battery

TRUHOLD™

- ▶ lockless zeroing system
- utilizes twin adjustment springs designed and torture-tested to endure handgun recoil and return to zero shot after shot

SOS™ / SIG Optic Stabilizer

- proprietary SIG Optic Stabilizer system
- gyroscopically stabilized to cancel out unwanted shaking and vibrations that can blur an image, especially at higher magnification levels

AMR™ / Angle-Modified Range

- ranging technology using an on-board inclinometer
- ▶ reads incline / decline angle and modifies the effective ballistic shooting range to the target
- ▶ equivalent horizontal range, integrating perfectly when used with SIG Ballistic Turret dials

LIGHTWAVE DSP™ / Digital Signal Processing

- leverages HyperScan, and advanced power management technique, providing the fastest refresh rate in scan mode (4 times per second)
- ▶ uses the latest generation Field Programmable Gate Array (FPGA)
- ▶ reduces false positives while finding weak or distant targets

LUMATIC DISPLAY™

- ▶ proprietary OLEO (Organic Light Emitting Diode) Display™
- ambient light sensor continuously monitors light conditions and adjusts the display brightness accordingly
- no other display offers this adaptive ability to prevent the shooter's pupil from constricting in low-light conditions





The TANGO6 super-zoom 6X riflescope line has you covered from close quarter battle operations to long range shooting, from 3-Gun competitions to hunting dangerous game, from bolt-actions to MSR's.



NEW MODELS

TANGOG 5-30X56MM WITH LEVELPLEX

34MM MAINTUBE

SOT65112, SOT65011, SOT65012, SOT65013, SOT65014

- ▶ Designed for MSR/AR and Bolt Action Platforms
- ▶ Long Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options



T-120 Tactical Turret with 120 Clicks Per Revolution



Lockdown® System Locks turret at any position with a resettable zero, zero stop.



Levelplex™ Digital Anti-Cant System is an integrated digital level that is accurate to to +/- .5°

TACTIC	AL RIFLE	SCOPES

TANGO6

INFINITE
GUARANTEETM
ELECTRONICS
LIMITED 5 YEAR
WARRANTY

FEATURES		
6x Super-Zoom Advanced Optical System	User configured elevation zero stop	Waterproof (IPX-7 rated) and fog-proof performance
LevelPlex™: Digital Anti-Cant System	HellFire® Reticles: fiber-optics to vary intensity of central aiming point	T120 - Tactical Turret with 120 clicks per revolution
MOTAC™: Motion Activated Reticle Illumination	HDX™ Optics: unequaled light transmission and optical clarity	FREE custom SIG Ballistic Turret with purchase

COMPLETE SPECS PG. 90 | ACCESSORIES PG. 88 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

COMPLETE YOUR SYSTEM







KILO2200® | PG. 80

NEW

TANGO6 4-24X50MM WITH LEVELPLEX

34мм Маінтиве

SOT64011, SOT64012, SOT64112, SOT64013, SOT64014



- ▶ Designed for MSR/AR and Bolt Action Platforms
- ▶ Ideal for Mid-Range Tactical Engagements and Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options

NEW

TANG06 **1-6X24MM** 30мм Маінтиве

SOT61011, SOT61111, SOT61012, SOT61112, SOT61015, SOT61016, SOT61017, SOT61018



- ▶ Designed for MSR/AR and Bolt Action Platforms
- ▶ Ideal for CQB / Mid-Range Tactical Engagements 3-Gun Competitions and Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP or FFP with Multiple Reticle Options

NEW

ALPHA™ Tactical Rings | PG. 88

TANGO6 3-18X44MM WITH LEVELPLEX

34мм Маінтиве

SOT63011, SOT63012, SOT63112, SOT63013, SOT63014



MOA /


MRAD

Triplex

See chart on page 90 for application

- ▶ Designed for MSR/AR and Bolt Action Platforms
- ▶ Ideal for Mid-Range / Long-Range Tactical Engagements and Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options

RETICLES



5.56mm / 7.62mm 300 Blackout Horseshoe Dot

DEV-L

DEV-L MRAD 1 - 6 x 24 mm

Triplex, SFP MOA Milling, SFP MRAD Milling, SFP

3 Gun, SFP DEV-L MOA Milling, FFP

DEV-L MRAD Milling, FFP MOA Milling, FFP MRAD Milling, FFP

5.56/7.62 Horseshoe Dot FFP

300 Blackout Horseshoe Dot FFP

4 - 24 x 50 mm

3 - 18 x 44 mm

DEV-L MOA Milling, FFP DEV-L MRAD Milling, FFP MOA Milling, FFP MRAD Milling, FFP

5 - 30 x 56 mm


DEV-L MOA Milling, FFP DEV-L MRAD Milling, FFP MOA Milling, FFP MRAD Milling, FFP





With a 4:1 zoom first-focal plane design, illuminated glass reticles, and revolutionary LockDown® Zero System, TANGO4 riflescopes are the ideal solution for the mid to long range tactical engagements, designated marksmen, and hunting.





Lenshield™ is a proprietary Mil-Spec oleophobic coating that sheds water, oil, and gunk to ensure a clean sight image at all times.



User configured elevation zero stop



Lockdown Zero System

TANGO4 6-24X50MM RIFLESCOPE

30MM MAINTUBE

SOT46001, SOT46002, SOT46003, SOT46004, SOT46104

- ▶ Designed for MSR/AR and Bolt Action Platforms
- ▶ Long Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options

TACT	ICAL	RIFL	.ESCO	PES

TANGO4

INFINITE
GUARANTEE™
ELECTRONICS
LIMITED 5 YEAR
WARRANTY

FEATURES		
4x Super-Zoom Advanced Optical System	LockDown Zero System: a lockable and resettable zero, zero stop	Elevation Turret with rotation indicator window
MOTAC™: Motion Activated Reticle Illumination	Low dispersion (LD) glass provides optical clarity for any situation	Waterproof (IPX-7 rated) and fog-proof performance
LensArmor™: Abrasion-resistant lens coatings	Lenshield™: Proprietary Mil-Spec oleophobic coating for clean images	Stealth ID™: Deflection armor surfacing for less detection

COMPLETE SPECS PG. 90 | ACCESSORIES PG. 88 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

COMPLETE YOUR SYSTEM







ALPHA™ Tactical Rings | PG. 88

Match Grade Rifle Ammo | PG. 56

TANGO4[™] **4-16X44MM** 30mm Maintube

SOT44001, SOT44002, SOT44003, SOT44004, SOT44104



- ▶ Designed for MSR/AR and Bolt Action Platforms
- Mid to Long Range Tactical Engagements, Designated Marksmen and Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options

TANGO4 1-4X24MM 30mm Maintube

SOT41001, SOT41002, SOT41003, SOT41004, SOT41101



- ▶ Designed for MSR/AR and Bolt Action Platforms
- ▶ Ideal for CQB / Mid-Range Tactical Engagements 3-Gun Competitions and Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options




SOT43001, SOT43002, SOT43003, SOT43004, SOT43104



- ▶ Designed for MSR/AR and Bolt Action Platforms
- Mid to Long Range Tactical Engagements, Designated Marksmen and Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options

RETICLES



5.56mm / 7.62mm 300 Blackout Horseshoe Do



-L DEV-L A MRAD 1-4 x 24 mm

3 - 12 x 42 mm

4 - 16 x 44 mm

6 - 24 x 50 mm

5.56/7.62 Horseshoe Dot FFP

300 Blackout Horseshoe Dot FFP

MOA Milling FFP

MRAD Milling FFP

DEV-L MOA Milling FFP

DEV-L MRAD Milling FFP

MOA Milling FFP

MRAD Milling FFP

See chart on page 90 for application

MRAD





Built to perform in the toughest hunting conditions, the new WHISKEY5 super-zoom 5x riflescope line from SIG SAUER® brings the hardest of targets into sharp focus. Featuring the proprietary HDXTM optical system for extreme clarity and low-light performance, HellFire® fiber optic illuminated reticles.





Levelplex™ Digital Anti-Cant System is an integrated digital level that is accurate to to +/- .5°



TH-100 Tactical Hunter turret with 100 clicks per revolution and push-button LockDown Zero System



The TH-100 elevation turret offers a resettable zero stop and lock at zero allowing the user to dial in with accuracy for long range targets.

NEW

WHISKEY5 5-25X52MM RIFLESCOPE WITH LEVELPLEX

30MM MAINTUBE

SOW55011, SOW55012, SOW55014

- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Long Range Precision Shooting and Long-Range Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options
- ▶ All Black Exterior Design

HUNTING	RIFLESCOPES

WHISKEY5

INFINITE
GUARANTEE™
ELECTRONICS
LIMITED 5 YEAR
WARRANTY

FEATURES		
5x Super-Zoom Advanced Optical System	HDX™ Optics: unequaled light transmission and optical clarity	Waterproof (IPX-7 rated) and fog-proof performance
Stealth ID™: Deflection armor surfacing	HellFire Reticles: fiber-optics to vary intensity of central aiming point	Fast Focus Eyepiece
SpectraCoat™: Reduces surface reflections	Lenshield™: Proprietary Mil-Spec oleophobic coating for clean images	Offered in second focal plane (SFP) and multiple reticles

COMPLETE SPECS PG. 91 | ACCESSORIES PG. 88 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

COMPLETE YOUR SYSTEM







SIG HT™ Rifle Ammo | PG. 57

SIG716® DMR | PG. 52

NEW

WHISKEY5® **3-15X52MM** WITH LEVELPLEX™ 30MM MAINTUBE

SOW53013, SOW53014, SOW53016



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Medium to Long Range Scenarios Across a Wide Range of Calibers
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

NEW

WHISKEY5 2.4-12X56MM WITH LEVELPLEX 30MM MAINTUBE

SOW52015



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ European Hunting at Short to Medium Range Low Light Scenarios Across a Wide Range of Calibers
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

NEW

WHISKEY5 1-5X20MM 30mm Maintube



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Short Range Scenarios Where a Wide FOV and Immediate Target Acquisition is Necessary
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

NEW

ALPHA™ Tactical Rings | PG. 88

WHISKEY5 **3-15X44MM** WITH LEVELPLEX

30мм Маінтиве

SOW53011. SOW53012. SOW53015

SOW52011, SOW52012, SOW52014



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Medium to Long Range Scenarios Across a Wide Range of Calibers
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

NEW

WHISKEY5 2-10X42MM

30мм Маінтиве



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Extended Long Range Scenarios, as well as Low Light Shooting, and Recreational Shooting Across a Wide Range of Calibers
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

RETICLES



Quadplex



Triplex



CirclePlex



MOA Milling Hunter

1 - 5 x 20 mm 2 - 10 x 42 mm

HellFire CirclePlex, SFP MOA Milling Hunter

HellFire Quadplex, SFP

2.4 - 12 x 56 mm HellFire Triplex , SFP

3 - 15 x 44 mm 3 - 15 x 52 mm 5 - 25 x 52 mm HellFire Quadplex™, SFP HellFire CirclePlex, SFP MOA Milling Hunter





The WHISKEY3 riflescope features low dispersion glass, rugged chassis, capped windage and elevation turrets, and the industrial design provides rugged reliability and protection from the elements.





HellFire® Reticle is an electronically illuminated reticle system utilizing advanced fiber-optic technology to vary the light intensity of the central aiming point from IR (InfraRed) dim to HellFire bright for daylight illumination.



Elevation and Windage Turrets



SpectraCoat™ is an ultra-wide broadband, anti-reflection lens coatings that reduces surface reflections providing superior light transmission.

WHISKEY3 4-12X50MM

1" MAINTUBE

SOW34007, SOW34107, SOW34008, SOW34108, SOW34011, SOW34012, SOW34015

- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

HUNTI	ING	RIF	:I F9	SCN	PFS

WHISKEY3

INFINITE
GUARANTEE™
ELECTRONICS
LIMITED 5 YEAR
WARRANTY

FEATURES		
3x Zoom Optical System	Low dispersion (LD) glass provides industry leading optical clarity	Waterproof (IPX-7 rated) and fog-proof performance
Stealth ID™: Deflection armor surfacing	European style eyepeice for a smooth, fast, & precise reticle adjustment	3x Optical zoom, illuminated and non-illuminated reticles
LensArmor™: Abrasion-resistant lens coatings	HellFire Reticles: fiber-optics to vary intensity of central aiming point	Offered in second (SFP) focal plane and multiple reticles

COMPLETE SPECS PG. 91 | ACCESSORIES PG. 88 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

COMPLETE YOUR SYSTEM



SIGM400® PREDATOR | PG. 49



ALPHA™ Hunting Rings | PG. 88



SIG HT™ Rifle Ammo | PG. 57

WHISKEY3® **4-12X40MM**

1" MAINTUBE

SOW34005, SOW34105, SOW34006, SOW34106, SOW34009, SOW34010



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

WHISKEY3 3-9X40MM

1" MAINTUBE

SOW33001, SOW33101, SOW33002, SOW33102, SOW33005, SOW33007, SOW33107, SOW33008, SOW33108, SOW33013



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options



All WHISKEY3's are available in all black and gray/black finishes

WHISKEY3 3-9X50MM 1" MAINTUBE

SOW33003, SOW33103, SOW33004, SOW33104, SOW33006, SOW33009, SOW33109, SOW33010, SOW33110



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▶ Fiber Optic Power Indicator
- ▶ Offered in SFP with Multiple Reticle Options

WHISKEY3 2-7X32MM

30mm Maintube

S)W32001, SOW32101, SOW32002, SOW32102, SOW32003, SOW32103, SOW32004, SOW32104



- ▶ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▶ Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▶ Fiber Optic Power Indicator
- > Offered in SFP with Multiple Reticle Options

RETICLES



HellFire® Quadplex



HellFire® Triplex



CirclePlex



2 - 7 x 32 mm

3 - 9 x 40 mm

3 - 9 x 50 mm

HellFire CirclePlex, SFP Quadplex, SFP CirclePlex, SFP

4 - 12 x 40 mm 4 - 12 x 40 mm 4 - 12 x 50 mm

HellFire Quadplex, SFP HellFire Triplex™, SFP Quadplex, SFP Triplex, SFP

HellFire Quadplex™, SFP

®BRAV04[™]

The BRAVO4 has expanded vision with a massive 10° field of view, 43% wider than standard 7° sights. That translates to 53 feet of view at 100 yards vs. 37 feet, which could mean the difference between seeing a threat, or not.






The patented MegaView™ aspherical lens eyepiece provides 47% more eye relief



Massive 10° field of view, 43% wider than standard 7° sights. That's 53 feet of view at 100 yards vs. 37 feet



5.56mm / 7.62mm Horseshoe Dot

300 Blackout Horseshoe Dot

BRAVO4 PRISM BATTLESIGHT

4х30мм

SOB44001, SOB44003

- ▶ Designed for Professionals and Civilian MSR/AR Shooters
- ▶ 43% Wider Field of View Than Current Battle Sights
- ▶ Distortion Free Image, Edge-to-Edge Clarity
- ▶ Integrated Picatinny Top Rail for Accessories

TACTICAL	PRISM	RATTI	FSIGHT

BRAVO4

INFINITE
GUARANTEETM
ELECTRONICS
LIMITED 5 YEAR
WARRANTY

Ī	FEATURES	
	MOTAC™ (Motion Activated Illumination) powers up sensing motion and powers down when none	Lightweight, durable magnesium housing
	LensArmor™: Abrasion-resistant lens coatings to withstand the harshest of conditions	Adjustable eyepiece with +/- 2 diopter correction
	ALT™: Precision molded aspheric lens reduces weight and provides superior low distortion optical clarity	Waterproof (IPX-8 rated) and fog-proof performance

COMPLETE SPECS PG. 89 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE



The ECHO1™ Digital Thermal Imaging Reflex Sight is the most innovative direct view thermal sight in the world. Based on the newest generation of thermal imaging sensors, this compact, ultra-lightweight thermal is the ultimate day/night sighting system for predator and hog hunting.



RETICLES

50-300















The display view with LCD color for day/ night time direct view targeting.



Six (6) display modes, including White Hot



Adapter plate for top mounted ROMEO1® or backup sights

ECHO1 THERMAL REFLEX SIGHT

1x/2x

SOE11001, SOE11011

- ▶ Based on the Newest Generation of Thermal Imaging Sensors. 12 micron pixel size, instead of 17 micron standard on the commercial market, for higher definition and better detection at longer distances
- ▶ Perfect for Home Defense, Law Enforcement, Military, and Search and Rescue
- ▶ Provides for Day and Night Time Hog Hunting
- ▶ Adapter Plate for Romeo1 Open Reflex Sight or Backup Sight
- ▶ Dual Supercapacitors Provide Continuous Operation Under Heavy Recoil

THERMAL REFLEX SIGHT	
ECHO1	INFINITE GUARANTEE™ ELECTRONICS LIMITED S YEAR WARRANTY

FEATURES		
206X156 / 12 Micron Thermal Core	Top mount peep sight and ROMEO1 adapter plate for backup sights	Waterproof (IPX-6 rated) performance
Thermal detection >1000 yards, range >300 yards	Includes a M1913 Picatinny cross-slot STANAG compliant mount	30 Hz frame rate
Electronic zoom from 1x to 2x	Sight can take pictures, individual and burst mode	8 hour minimum runtime

COMPLETE SPECS PG. 89 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

®ROME01®

When the action is fast, target acquisition and accuracy are paramount. The miniature, open reflex ROMEO1 Red-Dot sight withstands the punishment of deployment while maintaining a confident zero.







Molded glass aspheric lens for superior light transmittance



TruHold™ lockless zeroing system utilizes twin adjustment springs designed to endure handgun recoil and return to zero, shot after shot



Adapter pack option available Please see sigsauer.com for options.

NEW MODELS

ROMEO1 MICRO REFLEX SIGHT

1х30мм

SOR11001, SOR11005

- ▶ Designed For Modern Semi-Automatic Pistols, MSR Platforms And Shotguns
- ▶ Received The Prestigious "Optic Of The Year" Award From Guns & Ammo Magazine
- ▶ Tested To Withstand Over 10000 Rounds Of .45 ACP With 230 Grain Bullets
- ▶ Available in both pistol adaptor pack and rifle keymod/picatinny rail configurations

ROMEO1

INFINITE
GUARANTEE™
ELECTRONICS
LIMITED 5 YEAR
WARRANTY

FEATURES	
Molded glass aspheric lens for superior light transmittance and zero distortion	MOTAC™ (Motion Activated Illumination) powers up or down when sensing motion
Manual illumination controls that remember your last used settings	Top-loading CR1632 battery, allowing for quick battery replacement without firearm removal
3 MOA Red-Dot with intensity settings for rapid target acquisition	Waterproof (IPX-7 rated for complete immersion up to 1 meter) and fog-proof performance

3 MOA Red-Dot

COMPLETE SPECS PG. 92 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

® ROMEO3®

The open reflex Romeo3 Red-Dot sight is the ideal sighting solution for MSR rifles, shotguns, carbines, submachine guns, and full size handguns and is designed with Picatinny and KeyMod mounts in mind.





Molded glass aspheric lens for superior light transmittance



Premium quick-release QD 1.41" co-witness riser mount



Manual Illumination Controls



3 MOA Red-Dot

ROMEO3 MINI REFLEX SIGHT

1x25MM SOR31002

- ▶ Designed for MSR Rifles, Shotguns, Carbines, Submachine Guns, Full-Size Handguns
- ▶ Proprietary Red-Notch Coating Ensures Bright Red Dot
- ▶ Manual Illumination Controls

MINI REFLEX SIGHT	
ROMEO3	INFINITE GUARANTEE™

FEATURES	
High transmittance red notch reflector for excellent brightness and zero distortion	Extremely strong and lightweight aircraft grade CNC Aluminum housing
$MOTAC^{n}$ (Motion Activated Illumination) powers up or down when sensing motion	Side-loading CR1632 battery, allowing for quick battery replacement without firearm removal
3 MOA Red-Dot with intensity settings for rapid target acquisition in a range of lighting	Waterproof (IPX-7 rated for complete immersion up to 1 meter) and fog-proof performance


COMPLETE SPECS PG. 92 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

LIMITED 5 YEAR WARRANTY

®ROME04®

Chosen by elite government and military agencies, the ROMOE4 is the ultimate red-dot sight when fast, accurate target acquisition is a must. Regardless of lighting conditions, weather conditions, or terrain. Whether it's a moving target, dangerous game at full charge, or a fast-breaking tactical situation at close quarters, the rugged ROMEO4 Red-Dot sight can handle the job. Battery and solar powered options available.





NEW

ROMEO4H CLOSED RED DOT SIGHT

1х30мм

SOR43011, SOR43012

- ▶ Designed for AR Platform Pistols, MSR Platforms and Shotguns
- ▶ Comes standard with lens caps and quick-release mount
- Users can select from 4 different reticle options (Dot, CircleDot, Dot with holds, CircleDot with holds)
- ▶ 50,000+ hour battery life and the readily available CR2032 battery is side loading for quick battery replacement

CLOSED RED-DOT SIGHT	
ROMEO4	INFINITE GUARANTEET ELECTRONICS LIMITED 5 YEAR WARRANTY

FEATURES	
Unlimited eye-relief to acquire aiming point and target, regardless of eye position behind sight	Strong and lightweight aircraft grade CNC Aluminum housing (7075 grade on ROMED4T)
MOTAC™ (Motion Activated Illumination) powers up or down when sensing motion	True Co-Witness QR mount and Low Mount Included (Co-Witness 1/2" Hex Nut on ROMEO4T)
Utilizes an ultra-efficient red LED illumination for daylight visibility and extended runtime	Waterproof (IPX-7 rated on ROMEO4H & 4S and IPX-8 rated on ROMEO4T) and fog-proof

COMPLETE SPECS PG. 92 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

COMPLETE YOUR SYSTEM SIG HT™ Rifle Ammo | PG. 57

NEW

ROMEO4S® 1X20MM SOLAR POWERED 100,000+ HOUR BATTERY LIFE

SOR43021, SOR43022



holds, CircleDot with holds)

▶ Users can select from 4 different reticle options (Dot, CircleDot, Dot with

SIG MPX® | PG. 46

NEW

SRD9 | PG. 95

ROMEO4T 1X20MM

TACTICAL SOLAR POWERED AND 100,000+ BATTERY LIFE

SOR43031, SOR43032



▶ Runtime In Excess Of 100,000 Hours With Solar And Battery Usage

Users can select from 4 different reticle options (Dot, CircleDot, Dot with holds, CircleDot with holds)

▶ Comes standard with lens caps and hex bolt mount

®ROMEO5/ROMEO6®

The ROMEO5 Red-Dot Sight mounts on any platform, and is as tough as it is micro. The solid, lightweight aluminum design will give peak performance and years of service, making it a trusted companion for men and women in the US armed forces and responsible citizens alike.

ROMEO5 1X20MM

CLOSED RED-DOT SIGHT SOR52001



Available with M1913 Picatinny low mounts (standard) and 1.41" co-witness riser mounts



NEW
ROMEOGH 1X30MM
FULL SIZE RED-DOT SIGHT
SOR61011, SOR61012



















1 MOA Red Dot Ballistic Circle-Plex

CLOSED RED-DOT SIGHT

ROMEOS & ROMEOS

INFINITE
GUARANTEETM
ELECTRONICS
LIMITED SYEAR
WARPANTY

	FEATURES ROMEOS	
_	Unlimited eye-relief to acquire aiming point and target, regardless of eye position behind sight	
	$MOTAC^{\!IM}\big(\!MotionActivatedIllumination\big)powersupordownwhensensingmotion$	
	50000+ hour battery life, side-loading CR2032 battery allows for quick replacement	

	FEATURES ROMEOG - ASSEMBLED IN USA
ght	ROMEO6T is solar powered with 2 super capacitors for up to 9 hours of battery free use
	Ruggedized 1.53" mounting system and 7075 aluminum for a lifetime of reliable service
	Unlimited eye-relief to acquire target, regardless of eye position behind sight

COMPLETE SPECS PG. 92 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE



The ROMEO7 full-size Red-Dot sight provides the civilian and armed professional with a robust 1x aiming solution optimized for today's MSR platforms, regardless of caliber.







Low Dispersion glass lens with high performance coatings



62,500 hours of continuous battery life in medium illumination setting



MOTAC™ powers up or down when sensing motion



2 MOA Red-Dot

ROMEO7 CLOSED RED DOT SIGHT

1х30мм

SOR71001

- ▶ Designed for MSR Platforms for the Civilian and Armed Professional
- ▶ High Performance Lens Coating for Excellent Light Transmission and Zero Distortion
- ▶ Manual Illumination Controls
- ▶ 2 MOA Red Dot is Optimal for Close Quarters Battle to Mid-Range Engagement
- ▶ Side Loading AA Battery Compartment for Ease of Replacement
- ▶ 62,500 Hours of Continuous Battery Life in Medium Setting
- ▶ IPX-7 Rated for Complete Immersion up to 1 Meter

CLOSED RED-DOT SIGHT

ROMEO7

INFINITE
GUARANTEE™
ELECTRONICS
LIMITED 5 YEAR
WARRANTY

FEATURES	
2 MDA dot designed for close quarters battle to mid-range target engagement	Includes a low profile cross bolt M1913 STANAG compliant mount and 1.535" QD riser mount
CNC Machined 6061 Aluminum body for extreme ruggedness and durability	Engineered with centerline of the optical axis at 1.535", top of a M1913 Picatinny rail interface
62,500 hours of continuous battery life in medium illumination setting (AA)	Waterproof (IPX-7 rated for complete immersion up to 1 meter) and fog-proof performance

COMPLETE SPECS PG. 92 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

BJECTTU CHANGE			

2017 ELECTRO-OPTICS PRODUCTS



The KILO family of Digital Laser Rangefinders is engineered for extreme accuracy. KILO products are the most advanced and yet simple to use rangefinders on the market today. Updating at 4x per second in HyperScan mode, all KILO rangefinders come with patented LightWave™ DSP technology, are lightning fast as well as amazingly accurate.









WindMETER





KILO2400ABS syncs with a smart phone via the Applied Ballistic's Ballistic Solver app. Calculating long-range rifle trajectories for the perfect shot. (Smart phone app display shown.)



Configurable reticle with 3 options: Center Aiming Circle only, Center Aiming Circle & Horizontal Milling Grid, and Center Aiming Circle & Horizontal and Vertical Milling Grid

NEW

KILO2400ABS RANGEFINDER


7x25MM S0K24701

- ▶ Ranges up to 2 miles with the Revolutionary LightWave DSP™ Technology for the fastest and longest distance rangefinder engine.
- Advanced Rangefinder featuring an Embedded Applied Ballistics Calculator and Bluetooth for Synchronizing with a Free Applied Ballistics App. Available on both IOS and Android platforms
- ▶ Integrated Temperature, Humidity, Pressure and Compass
- New Milling Reticle with 2.4 MRAD inner diameter and 3 MRAD Outer Diameter center aiming circle. Milling features are 5 MRAD to the dots and 10 MRAD to the lines.
- ▶ Includes a Tripod Adapter, Smartphone Jack WindMETER, Ballistic Nylon Mole Kit Bag, Nylon Carry Pouch, Tactical Pen/Stylus, Lanyard and 3 Spare Batteries


DIGITAL LASER RANGEFINDERS	
KILO	INFINITE GUARANTEE™
KILU	ELECTRONICS LIMITED 5 YEAR WARRANTY

KILO240DABS & KILO2200MR	FEATURES KIL01250 & KILO 850
Will range over a mile with results displayed to the nearest 1/10th yard	Compact, lightweight polymer housing with diopter adjustment
Lumatic OLED Display™, continuously monitors light conditions & adjusts the display brightness accordingly	User selectable target modes featuring LAST or BEST for pinpoint accuracy
Multi-position twist-up eyecup provides a custom fit for each user	Powered by a Lithium CR123 Battery

COMPLETE SPECS PG. 93 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE



ANGLE MODIFIED RANGE, AMR™ is advanced ranging technology using an on board inclinometer that reads incline/decline angle and modifies the effective ballistic shooting range to the target.



Lightwave DSP™ (Digital Signal Processing) engine leverages HyperScan–an advanced power management technique that provides the fastest refresh rate in scan mode (4 times per second) even at distances over a mile.



NEW

KILO2200MR® **7X25MM** Digital Laser Rangefinder

SOK22701

- ► Ranges up to 2 miles with the Revolutionary LightWave DSP™ Technology for the fastest and longest distance rangefinder engine.
- ► SpectraCoat™ anti-reflection coatings for superior light transmission
- ▶ HyperScan™ Technology provides 4 range updates per second in scan mode while RangeLock™ reports the last range result when ranging distant targets.
- ➤ Advanced OLED display provides a smaller, more accurate center aiming circle along with milling features.



NEW MODELS

KILO1250 **GX20MM**Digital Laser Rangefinder

SOK12601, SOK12602

- ▶ Ranges up to 1600 yards with the Revolutionary Lightwave™ DSP Technology for the fastest and longest distance rangefinder engine
- ► Features line of sight (LOS) or angle modified range (AMR). Units in yards or meters to tenth Y/M resolution
- ▶ High Transmittance LCD display
- User selectable target modes featuring LAST or BEST for pinpoint accuracy
- ▶ Simplified user interface with RANGE and MODE buttons only
- ▶ Available in Viper Western Camouflage



NEW MODELS

KILO850 4X20MM Digital Laser Rangefinder

SOK85401, SOK85403

- ▶ Ranges up to 1200 yards with the Revolutionary Lightwave™ DSP Technology for the fastest and longest distance rangefinder engine
- ▶ Features line of sight (LOS) or angle modified range (AMR). Units in yards or meters to tenth Y/M resolution
- ▶ Transmissive LCD display
- User selectable target modes featuring LAST or BEST for pinpoint accuracy
- ▶ Simplified user interface with RANGE and MODE buttons only
- ▶ Available in Viper Woodlands Camouflage



The LIMA1 low profile laser sights are designed for handguns with rails. There is no need for adapters or cross-slot modifications. The SIG SAUER proprietary LIMA5 Laser Grip Module integrates and fits perfectly with our P320® and P250® pistol platforms. LIMA Red or Green Lasers are the most advanced, low profile laser sights on the market and are virtually invisible to the operator.



- ▶ Ideal for Target Shooting, Conceal Carry and Personal Defense
- ▶ Low Profile Laser Sights for Handguns with Rails
- ▶ Mounts to any Picatinny 1913 or SIG Proprietary Rails.
- ▶ Powered by a Lithium 1/3N Battery

NEW

RED OR GREEN LASERS

▶ Dual finger actuated paddle switches support ambidextrous use



PISTOL LASER SIGHTS & MODULES	
LIMA	ELECTRONICS LIMITED 5 YEAR WARRANTY

FEATURES	
Latest generation 5 mW Red or Green lasers for unmatched runtime	Bottom mounted battery compartment allows for easy access without removing the laser
Ambidextrous paddle switches for easy finger actuation	Windage and Elevation adjustments
Momentary or Continuous On with 5 minute auto-timeout	Waterproof (IPX-7 rated for complete immersion up to 1 meter) and fog-proof performance

COMPLETE SPECS PG. 89 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

OSCAR

The revolutionary OSCAR3 mini spotting scope features advanced electronic image stabilization technology that fits in the palm of a hand — no tripod required. The OSCAR5 and OSCAR7 spotting scopes offer an industry-leading HDX $^{\text{\tiny{M}}}$ optical design combining extra-low dispersion glass with high-light transmittance glass to provide you with the maximum in color clarity and image brightness.



NEW

OSCAR7 20-60X82MM

ANGLED SPOTTING SCOPE

SOV72001

- Offers an Industry Leading HDX Optical Design that Combines Extra-Low Dispersion and High Light Transmittance Glass
- ▶ State-of-the-Art Triplet Apochromatic Lens System
- Maximum in Color Clarity and Image Brightness for Unmatched Resolution and Image Contrast
- ▶ Angled Eyepiece with Rotating Tripod Collar Provides Multiple Viewing Angles



OSCAR5 15-45X65MM

SPOTTING SCOPE

SOV51501

- ▶ Dependable, Rock-Solid Spotting Scope with Bright, Crystal Clear Optical Clarity
- ► Industry Leading HDX[™] Optical Design
- Maximum in Color Clarity and Image Brightness for Unmatched Resolution and Image Contrast
- ▶ Easy-to-Manipulate Eyepiece and Focus Knob



OSCAR3 10-20X30MM

IMAGE-STABLIZING MINI SPOTTING SCOPE

SOV31001

- ▶ Advanced Electronic Image Stabilization Technology that Fits in the Palm of a Hand
- ▶ Proprietary SOS™ System is Gyroscopically Stabilized, Cancels Out Unwanted Shaking and Vibrations
- Ideal for Backpacking, Hunting, Wildlife and Sports Observation, Law Enforcement, and Military Reconnaissance

SPOTTING SCOPES	
OSCAR	INFINITE GUARANTEE™ ELECTRONICS LIMITED 5 YEAR

FEATURES OSCAR3	FEATURES OSCAR5 & OSCAR7
SOS™ (SIG Optic Stabilizer): Stabilizes the image and virtually eliminates a shaky image	OSCAR5 is a straight eyepiece configuration with a built-in lens shade to reduce glare
The small size and ranging capability of the OSCAR3 is ideal for backpacking, spot/stalk and tree stand archery, or long range rifle hunting in open country or mountains as well as	Angled eyepiece of the OSCAR7 along with a rotating tripod collar, provide multiple viewing angles
concealed viewing situations for LE or Military use	Fully multi-coated lenses combined with HDX glass provide extreme clarity and brightness

COMPLETE SPECS PG. 92 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE





Next to a zeroed rifle, a clear and bright pair of binoculars is the best piece of gear to have on hand. ZULU binoculars perform in the harshest conditions, giving unmatched performance in inclement weather or rugged terrain.


ZULU9 ABBE-KOENIG PRISMS

9х45мм HDX SOZ99001 11x45мм HDX SOZ99002

- ▶ Combines Superior Optical Performance with in-the-field Utility
- ▶ High Quality Glass, Fully Multi-Coated Spectracoat™ Lenses
- ▶ Phase-Coated Abbe-Konig Prisms Provide Maximum Brightness, Contrast and Crisp
- ▶ Performs in the Harshest Conditions, Giving Unmatched Performance in Inclement Weather or Rugged Terrain







The Abbe-Koenig prism system eliminates the mirrors used in conventional roof prism binoculars. Using Total Internal Reflection (TIR) for all reflections inside the prism, the ZULU9 provides 8-15% higher light transmission than a standard roof prism design.

Advanced optical systems comprising both High Definition (ED) and High Transmittance (HT) glass

BINOCULARS

ZULU

INFINITE GUARANTEE™

	FEATURES
	Rugged and durable, the ZULU binoculars incorporates a magnesium housing
-	Oversized chemical resistant fluorescent polymer front dot gives confidence in any environment

Multi-position twist-up eyecups create generous eye relief Durable rubber armor protects with an ergonomic non-slip grip design Waterproof (IPX-7 rated for complete water immersion up to 1 meter) and foq-proof performance Tripod-compatible, includes tethered lens covers, strap, lens cloth, and padded case

COMPLETE SPECS PG. 93 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

COMPLETE YOUR SYSTEM







SIG HT™ Rifle Ammo | PG. 57

SIG M400° PREDATOR | PG. 49 SRD556QD | PG. 97

FILD TUST-2016-



 8x42mm HDX
 SOZ78001

 10x42mm HDX
 SOZ71001

- Multi-position twist-up eyecups provide a custom fit for each user
- ► Fully multi-coated roof prism binocular incorporates super high reflectance phase-coated BAK4 prisms for unmatched resolution and image contrast
- ▶ Field & Stream Best of the Best winner 2016



ZULU5 **CLOSE-BRIDGE**

8x42mm HD SOZ58001 **10x42mm HD** SOZ51001

- ▶ HD Glass for Superior Clarity and Color Correctness
- ▶ Silver Deposition Phase-Coated BAK4 Prisms
- ▶ Lightweight and Durable Magnesium Alloy Body



ZULU3 COMPACT OPEN-BRIDGE

 8х32мм
 SOZ38001

 10х32мм
 SOZ31001

- ▶ Our low dispersion glass offers maximized clarity and color
- ▶ Uniquely compact, can easily be held for extended periods
- ▶ Rugged polymer frame and non-slip rubber armor

®X-RAY SIGHTS

Compare the X-RAY3 Sight-Set to other conventional sights. The blacked-out rear sight and the high contrast front sight of the SIG SAUER® X-RAY3 make target acquisition intuitive and fast and in any light condition.





NEW

X-RAY1 ENHANCED DAY/NIGHT SIGHTS

PISTOL SIGHTS

- ▶ Three Dot Fiber Optic Sight for Fast Target Acquisition
- ▶ Durable Design for Hard Use
- ▶ Luminescent Front Sight Ring Glows in the Dark for up to 1 Hour
- ▶ Fits SIG SAUER P238® and P938® Models





Day/Night Sights come in standard sizes of #6 and #8 in a square or round (U)

X-RAY3 SIGHT SET

PISTOL SIGHTS

SOX10001, SOX10002, SOX10003, SOX10004 SOX10005, SOX10006, SOX10007, SOX10008

- ▶ The Ideal Sighting Solution for Carry, Sport, or Duty Handguns
- ▶ Make Target Acquisition Intuitive and Fast in any Light Condition
- ▶ 3-Dot Tritium System has Superior Glowing Illumination in Low-Light and Remains Bright and White for Daylight Conditions

PISTOL SIGHTS

X-RAY3

INFINITE
GUARANTEE™
ELECTRONICS & TRITIUM
LIMITED SYEAR
WARRANTY

FEATURES

With a half-life of 10 years, the 3-Dot tritium system allows for fast target acquisition in low-light conditions

Oversized chemical resistant fluorescent polymer front dot sight gives confidence in any environment

Tested to 20,000 rounds, the steel housing provides a tough, reliable sight that lasts as long as the firearm

Rear sights come in standard SIG SAUER® sizes of #6 and #8 in square or round

Fits P220®, P226®, P227®, P228®, P320®, P350®, P388®

X-RAY3 sights come standard on SIG SAUER Legion Series pistols.

ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

®FOXTROT1

The FOXTROT1 Pistol Weapon Light is the most advanced, rail-mounted flashlight available. The unique, FOXTROT1 mounts to any Picatinny 1913 or SIG SAUER Proprietary Rails with no need for adapters or cross-slot modifications.





Ideal for home defense, law enforcement or military applications



White LED Runs for Over Two Hours at 200 Lumens on a CR123 Battery



Dual, Finger Actuated Tact Switches Support Ambidextrous Use

NEW

FOXTROT1 PISTOL WEAPON LIGHT

PISTOL WEAPON LIGHT

SOF11001

- ▶ Ideal For Home Defense, Law Enforcement or Military Applications
- ▶ Mounts to any Picatinny 1913 or SIG SAUER Proprietary Rails

PISTOL WEAPON LIGHT

FOXTROT1

ELECTRONICS LIMITED 5 YEAR WARRANTY

FEATURES	
Latest generation Cree LEDs for maximum brightness and runtime	Momentary or Continuous On LED runs for over 2 hours at 200 lumens on CR123 battery
Programmable output from 100 / 200 / 300 Lumens	Battery charged through the LED bezel with quarter turn lockout
Ambidextrous tact switches for easy finger actuation	Waterproof (IPX-7 rated for complete immersion up to 1 meter) and fog-proof performance

COMPLETE SPECS PG. 89 | ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE



Our type 2 black anodized, precision machined, Alpha Tactical Rings are machined from aircraft grade 6061-T6 aluminum and not only look tough, but are tough. Our proprietary steel alloy Alpha Hunting Rings are machined with an exactness that is both strong and ductile, allowing for an exact fit around a riflescope.





ALPHA HUNTING
RIFLESCOPE MOUNT SOA10003, SOA10004,
SOA10005, SOA10006, SOA10007, SOA10008
SEE SIGSAUER.COM FOR REFERENCE

RIFLESCOPE MOUNTS	
ALPHA	INFINITE GUARANTEE™

FEATURES	
Alpha Tactical :	Aluminum 2-piece cantilever design with HeliCoils™ for locking down with confidence. Same industrial design as our electro-optics.
	One-piece aluminum cantilever mount with 20 MOA built-in for long-range shooting.
Alpha Hunting :	Proprietary steel alloy Weaver style rings that are epoxy powder coated to prevent oxidation and resist gun oils, cleaning solutions, & outdoor exposure.

ELECTRO-OPTIC GLOSSARY PG.63 | ALL SPECIFICATIONS SUBJECT TO CHANGE

							BR	AVO4™							
MAGNIFICATION	EYE R	ELIEF	EXIT PUPIL	FC	υV	OBJECTIVE CLEAR APERTURE	ANGULAR (FOV)	ELEVATION ADJUSTMENT RANGE	WINDAGE ADJUSTMENT RANGE	FAST FOCUS DIOPTER	ILLUMINATION SETTINGS	WEI	GHT	LENI	GTH
	IN	MM				APERIURE		RANGE				OZ	G	IN	MM
4x	2.2	55	7.5mm	53 ft @ 100 yds	17.5 m @ 100 m	30mm	10.0°	68 MOA / 20 MRAD	68 MDA / 20 MRAD	+/- 2.0	20+ Daytime / 2NV	14.8	420	6.25	159

						ECH	101™										
MA	AGNIFICATION	EYE RELIEF	FIELD OF VIEW	FRAME RATE	RUNTIME	COLOR / CONTRAST	CLOSE FOCUS DISTANCE	SPECTRAL RESPONSE	DIGITAL ELEVATION ADJUSTMENT RANGE	LEN	IGTH	WIE	TH	HEII	GHT	WEI	GHT
						SETTINGS	BIOTATIOE	REGI GIVEE	ABOOTHEN KANGE	IN	ММ	IN	ММ	IN	ММ	OZ	G
	1/2x	Unlimited	3.7° x 4.7°	30 Hz	> 8 hours	8t	1m	7 - 14 um	100 MOA	4.3	110	2.6	65	2.7	68	14.7	417

			FOXTROT1™								
LED OUTPUT	OPERATING MODE	RUNTIME @ 200 LUMENS	SPOT SIZE	LEN	GTH	WIE	тн	HEI	GHT	WEI	GHT
				IN	ММ	IN	ММ	IN	ММ	OZ	G
100 / 200 / 300 Lumens	Momentary or Continuous	> 2 hours	5 ft @ 20 ft	3.1	79	1.2	31	1.2	31	3.0	84

				LIMA1™									
LASER	OPERATING MODE	RUN	TIME	ADJUSTMENT	SPOT SIZE	LEN	IGTH	WII	OTH	HEI	GHT	WEI	IGHT
27.0211	01 2111 11110 11002	RED	GREEN	7.0000111EIX1	0.0.0.22	IN	ММ	IN	ММ	IN	ММ	OZ	G
Class 3R Red or Green	Momentary or Continuous				0.5 in @ 50 ft	2.0	51	1.2	31	0.85	22	1.6	45
				LIMA5™									
Class 3R Red or Green	Momentary	> 5 hours	> 2 hours	Windage & Elevation	0.5 in @ 50 ft	7.1	180.5	1.32	33.6	4.2	106.3	4	113.4

			X-RAY3™					
HOUSING	ILLUMINATION	FRONT SITE	REAR SIGHT	SIGHT PICTURE	REAR SIGH	IT LENGTH	FRONT SIG	GHT LENGTH
Hoosino	ILLUMINATION	TROWI SITE	KEAK SIGIT	JIGHT FIGTORE	IN	ММ	IN	мм
STEEL	TRITIUM	HIGH CONTRAST GREEN OUTLINE	SUBTLE BLACK OUTLINE	з пот	.36	10	.47	12

										Т	ANGO6T	м											
				Exit	Punil	Lir	near Fie	ld of Vi	ew			Relief		Objective	Ohie	ctive	,		Elevation	Windags			
Model	Focal Place	Reticle	ADJ.	M	IM	FT @ 10	0 yards	М @	100 M	IN	СН	М	М	Objective Filter	Clear A	perture	We	ight	Elevation Adjustment	Windage Adjustment	Illumination Settings	Len	ngth
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	Thread	INCH	мм	OUNCE	GRAM	Range	Range	,	INCH	ММ
	First	5.56/7.62 Horseshoe dot	.5 MOA																				
	1	300 Blackout Horseshoe Dot	.5 MOA							3.8	3.9	97.5	98.5										
1 - 6 x 24 mm		Hellfire Triplex	5 MOA	12	4.0	92	17	30.6	5.7	SFP 4.25	SFP 3.8	SFP 108	SFP 96	M 25.5 x 0.6	0.9	24	20.9	594	125 MOA 36.3 MRAD	125 MOA 36.3 MRAD	9 daytime/ 2 NV	10.25	260
	Second	Hellfire MDA Milling	.5 MOA							4.25 FFP	FFP	FFP	FFP										
		Hellfire MRAD Milling	.2 MRAD	-																			
		Hellfire 3 Gun	.2 MRAD																				
		MOA Milling Illuminated	.25 MOA	-																			
3 - 18 x 44 mm	First	MRAD Milling Illuminated MDA DEV-L Illuminated	.1 MRAD .25 MOA	12	2.4	32	5.8	10.7	1.9	3.74	3.7	95	94	M 46 x 0.75	1.7	44	37.57	1065	95 MOA 27.6 MRAD	95 MOA 27.6 MRAD	7 daytime/ 2 NV	12.38	315
		MRAD DEV-L Illuminated	.1 MRAD	1																			
		MOA Milling Illuminated	.25 MOA																				
		MRAD Milling Illuminated	.1 MRAD	-																201101	7.1.1.1		
4 - 24 x 50	First	MOA DEV-L Illuminated	.25 MOA	11.6	2.1	24.7	4.6	8.2	1.5	3.4	3.7	86	93	M 52 x 0.75	1.97	50	39.34	1115.8	80 MOA 23.2 MRAD	80 MOA 23.2 MRAD	7 daytime/ 2 NV	13.6	344
		MRAD DEV-L Illuminated	.25 MOA	1																			
		MOA Milling Illuminated	.25 MOA																				
		MRAD Milling Illuminated	.1 MRAD	1															80 MOA	50 MOA	7 daytime/		
5 - 30 x 56 mm	First	MOA DEV-L Illuminated	.25 MOA	8.9	1.9	18.9	3.3	6.3	1.1	3.6	3.5	92	89	M 56 x 0.75	2.2	56	42	1191	23.3 MRAD	14.5 MRAD	2 NV	14.38	365
		MRAD DEV-L Illuminated	.1 MRAD																				
										Т	ANGO4	м											
				Exit	Punil	Lii	near Fie	eld of Vi	ew			Relief		511 11	Nhie	ctive			F1				
Model	Focal Place	Reticle	ADJ.		IM	FT @ 10	0 yards	М@	100 M	IN	СН	М	ІМ	Objective Filter	Clear A	perture	We	ight	Elevation Adjustment	Windage Adjustment	Illumination Settings	Len	ngth
	11000			LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	Thread	INCH	мм	OUNCE	GRAM	Range	Range	Jettings	INCH	мм
		5.56/7.62 Horseshoe dot	.5 MOA																				
1 - 4 x 24 mm	First	300 Blackout Horseshoe Dot	.5 MOA	15.4	6.1	98	24	32.7	8	3.3	3.3	84	84	M 25.5 x 0.5	0.9	24	20.8	590	220 MOA	220 MOA	8 daytime/ 2 NV	10	254
1 1 1 2 1 1 1 1 1 1	11150	MDA Milling	.5 MOA	13.1	0.1	00		00.7	"	0.0	0.0	01		1-1 E 3.3 X 6.3	0.0		20.0	300	64 MRAD	64 MRAD	2111	"	201
		MRAD Milling	.2 MRAD																				
		5.56/7.62 Horseshoe dot	.25 MOA																				
0 10 40	F	300 Blackout Horseshoe Dot	.25 MOA	10.0	0.4	00.0		10.7			0.0	0.4	0.4	M 40 0.75	17	40	001	F70	100 MOA	100 MOA	8 daytime/	10.0	0.46.4
3 - 12 x 42 mm	First	MOA Milling	.25 MOA	13.3	3.4	32.8	8.4	10.7	2.8	3.3	3.3	84	84	M 46 x 0.75	1.7	42	20.1	570	40 MRAD	40 MRAD	2'NV	13.6	346.4
		MRAD Milling	.1 MRAD	-																			
		MOA Milling	.I MINAU																				
			.25 MOA																				
4 - 16 x 44 mm	First	MRAD Milling	DEV-L MOA	22.9	5.1	24.1	6.3	8.0	2.1	3.3	3.3	84	84	M 46 X 0.75	1.8	44	26.1	742	75 MOA 21 MRAD	75 MOA 21 MRAD	8 daytime/ 2 NV	13.6	346.4
		DEV-L MRAD	0.1 MRAD																				
		MOA Milling																					
																							1
		DEV-L MOA	.25 MOA																CE MOV	CE 140 A	O dov:		
6 - 24 x 50 mm	First		.25 MOA 0.1 MRAD	8.0	2.1	16.8	4.2	5.3	1.4	3.3	3.3	84	84	M 52 x 0.75	2.0	50	26.9	764	65 MOA 19 MRAD	65 MOA 19 MRAD	8 daytime/ 2 NV	15.6	397.2


												V	HISE	KEY5®									
				Exit	Pupil			ld of Vi			Eye	Relief		Ohioativa	Obje	ctive	Wei	aht	Flourtion	\A/:		Lon	ngth
Model	Focal Place	Reticle	ADJ.	M	1М .	yai	100 ds	M @ 1	100 M	IN	СН		мм	Objective Filter	Clear A	perture	WEI	yııı	Elevation Adjustment	Windage Adjustment	Illumination Settings	Len	igui
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	Thread	INCH	мм	OUNCE	GRAM	Range	Range		INCH	мм
4 5 04		Hellfire Quadplex	0.5.40.	40.0		400.4							400				40		400.110.1	440.110.1	0.1	40.4	0.53
1 - 5 x 24 mm	Second	Hellfire CirclePlex	0.5 MOA	10.6	4.0	100.4	20.2	33.5	6.7	3.9	4.0	99	102	M 25.5 x 0.6	0.8	20	19	539	120 MOA	110 MOA	9 daytime/2 NV	10.1	257
		Hellfire Quadplex	.25 MOA																				
2 - 10 x 42 mm	Second	Hellfire Triplex	1 MRAD	10.7	4.2	49.1	9.9	16.4	3.3	4	4.1	101	104	M 46 x 0.75	1.7	42	24.3	689	100 MOA	100 MOA	9 daytime/2 NV	11.6	294
		MOA Milling Hunter	.25 MOA																				
2.4 - 12 x 56 mm	Second	Hellfire TriPlex	1 MRAD	11.6	4.7	43.1	9.3	14.3	3.1	3.9	4	98	100	M 58 x 0.75	2.2	56	29.6	839	62 MOA	62 MOA	7 daytime/2 NV	14.1	359
		Hellfire Quadplex	.25 MOA																				
3 - 15 x 44 mm	Second	Hellfire Triplex	1 MRAD	10	2.9	34.1	6.8	11.4	2.3	3.9	4	98	100	M 46 x 0.75	1.7	44	25	709	70 MOA	45 MOA	7 daytime/1 NV	12.5	316
		MOA Milling Hunter	.25 MOA	1																			
		Hellfire Quadplex												İ									
3 - 15 x 52 mm	Second	Hellfire Triplex	1 MRAD						3.9	3.9	98	99	M 54 x 0.75	2	52	27	765	75 MOA	75 MOA	7 daytime/2 NV	12.5	316	
		MOA Milling Hunter																		·			
		Hellfire Quadplex	.25 MOA																				
5 - 25 x 52 mm	Second	Hellfire Metric	1 MRAD	10	2.1	20.2	4	6.7	1.3	3.8	3.8	97	97	M 54 x 0.75	2	52	28.8	818	50 MOA	50 MOA	7 daytime/2 NV	13.7	345
	0000114	MOA Milling Hunter			20.2	·	0.,		0.0	0.0	0,	"	1101110110	-	""	20.0	5.5	001107	0011071	, day(iiii), 2 iii	10.7	0.0	
		PIOA PIIIIII I I I I I I I I I I I I I I I	.ES FIGA								14/1	101/	- VO®										
						Lie	oor Fie	ld of Vi	ow.		Eye F		EY3®										
Model	Focal	Reticle	ADJ.		Pupil 1M	FT @	100	M @ 1		IN			1M	Objective Filter	Obje Clear A	ctive perture	We	ight	Elevation Adjustment	Windage Adjustment	Illumination Settings	Len	gth
110001	Place	1,01,010	7,55.	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	Thread	INCH	мм	OUNCE	GRAM	Range	Range	manimation octango	INCH	мм
		Quadplex	0.5.404																				
2 - 7 x 32 mm	Second	Hellfire Quadplex	0.5 MOA	15.0	4.5	45.4	13.1	13.8	4.0	3.5	3.5	88.9	88.9	M 34 x 0.5	1.3	32	14.8	422	110 MOA	110 MOA	N/A	11.2	284.7
2-7 x 32 111111	Second	Circleplex	0.5 MOA	15.0	4.5	45.4	13.1	13.0	4.0	3.5	3.5	00.3	00.3	M 34 X U.5	1.3	32	14.0	466	TIU MUA	TIUMUA	IN/A	11.2	204./
		Hellfire Circleplex	0.5 MOA																				
		Quadplex	.25 MOA																				
3 - 9 x 40 mm	Second	Hellfire Quadplex		15.0	4.8	33.9	11.3	10.3	3.4	3.5	3.5	88.9	88.9	M 43 x 0.75	1.6	40	15.7	446	90 MOA	90 MOA	N/A	12.3	312.5
		Triplex Hellfire Triplex	.25 MOA																				
		Quadplex																					
		Hellfire Quadplex	.25 MOA																				
3 - 9 x 50 mm	Second	Triplex	05.404	15.1	5.6	33.9	11.3	10.3	3.4	3.5	3.5	88.9	88.9	M 52 x 0.75	2.0	50	17.4	496	90 MOA	90 MOA	N/A	12.4	316
		Hellfire Triplex	.25 MOA																				
		Quadplex	.25 MOA																				
4 - 12 x 40 mm	Second	Hellfire Quadplex	.E3 MOA	10.0	3.3	23.6	7.9	7.2	2.4	3.5	3.5	88.9	88.9	M 43 x 0.75	1.6	40	16.6	471	70 MOA	70 MOA	N/A	12.3	312.5
		Triplex	.25 MOA												"-						,		
		Hellfire Triplex															-						
		Quadplex Hellfire Quadplex	.25 MOA																				
4 - 12 x 50 mm	Second	Triplex		10.0	3.3	23.6	7.9	7.2	2.4	3.5	3.5	88.9	88.9	M 52 x 0.75	2.0	50	18.9	536	70 MOA	70 MOA	N/A	12.4	315
	Hellfire Triplex .25	.25 MOA																					
		I IIIIII III III III													1		1				J.		

				OSCAR3™							
MAGNIFICATION	EYE RELIEF	EXIT PUPIL	LINEA	R (FOV)	OBJECTIVE CLEAR	ANGULAR (FOV)	CLOSE FOCUS	WEI	SHT	LEN	IGTH
					APERTURE	, ,	DISTANCE	OZ	G	IN	ММ
10-20x	23mm / 15mm	3.0mm / 1.5mm	179 ft / 126 ft @ 1000 yds	54.6 m / 38.4 m @ 1000 m	30mm	3.4° / 2.4°	19.7 ft	16	454	6.7	170.2
6-12x	23mm / 15mm	4.2mm / 2.1mm	294 ft / 210 ft @ 1000 yds	89.6m / 64m @ 1000 m	25mm	5.6 °/ 4.0°	8.2 ft	14	397	5.3	134.6
				OSCAR5™							
15-45x	15-20mm	4.3mm / 1.4mm	141 ft / 73 ft @ 1000 yds	47 m / 24 m @ 1000 m	65mm	2.7° / 1.4°	16 ft	53	1502	15.8	401.3
				OSCAR7™							
20-60x	18/20mm	4.1mm / 1.4mm	115 ft / 60 ft @ 1000 yds	38 m / 20 m @ 1000 m	82mm	2.2° / 1.1°	16 ft	64	1701	15.3	589

									ROMEO1®											
MAG	NIFICATII	ON EYE	RELIEF	OBJECTIVE CLEAR APERTURE	RED DOT	SIZE	ILLUMINAT SETTINO		ELEVAT ADJUSTN RANG	MENT	WINDA(ADJUSTM RANGI	ENT	WEIG	нт	LEN	GTH MM	WID ⁻	TH MM	HEIG	GHT мм
	1x	Unl	mited	30mm	3 MC	IA .	5 Daytim 2 NV	e /	+/- 50 N		+/- 50 M		0.8	24	1.8	44.9		32.8	1.1	27.4
									ROMEO3®											
	1x	Unl	mited	25mm	3 MC	IA	9 Daytin 2 NV		100 M	ΠA	100 M	DΑ	1.4	40	2.4	60	1.1	28	1.65	42
									ROMEO4®											
MODEL	MAG.	EYE RELIE	F ILLI	UMINATION SETTINGS	OBJECTIVE CLEAR	RED	DOT SIZE	ELEVATION ADJUSTMEN			VER TEM	WATER- PROOF	WEI	IGHT	LE	NGTH	WI	DTH	HEI	IGHT
					APERTURE			RANGE	RANGE	515	IEM	LEVEL	OZ	G	IN	ММ	IN	ММ	IN	ММ
4H	1x	Unlimited	1	10 Daytime / 2NV	20mm	2 M C	IA/1MOA	+/- 50 MOA	100 MOA	Side Mount	Battery Tray	IPX7	3.4	98	3.3	84.6	1.86	47.25	2.46	62.6
48	1x	Unlimited	ı	10 Daytime / 2NV	20mm	2 MO	IA/1MOA	+/- 50 MOA	100 MOA	Solar w/Side Mo	unt Battery Tray	IPX7	3.4	98	3.3	84.6	1.83	46.5	2.46	62.6
4T	1x	Unlimited	ı	10 Daytime / 2NV	20mm	2 MO	IA/1MOA	+/- 50 MO	100 MOA	Side Mount	Battery Tray	IPX8	3.2	91	3.3	84.6	1.86	47.25	2.46	62.6
									ROMEO5®											
MAGI	NIFICATIO	IN EVE	RELIEF	ΙΙΙΙΙΜΙΝΔΤΙΙ	ON SETTINGS		OBJECTIVE		RED DOT SIZE	ELEVATION ADJUSTMENT	WINDAGE AD		WE	IGHT	LE	NGTH	WI	отн	HEI	IGHT
MAG	WI TOATTE		(LLILI	TEE OF THE ATTE	311 02 1 111100		APERTI	JRE	NEB BOT GIZE	RANGE	RAN	GE	OZ	G	IN	ММ	IN	ММ	IN	ММ
	1x	Unli	mited	8 Daytir	me / 2NV		20mr	m	2 MOA	+/- 60 MOA	+/- 60	MDA	4.8	136	2.9	75	1.6	41	1.4	36
									ROMEO6®											
	1x	Unli	mited	10 Dayti	me / 2NV		30mr	m	2 MOA	+/- 60 MOA	+/- 100	MOA	9.6	270	5.8	148	2	52	2.9	74
									ROMEO7®											
	1x	Unli	mited	9 Daytir	me / 2NV		30mr	n	2 MOA	220 MOA	150 M	DA	12.5	356	4.75	120	2	51	3	76.2

							KIL	0850®								
MAGNIFICATION	OBJECTIVE CLEAR APERTURE	EXIT PUPIL MM	EYE RELIEF MM	ANGULAR (FOV)	FOV@ 100 YDS	RANGE RESPONSE TIME	LASER DIVERGENCE	SCANNING	RANGE ACCURACY UNDER		MAX RANGE		WEII WI BATT	TH	LENG	ЗТН
	APERIURE			, í		TIME			100 YDS	REFLECTIVE	DEER	TREES	OZ	G	IN	ММ
4x	20 mm	5	24	8.3°	43.77 ft	.25 sec	1.4 MRAD	yes	.1 yds	Up to 1200 yds	Up to 600 yds	Up to 800 yds	5	140	3.9	99
t.							KILO	11250®								
6x	20 mm	3.33	15	6.5°	34.18 ft	.25 sec	1.4 MRAD	yes	.1 yds	Up to 1600 yds	Up to 750 yds	Up to 950 yds	5	140	3.9	99
							KIL02	200MR®								
7x	25 mm	3.6	15	6.78°	35.67 ft	.25 sec	1.3 MRAD	yes	.1 yds	> 2 miles	> 1300 yds	> 1600 yds	7.5	215	4.2	107
							KILO24	100ABS®								
7x	25 mm	3.6	15	6.78°	35.67 ft	.25 sec	1.3 MRAD	yes	.1 yds	> 2 miles	> 1400 yds	> 1800 yds	7.5	215	4.2	107

					ZI	ULU9™								
MODEL	MAGNIFICATION	EYE RELIEF	EXIT PUPIL	LINEAF	l (FOV)	OBJECTIVE CLEAR APERTURE	ANGULAR (FOV)	CLOSE FOCUS DISTANCE	INTERPUPILLARY DISTANCE	DIOPTER RANGE	WEI	GHT	LEN	IGTH
						APERTURE	` ′	DISTANCE			OZ	G	IN	ММ
9 x 45mm	9x	17.3mm	5.0mm	378 ft @ 1000 yds	126 m @ 1000 m	45mm	7.2°	6.0 ft	56mm - 74mm	+/- 3	33	950	7.5	190.5
11 x 45mm	11x	16.7mm	4.1mm	315 ft @ 1000 yds	105 m @ 1000 m	4511111	6.0°	6.010	56MM - 74MM	+/- 3	33	350	7.5	180.5
					ZI	ULU7™								
8 x 42 mm HDX /	8x	20mm	5.3mm	378 ft @ 1000 yds	126 m @ 1000 m	42mm	7.2°	5.9 ft	56mm - 74mm	+/- 3	33	950	5.8	147.3
10 x 42 mm HDX	10x	17mm	4.2mm	341 ft @ 1000 yds	114 m @ 1000 m	42mm	6.5°	5.311	56MM - 74MM	+/- 3	33	350	5.8	147.3
15 x 56mm HDX	15x	15.5mm	3.7mm	225 ft @ 1000 yds	75 m @ 1000 m	56mm	4.3°	13 ft	60mm - 76mm	+/- 4	42	1,191	7	177.8
					ZI	ULU5™								
8 x 42mm	8x	17mm	5.3mm	393 ft @ 1000 yds	131m @ 1000m	42mm	7.5°	6.5 ft	56mm - 74mm	+/- 4	24.5	694.5	6.0	152.4
10 x 42mm	10x	15mm	4.2mm	315 ft @ 1000 yds	105 m @ 1000 m	42111111	6°	8.2 ft	56111111 - 74111111	+/-4	24.5	634.5	6.0	152.4
					ZI	JLU3™								
8 x 32mm	8x	14.5mm	4.0mm	393 ft @ 1000 yds	131 m @ 1000 m	- 32mm	7.5°	8.2 ft	56mm - 74mm	+/- 3	16	455	5.5	139.7
10 x 32mm	10x	17.5111111	3.2mm	341 ft @ 1000 yds	114 m @ 1000 m	JEIIIII	6.5°	0.210	Johnn - 74000	.,-3	10	733	J.5	133.7



WELCOME TO THE FUTURE OF SILENCE.

With decades of product design and R&D experience under their belts, SIG SAUER® engineers are developing the next generation of suppressors. At SIG, suppressors are not treated as bolt-on accessories. It is understood that they interact with the gas system of the host firearm and can affect accuracy, reliability, back pressure, and other critical factors. Designing firearms, suppressors, and ammunition as a complete, integrated system maximizes overall performance. The end result is the most advanced, most dependable suppressor technology the world has seen, or heard.



TUBELESS DESIGN

- ▶ The most important material in a SIG suppressor isn't titanium, stainless steel or nickel alloy it's AIR.
- ▶ More volume within the suppressor translates to lower gas pressure and cooler temperatures.
- ▶ Removal of the outer tube in the rifle suppressor results in a full array of performance improvements.



TAPER-LOK®

- Revolutionary Taper-Lok Fast-Attach System enables quick and simple muzzle device installation.
- No more shims.
- Forward-thinking design optimizes alignment, improving accuracy and greatly reducing point-of-impact (POI) shift, even after multiple install / removal cycles.



MATERIALS

- ▶ Rugged, 100 percent 17-4 stainless steel baffles.
- ▶ Grade 9 Titanium outer tube creates industry-leading durability in a lightweight pistol suppressor package.
- ➤ The first layer of defense, Physical Vapor Deposition (PVD) coating, is chemically superior to other finishes. PVD withstands high temperatures, compared to CerakoteTM, which may crack or peel under extreme heat.



SIG pistol suppressors feature a rugged titanium tube and stainless steel baffles that are fully user serviceable for increased durability, reliability, and accuracy.





SRD45

- ▶ Direct thread.45 AUTO
- ▶ Grade 9 titanium tube
- ▶ Stainless steel baffles
- ▶ .578-28tpi and M16x1mm LH pistons



SRD9


- ▶ Direct thread 9MM
- ▶ Grade 9 titanium tube
- ▶ Stainless steel baffles
- ▶ 1/2" x 28tpi and M13.5x1mm LH pistons



SRD22X

- ▶ Direct thread 22LR
- ▶ Grade 9 titanium tube
- ▶ 17-4 Stainless steel baffles
- ▶ 1/2" x 28tpi and M9x.75mm rear mounts
- ▶ Fully user serviceable

PISTOL SUPPRESSORS





PISTOL SUPPRESSOR PISTONS
CAN CONVERT THREAD PITCH
OR CALIBER


A SHOT ABOVE


- ▶ Titanuim outer tube
- ▶ All baffles are 17-4 stainless
- ► Comes with both imperial and metric pistons


COMPLETE SPECS PG.117 | ALL SPECIFICATIONS SUBJECT TO CHANGE




Each suppressor is built in New Hampshire using innovative engineering techniques, cutting-edge manufacturing processes, and superior materials.









ALIGNMENT

TAPER-LOK® MOUNT

- Innovative tapers self-center the suppressor bore and rifle bore, greatly reducing point-of-impact shift and group dispersion.
- A larger contact area maximizes retention during repeated firing, requiring about 20% more force to remove than it did to install.
- ▶ Taper-Lok mounts are available in multiple thread pitches and calibers.
- ▶ Backwards compatible with traditional 90-degree shouldered barrels.

MODULARITY

MUZZLE DEVICES



CQB FLASH HIDER



DOUBLE PORT BRAKE

PRECISION PERFORMANCE

QD SUPPRESSOR

- ▶ Locking onto the Taper-Lok mount, QD suppressors feature a secondary retention latch for more secure attachment during fire.
- Wrench flats allow for easy removal, even with heavy carbon build-up. The wrench will automatically disengage the secondary retention latch with no ratchet teeth to wear out.
- ► Sub-caliber mounts are also available for true multi-caliber versatility.

RIFLE SUPPRESSOR MATERIALS

TITANIUM

GREATER VOLUME, LIGHTWEIGHT, BEST FOR FULL LENGTH BARRELS

INCONEL

FOR HEAVY DUTY USE, BEST FOR SHORT BARREL RIFLES, GREATER DURABILITY


SIG ADVANTAGE

- ▶ Tubeless design
- ▶ Precision QD mounting system
- ▶ Self-centering Taper-Lok QD system
- ▶ Comes with muzzle brake
- ▶ Easy muzzle device timing

CALIBER	THE FIRST TUBELESS RIFLE SUPPRESSORS EVER PRODUCED
.338 LAPUA MAGNUM	Greater Internal Volume Greater Sound Reduction
7.62nato/.300win mag/300blk	➤ Reduced Flash ➤ Increased Durability
5.56NATO	► Lighter Weight ► Greater Reliability

COMPLETE SPECS PG.117 | ALL SPECIFICATIONS SUBJECT TO CHANGE

RIFLE SUPPRESSORS







SRD338TI-QD

▶ .338 Lapua Magnum

▶ Taper-Lok Fast attach

▶ M18x1.5mm Taper-Lok QD

▶ Grade 5 Titanium

muzzle brake





- ➤ 300 Blk / 300 Win Mag / 7.62 NATO
- ▶ Taper-Lok or direct thread-on
- ▶ Grade 5 Titanium
 - ▶ 5/8"- 24tpi direct thread or QD

SRD762

- ▶ 300 Blk / 300 Win Mag / 7.62 NATO
- ▶ Taper-Lok or direct thread-on
- ▶ Inconel 718 / stainless steel
- ▶ 5/8"- 24tpi direct thread or QD

SRD556

- ▶ 5.56 NATO
- ▶ Taper-Lok or direct thread-on
- ▶ Inconel 718 / stainless steel
- ▶ 1/2"- 28tpi direct thread or QD




TAPER-LOK MOUNTS



CQB FLASH HIDER



DOUBLE PORT BRAKE





The most elite name in firearms introduces an entirely new line of advanced pellet-firing platforms with performance up to the exacting standards of SIG SAUER®.

Designed to imitate their counterpart firearm model specs in weight and balance, SIG Advanced Sport Pellet pistols and rifles – together with a full line of accessories and ammunition – deliver more authentic handling for increased, year-round accessibility to practical training. Shoot more, Shoot better, Shoot SIG.

Also Available in Flat Dark



The popular self-defense, centerfire pistols are imitated in ASP from full blowback metal slide to steel rifled barrel with a few built-in performance advantages - low audible profile, practice space versatility and radically less expensive ammunition. The ASP line of pistols allows shooters to train for a quick, accurate response.






30 Round Rotary Magazine



Manual Safety









VELOCITY	P320 P226	Up to 430* FPS Up to 480* FPS	P320 P226
COMPLETE SPECS PG.117 ACCESSORIES PG.104	ALL SPECIFICAT	TIONS SUBJECT TO CHANG	E *DENO

BARREL LENGTH		CALIBER	.177	STANDARD FEATURES	
P320 P226	4.5" 4.5"	MAGAZINE CAPACITY	(30) (16)	 ▶ 16 (P226) 30 (P320) Round Magazines ▶ Full Blowback, Metal Slide ▶ Rugged Polymer Frame (P320) ▶ Built-in Plcatinny Rail Mount 	 ▶ Rifled Steel Barrel ▶ Textured Grip ▶ White Dot Sights ▶ Patented CO₂ Cartridge System (P226)
*DENOTES MAGAZIN	IE CAPACITY	*RESULTS MAY VA	RY BASED ON	N PELLET WEIGHT, TEMPERATURE AND	ALTITUDE



From tactical drills to target practice, the CO2-powered SIG MCX ASP delivers 30 rounds of rapidfiring, authentic SIG MCX performance and handling for more realistic, economical training and practice - any time, any place. The SIG MPX redefined modern pistol caliber SBRs, and this ASP version does no less for CO2 rifles. The SIG MPX ASP airqun puts more accurate performance into more accessible practice.





30-Round RPM Magazine (Available on All Models)



Flip-Up Sights (Available on Some Models)



Ambidextrous Manual Safety (Standard on All Models)

SIG MCX® ASP

AIR-MCX-177-88G-30-BLK

- ▶ Black Housing, Handguard, Stock
- ▶ 30-Round RPM Magazine
- ▶ Tactical Foregrip
- ▶ Flip-Up Front and Rear Sights
- ▶ Available with Red Dot or 1-4x24 Scope
- ▶ Velocity Up to 700FPS

ASP RIFLES VELOCITY SIG MCX Up to 700* SIG MPX

Up to 575*

BARREL LENGTH SIG MCX SIG MPX

CALIBER .177 STANDARD FEATURES ▶ 30-Round RPM™ Magazine ▶ Metal Housing ▶ Aluminum Handguard (30) ▶ Flip-Up Front and Rear Sights MAGAZINE ▶ Manual Safety CAPACITY ▶ Picatinny Rail (optics & Accessories) ▶ Synthetic Stock (30) ▶ 90g* CO., Cartridge

COMPLETE SPECS PG.117 | ACCESSORIES PG.104 | ALL SPECIFICATIONS SUBJECT TO CHANGE

*DENOTES MAGAZINE CAPACITY

*RESULTS MAY VARY BASED ON PELLET WEIGHT, TEMPERATURE AND ALTITUDE

*88g Compatible

COMPLETE YOUR SYSTEM







SIG Shooting Gallery | PG. 105

90g CO, Cylinders | PG. 104











- - ▶ 30-Round RPM Magazine

Barrel Length 8"

Barrel Length 18"





▶ 30-Round RPM Magazine

Barrel Length 8"

.177

SIG RPM ASP The unparalleled performance of SIG's patented pellet drive system smoothly feeds up to 30 rounds in 3.5 seconds. Rifles come standard with one magazine and RAPID PELLET MAGAZINE refillable belt. Accessory RPM (purchased separately) includes two additional spare belts.

COMPLETE SPECS PG.117 | ACCESSORIES PG.104 | ALL SPECIFICATIONS SUBJECT TO CHANGE

*RESULTS MAY VARY BASED ON PELLET WEIGHT, TEMPERATURE AND ALTITUDE



The original that started it all—a Classic .45ACP handgun now available in a BB pistol.



16-Round Magazine



Patented C02 Cartridge System



Spartan Engraving on Slide



BB PISTOL AIRGUNS	
VELOCITY	Up to 410 FPS

CALIBER	4.5mm Steel BBs	STANDARD FEATURES	
MAGAZINE	(16)	 ▶ 16-Round Magazines ▶ Full Blowback, Metal Slide	 ➤ Functioning Grip Safety ➤ Textured Grip ➤ White Dot Sights ➤ Same Styling as our 1911 Pistols
CAPACITY	(16)	and Frame ▶ Semi-Auto ▶ Cam Lever CO₂ Loading Port	

COMPLETE SPECS PG.117 | ACCESSORIES PG.104 | ALL SPECIFICATIONS SUBJECT TO CHANGE

*DENOTES MAGAZINE CAPACITY

*RESULTS MAY VARY BASED ON PELLET WEIGHT, TEMPERATURE AND ALTITUDE

COMPLETE THE SYSTEM







12g CO, Cylinders | PG 104



Max Michel Signature Engraved on Slide



Patented C02 Cartridge System




Max Michel Logo Engraved on Slide and Grips



4.5mm Steel BBs

AIR-1911BB-MM

- ▶ Full Metal Black Blowback Slide and Frame
- ▶ Engraved Max Michel Logo and Signature on Slide
- ▶ Custom Max Michel Grips
- ► Same Styling and Trigger Shape as 1911 MAX Firearm
- ▶ Skeletonized Hammer



ASP PELLETS

ADVANCED PRECISION, PERFECTED.

SIG ASP lead and lead-free pellets have been engineered to optimize performance from target to competition shooting to hunting with exacting blends of material and design features affecting range, stability and velocity. In very general terms, flat-topped pellets make superior target shooting loads; domed designs boast greater aerodynamics for long-range accuracy; pointed tops increase penetration; and hollow points expand for greater penetration. There's a SIG engineered, high-performance pellet designed to excel in every situation.

COPPER PLATED LEAD				.177Cal .22Cal	
	LEAD FREE ALLO	Y		.177Cal .22Cal	
	TRADITIONAL LEA	AD PELLETS	NEW	.177Cal .22Cal	
		W.		9	
	MATCH	CRUXT	м	WRAITH™	ZERO POINT™

ASP CO₂ CYLINDERS

PREMIUM AIRGUN PERFORMANCE

Precision-built SIG ASP pistols and rifles depend on quality ammunition and fuel to perform up to SIG standards. A higher-quality, cleaner gas in a superior-engineered cylinder can influence the lifetime and performance of any airgun. Over time, a poor cylinder seal can mechanically degrade a critical o-ring. Dirty CO₂ can interfere with valves and seals while diminishing velocities – equating to fewer shots per cylinder. Investing in SIG premium cylinders is a simple way to ensure longer-lasting, SIG precision performance.



ASP TARGETS & TRAPS

AIRGUN PRACTICE AND TRAINING TOOLS.

SIG expert training has advanced the skills of many of the world's most elite, tactical shooters. SIG ASP practice tools engage at every level from fundamental skill building to advanced or competitive marksmanship – indoor or outdoor.

Features

SIG EXPERT TRAINING DESIGNS
HEAVY DUTY RUGGED COMPONENTS

ALL-WEATHER DURABLE POWDER COATING SAFE & SECURE PLACEMENT/MOUNTS



AUTO RESET & KNOCKDOWN TARGETS


Train and compete with 3 levels of expertise using two rings of graduated 1-inch, 1.5-inch and 1/2-inch targets and a knockdown yellow target to reset the competition.

*For use with most airguns over 900 fps



TEXAS STAR TARGET

Nine center mass targets rotate around a single, central axis using strikes to vary both the gravity—driven speed and direction of the spin for engaging and dynamic practice.



SHOOTING GALLERIES & TRAPS

Shooting Galleries have center mass targets that magnetically lock down when struck, while used pellets are collected for easy range cleanup. A central SIG logo knockdown target resets the gallery upon impact. Traps come with 25ct paper targets and additional paper target refills available.







*Recommended for use with lead airgun pellet and lead shot only, not for steel BB use. Power limited to 20 Ft Lbs.

^{*}Always use appropriate ear and eye protection making sure that the range has a secure and reliable backstop.





140 ACRES. 110 COURSES. 100% TRAINING.

From executive protection to active shooter response, from close quarters combat and basic marksmanship to long-range sniper training, the SIG SAUER Academy^{5M} has provided the highest quality firearms and tactics training available anywhere in the United States for more than two decades. Located on over 140 acres in Epping, NH—only an hour from Boston, MA—our facility features state-of-the-art indoor and outdoor ranges, tactical training areas, urban environments, shoot houses, a maritime training area, and a force-on-force village. The SIG SAUER Academy offers a comprehensive arsenal of more than 110 courses for the armed professional and responsible citizen. Whatever your firearm training needs, wherever you need training, and whatever you choose to shoot, we have a solution that will exceed your expectations and make you a better shooter, guaranteed.



The SIG SAUER Academy[™] is internationally recognized for the use of superior training techniques and unmatched results. Armed professionals and responsible citizens continuously choose to train at the SIG SAUER Academy for all their firearms, tactical, and related training needs.

WHY TRAIN AT SIG

The SIG SAUER Academy offers the very best self-defense and firearms training available, as well as expert law enforcement training. That's why discriminating individuals and elite government agencies call upon SIG SAUER Academy for their firearms, tactical, and law enforcement training needs. The SIG SAUER Academy is unique; we are not a public shooting range, though more than half of our classes are open to responsible citizens (check the prerequisites or schedule for restrictions). Range use is restricted to scheduled classes, shooting matches, and qualified group leases that meet Academy requirements. Proper credentials are required to take the scheduled classes, and may include either a background check or a current license to carry permit.

THE TEAM

SIG SAUER Academy instructors and support staff have years of experience and are ready to assist you in any way you need during your time at the academy..

FACILITIES

The SIG SAUER Academy offers state of the art indoor and outdoor training facilities. SIG SAUER Academy has continued to develop a variety of ranges and infrastructures including a maritime training area, a tactical training area, multiple shoothouses, the only publicly accessible 1000 yard range in the New England area, and a 360 degree range. Additionally, in 2012 the Academy invested in a brand new home for the SIG SAUER Academy Pro Shop that displays the entire line of SIG SAUER firearms and expanded its coverage of accessories and products with vendors that represent the best of the industry merchandise.

For course descriptions, schedules, and more, visit **sigsaueracademy.com**



ARMORER CERTIFICATION

The SIG SAUER® factory armorer certification enables the agency armorer or individual user to completely disassemble, inspect, service, and reassemble associated weapons systems without voiding the factory warranty. Proper and routine weapon maintenance and inspection of a firearm are essential to ensure maximum reliability. Factory armorer courses at the SIG SAUER Academy certify agency armorers or individuals to maintain, inspect, service, and repair selected SIG SAUER firearms while preserving the factory warranty. Upon successful completion, armorers will fully understand each firearm and be factory-certified for a period of three years.



SHOOTING DEVELOPMENT

From the first-time shooter to the range veteran, our progressive shooting development courses offer a logical shooting evolution designed to build a complete shooter. Pistol, rifle, and shotgun courses are taught in basic, intermediate, and advanced levels that follow a simple and easily reproducible experience utilizing best practices. Breaking from traditional firearms training concepts, the SIG SAUER Academy uses a unique, simplified method of adult learning behavior to achieve near instant positive results.



INSTRUCTOR DEVELOPMENT

The SIG SAUER Academy takes special care in preparing knowledgeable men and women to become effective firearms instructors for students of all levels. It takes more than subject mastery to be a good instructor. We focus on teaching proven techniques that successfully transfer essential skills and knowledge from instructor to student in less time. Instructor candidates practice teaching techniques acquired with each other and are rigorously evaluated for classroom and range skills mastery.



SPECIALTY TRAINING

Each specialty course has a specific objective outside the scope of standard firearms training. These courses focus on a specialty discipline or scenario and incorporate training methods designed to achieve nothing short of success. Students will be confronted with unfamiliar and uncomfortable situations in order to familiarize themselves with such eventualities and learn to prevail.



RIMFIRE 22 CONVERSION KITS

Convert a centerfire SIG pistol to rimfire for economic practice, training, and plinking.

- ► Features Complete Slide Assembly with Black Hard-Coat Anodized Finish and Adjustable Contrast Sights (Threaded Barrel with ½ x 28 TPI Classic Models)
- ▶ P938®, Both Standard and Threaded Barrel Kits Available
- ▶ Comes in a Hard Carry Case with (1) Magazine

CONVERSION KIT:

CLASSIC P938

P220 | P226 | P229R P938 | P938 Target Models



CENTERFIRE X-CHANGE KITS

Switch between centerfire calibers for different situations and needs.

- ▶ Converts .22LR Pistols to Standard Centerfire Calibers (P220®, P226®, P229®)
- ▶ Convert to Other Centerfire Calibers by Replacing the Barrel/Slide Assembly, and Magazine (P220, P226, P229)
- ▶ Features Slide with Nitron Finish, SIGLITE® Night Sights
- ▶ Comes in a Hard Carry Case with (1) Magazine



THREADED BARRELS

- ▶ Thread Pitch of 13.5x1 LH
- ▶ Includes Thread Protector

CALIBER:

MODELS:

.22LR	٠	P220 P226 P229 P938
9 mm	٠	P226 P229 P320 P250" SP2022 P938 P225"-A1
. 45 ACP	٠	P220 P226 P229 1911 1911 Carry P227"



P320® GRIP MODULES

- ▶ Ergonomic Grip Design
- ▶ Full-Size, Carry, Compact, and Subcompact
- ▶ Full-Size, Carry, and Compact Available in Small, Medium, and Large Grip Circumference
- ▶ Subcompact Available in Small or Medium Grip Circumference with Rail



MAGAZINES

- ▶ Magazines Specifically Designed for SIG SAUER® Pistols and Rifles
- ▶ Select from a Variety of Firearm/Caliber/Capacity Combinations



PISTOL BAG

- ▶ Padded Interior with Internal Zipped Compartment
- ▶ Elastic Magazine Retention Holds up to (5) Pistol Magazines
- ▶ Durable 500D Nylon
- ▶ Available in Black or OD Green



RANGE BAG

- ▶ Rugged 600D Cordura Material
- ▶ Five External Pockets
- ▶ Detachable Shoulder Strap
- YKK Zippers
- ▶ Internal Molle Attachments
- ▶ 10" High, 15" Long, 12" Wide



BLACK POINT TACTICAL IWB/OWB HOLSTER

- ▶ Made From Kydex™ and leather
- ▶ Fits Most Full-Size and Models
- ▶ Sleek Profile Minimizes Printing and Improves Carry Comfort
- ▶ Available in Right and Left



P2388/P9388 DESANTIS° POCKET HOLSTER

- ▶ Ambidextrous Design
- ▶ Fits P238 and P938 Models without Laser
- Pocket holster that breaks up the outline of the gun
- > Slick pack cloth for a no-friction draw



ROTO PADDLE HOLSTER

- ▶ Secure Level 2 Retention with Fast Push-Button Release
- ▶ Adaptable to Paddle, Belt Loops or MOLLE Attachment
- ▶ Adjustable for Tension and Cant
- ▶ Contoured Paddle Fits Comfortably on Waist Band
- ▶ Available with Integrated Mag Pouch



SIG SAUER / DESANTIS® GUNHIDE NYLON **ANKLE HOLSTER**

- ▶ Available in right or left handed
- > Nylon ankle wrap with adjustable velcro thumb strap
- ▶ Sheepskin lined for comfort







P320 SERIES UTM PISTOL CONVERSION KITS

- ▶ Easy to Install
- ▶ Fits P320 Full-Size, Compact, Carry in 9mm, and .40S&W
- ▶ Simple Exchange of Slide and Barrel, or Slide Assembly
- ▶ Feel and Function of "Live" Ammunition
- ► Unique Chamber Profile That will not allow "Live/Lethal" Ammunition to Completely Chamber
- ▶ Great for Law Enforcement and Military Communities
- ▶ Also Available for the Following SIG SAUER Models: P226,P228/P229, SP2022





UTM PISTOL TRAINING AMMUNITION

- ▶ 9mm Battlefield Blank Round Emits a Realistic Noise and Cycles the Weapon Consistent to live
- ▶ 9mm Silent Blank Round Cycles the Weapon Consistent to Live Without Sound Emission from the Muzzle
- ▶ 9mm Man Marker Round is an Accurate and Reliable Marking Projectile for Force-on-Force or Force-on-Target Training
- ▶ U.S. EPA compliant Landfill Safe, Low Emission and is Available in Non-Toxic Options.





UTM BATTLEFIELD BLANK ROUND





To learn more, visit utmworldwide.com/sigpistols

RIFLE ACCESSORIES

SIG MCX®

AR UPGRADE KIT

- ► Convert Mil-Spec™ AR Lower Receiver to SIG MCX System
- ▶ Complete SIG MCX Upper Receiver Assembly
- ▶ Side-Folding Skeletonized Stock
- ▶ Lower Receiver Stock Adapter



SIG MCX & SIG MPX® STOCKS

- ▶ Skeletonized Side-Folding
- ▶ Telescoping Side-Folding
- ▶ 2-Position Collapsible, 2 Rod
- ▶ Side-Folding M4 Stock with MIL-SPEC Tube
- ▶ Side-Folding Pistol Brace (SB15 & SBX)



LOCKING FLIP-UP SIGHTS

- ▶ New Low-Profile, Steel Design
- ► Front Sight Adjustable for Elevation with Standard Sight Adjustment Tools
- ▶ Dual Aperture Rear Sight Adjustable for Windage
- ▶ Positive Push Button Locking Mechanism
- ▶ M1913 Compatible



SIG MCX CALIBER CONVERSION KIT 5.56NATO | 300BLK

- ▶ 16- and 14.5-inch Barrels (All Calibers)
- ▶ 11.5-inch Barrel (5.56NATO)
- ▶ 9- and 6.75-inch Barrels (300BLK)
- ▶ Kit Includes Barrel Assembly and Bolt



SIG MPX CALIBER CONVERSION KIT

- ▶ 4.5-, 6.5-, 8- and 16-inch Barrel
- ▶ Kit Includes Barrel Assembly and Bolt



DEPLOYMENT BAG

- ▶ Professional Grade 1000D Nylon
- ▶ Main Compartment Compatible with SIG MPX[®] and SIG MCX[®] (Pistol/SBR)
- Front Compartment Ideal for Triple Mag Pouch and Magazines
- ▶ Side-Front Compartment will Hold Full-Size Pistol
- ▶ Rear Compartment will Hold Large SAPI Plate
- ▶ Available in Black/Grey and Coyote



RIFLE BAG

- ▶ Made of Rugged Ballistic Nylon with the SIG Mark Logo on the Center Pocket Panel
- Protects Two Rifles During Transport and Storage
- ▶ Padded Backpack Straps
- ▶ Available in 36" Black



SIG MPX® MAGAZINES

- ▶ Available in 10, 20, 30 Rounds
- ► Translucent Polymer with Steel Feed Lips Exclusively Sold by SIG SAUER, Inc.



PHASE 5 PSB PISTOL STABILIZING BRACE KIT

- Brace Dramatically Improves the Single-Handed Performance of AR-Style Pistols
- Improves Pistol Aesthetics
- Fits all Pistols Equipped with an AR-Style Pistol Buffer Tube
- Includes Phase 5 Hex Tube (Designed Specifically for Brace), Locking Nut, Buffer, and Action Spring
- ▶ (2) Adjustable Nylon Stabilizing Straps
- ▶ Available in Black or FDE
- Available with or without Pistol Receiver Extension
- ▶ ATF-Compliant
- ▶ U.S. Veteran-designed
- Made in the U.S.A.



SUTM™ Ultimate Training Munitions

SIG MCX SERIES UTM RIFLE CONVERSION KITS

- ▶ Easy to Install
- ▶ Simple Exchange of the Bolt and Carrier Assembly
- ▶ Feel and Function of "Live" Ammunition
- ▶ Offset Firing Pin design Strikes Outside of "Live/Lethal" Ammunition Primer Pocket for Added Safety while Using UTM Ammunition
- ▶ Includes Bolt Carrier and Blue Training Magazine
- ▶ Great for Law Enforcement and Military Communities
- ► Also Available for the Following SIG SAUER Rifles: SIG 551/552/553/516 Series



UTM RIFLE TRAINING AMMUNITION

- ▶ 5.56mm Battlefield Blank Round Emits a Realistic Noise that Cycles the Weapon with Realistic and Consistent Cyclic Rates in both Semi-Automatic and Fully-Automatic
- ▶ 5.56mm Target Bullet Round is Intended for use as a Training Round in Shorter Range Situations Such as Shoot Houses
- ▶ 5.56mm Silent Blank Round Cycles the Weapon Consistent to Live in both Semi-Automatic and Fully-Automatic, Without Sound Emission from the Muzzle.
- ▶ 5.56mm Man Marker Round is an Accurate and Reliable Marking Projectile for Force-on-Force or Force-on-Target Training
- ▶ U.S. EPA compliant Landfill Safe, Low Emission and is Available in Non-Toxic Options.

To learn more, visit utmworldwide.com/sigrifles

UTM SILENT BLANK ROUND







UTM BATTLEFIELD BLANK ROUND



UTM MAN MARKING ROUND



MERCHANDISE

Show SIG pride with a full line of SIG SAUER® apparel, hats, and branded swag. Choose from a wide range of sizes, men's or women's, and a variety of styles. There's something for everyone.

DRINKWARE

- ▶ SIG SAUER branded Shot glasses
- ▶ Pint glasses
- ▶ Short rock glasses
- Drink chillers



WOMEN'S APPAREL

- ▶ Full zip jackets
- ▶ V-neck t-shirts
- ▶ Performance polos
- ▶ SIG SAUER Tank Tops



HATS

- ▶ Branded trucker hat
- ▶ SIG mark chino hat
- ▶ Flexfit hat
- ▶ Kryptek camo hat



GEAR

- ▶ SIG SAUER bags
- ▶ Knives
- ▶ SIG stickers
- Patches



MEN'S APPAREL

- ▶ SIG SAUER t-shirts
- ▶ Pullover hoodie
- ▶ Performance polos
- Jackets









AT HOME

- ▶ SIG SAUER gun mats
- ▶ SIG mark bar stool
- ▶ Spare tire cover
- ▶ Trailer hitch cover





View and shop our full collection now at store.sigsauer.com



For those who put their lives on the line for the safety and the freedom of others: SIG SAUER® is proud to honor their unwavering dedication with exclusive purchase programs.



ARMED PROFESSIONAL PURCHASE PROGRAM

Those who protect and serve our country are eligible for special discounts on SIG SAUER firearms and accessories. SIG SAUER is proud to support the brave men and women who put their lives on the line.

To order, find a participating Distributor at:

sigsauer.com/app

THOSE ELIGIBLE INCLUDE:

- ▶ Active or Retired Law Enforcement Officers with Official Agency Credentials
- ▶ First Responders
- ▶ Active Duty or Retired Military (any rank) with Valid Military ID
- ▶ Active or Retired Reservists and National Guard (any rank) with Military ID

- ▶ Corrections Officers, including Parole and Probation Officers
- ▶ State Licensed Armed Security Officers and Licensed Security Companies
- ▶ Court Justices, District Attorneys, and Deputy District Attorneys
- ▶ Other State, County, and City Officials with Official Agency Credentials or Official Documentation Whose Job Duties Necessitate Carrying a Firearm
- ▶ Credentialed Nuclear Security Officers



ENGRAVING PROGRAM

Proudly display past or current service, membership achievements, and pride with custom engraving and enhanced finishes on select SIG SAUER® pistols and rifles.

PROGRAM HIGHLIGHTS:

- ▶ Custom SIG SAUER firearms made to unique specification
- ▶ Choice of 4 premium engraving services
- ▶ Order 25 pistols or 15 rifles to qualify

Order today by visiting:

sigsauer.com/commemorative

PISTOL SPECIFICATIONS

			CALIB	ER/MAG	AZINE CA	PACITY				ACTION TY	PE/TRIGGEI	R PULL (LB)			ME	EASUREMEN	ITS		WEIGHT W/MA	G
PISTOL MODELS	.22LR	.380ACP	9mm	38 SUPER	.357816	.40S&W	.45ACP	10mm	DA/SA	SRT"(DA/SA)	DAO	SAO	STRIKER	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Alloy/Poly (oz)	
P220°		1		: ! !		1	8	8	10/4.4	10/4.4			: ! !	7.7	5.5	1.5	4.4	6.3	30.4 39	.1
P220 SAO							8					5.0		7.7	5.5	1.5	4.4	6.3	30.4	
P220 CARRY			1	i !			8		10/4.4	10/4.4			i !	7.1	5.5	1.5	3.9	5.7	30.4 39	.1
P227°							10		10/4.4	10/4.4				7.7	5.5	1.5	4.4	6.3	32.0	
P227 CARRY							10		10/4.4					7.1	5.5	1.5	3.9	5.7	30.5	
P226°	10		15		12	12			10/4.4	10/4.4				7.7	5.5	1.5	4.4	6.3	34.0 42	2
P226 SAO			15	!		!				! !		5.0	! !	7.9	5.5	1.8	4.4	6.3	34.0	
P229 [®]			15		12	12			10/4.4	10/4.4			: : :	7.1	5.4	1.5	3.9	5.7	32.0	
P225-A1 [®]			8						10/4.4	! ! !			: : :	6.9	5.2	1.3	3.6	5.2	30.5	
P239°			8		7	7			10/4.4	10/4.4			! !	6.6	5.1	1.2	3.6	5.2	29.5	
P320° FULL-SIZE		1	17	: ! !	14	14	10			1		1	6	8.1	5.5	1.3	4.7	6.6	29.5	
P320 CARRY			17	!	14	14	10			! !			6	7.2	5.5	1.3	3.9	5.8	26.5	
P320 COMPACT			15	! ! !	13	13	9			I I			6	7.2	5.3	1.3	3.9	5.8	25.8	
P320 SUBCOMPACT			12	! ! !	10	10				! !			6	6.7	4.7	1.1	3.6	5.5	24.9	
P320 RX FULL-SIZE			17	1	1	1				! !			6	8.1	6.2	1.3	4.7	6.6	30.3	
P320 RX COMPACT			15							1			6	7.2	6.0	1.3	3.9	5.8	26.1	
P320 X FIVE			21			18				1			6	8.6	5.8	1.3	5.0	6.9	35.0	
P320 X CARRY			17	! ! !		1				I I			6	7.4	5.3	1.3	3.9	5.8	26.5	
P320 X VTAC			17							1			6	8.3	5.4	1.3	4.7	6.6	29.5	
P250 COMPACT 22LR	10	-	-			!				! !	9		1	7.2	5.3	1.4	3.9	5.8	26.5	
SP2022°		1	15	: ! !		12			10/4.4	1		1	! !	7.4	5.7	1.4	3.9	5.9	29.0	
P290RS™			6/8							! !	9		1	5.5	3.9	0.9	2.9	4.3	20.5	
1911			9	9	8	8	8	8		1		5.0	1	8.7	5.5	1.4	5.0	6.5	41.	6
1911 CARRY			!		8	1	8			1		5.0	1	7.7	5.5	1.4	4.2	5.7	38	8
1911 COMPACT/C3°			!			!	7			1		5.0		7.7	4.8	1.4	4.2	5.7	29.5 35	5
1911 ULTRA COMPACT			8			i !	7			1		5.0	1	6.8	4.8	1.4	3.3	4.8	28.0	
P938°	10		6/7			!				! !		7.5	1	5.9	3.9	1.1	3.0	4.0	16.0 19.	0
P238°		6/7				!				1		7.5		5.5	3.9	1.1	2.7	3.8	15.2 18.	0

ALL SPECIFICATIONS SUBJECT TO CHANGE

		SIG	HTS			GRIPS		FRA	ME MATEI	RIAL		FRAME	FINISH		SLIDE M	ATERIAL	S	LIDE FINIS	H			OTHER		
	Contrast	Night Sights	Adj. Target	Romeol Red Dot	Polymer	Custom Wood	Rubber	Alloy	Stainless	Polymer	Black HC	Nitron"	Stainless	Polymer	Alloy	Stainless	FDE	Nitron	Stainless	Accessory Rail	Threaded Barrel	Beavertail	Ambi-Safety	Magwell"
						•			•														! ! !	1
		. •				! ! !		•		-	•			1				•				•	•	1
								•	•									•	•			•	1	1
								•			•													
								•			•							•						
						•		•	•		•						•	•	•		•	•		
		i i •			•	1		•			•			1		•		•				•	•	1
					•	•		•			•							•			•	•	i i	1
						! !					•										•		!	
		•			•	! !		•			•		! !	i !		•		•	•		•		 	
		•				! !			•	1								•	•				! !	
		•				! !			•	1			•			•		•	•		•		! !	1
		•				i !			•	1						•		•	•		•		 	1
-	•	•			•	1 1 1	1		•	! !								•	•				1 1 1	1
		•				i !			•	1						•		•					i !	1
		•				! !			•	1								•					! !	1
		i ! !				i !			•	1								•				•	! !	•
		•			· .	! !			•	! !								•				•	! !	1
		•	!		· .	! !			•					!			•					•	! !	1
		! ! !				! ! !			•	! !			•	! !	٠	!		•			•		! !	
	·	•	!		<u> </u>	!							!					•	•		•		!	-
	٠	•				! !				•						•		•	•				! !	
		•			·	•			•	1	-	•	•					٠	•		•	•	•	•
-		•			•	•			•	! !		•	•	! !				•	•		•	•	•	
		•	!			•		٠	•	! !	•	•	•	! ! !		•		•	•			•	! ! !	1
				!		•		•			•		!	!				٠	•			•	! !	
		•	•		٠	•		٠	٠		•		 	! ! !	٠	•		٠	•			•	•	
	•	•				•		•	•	!	•			!				•	•				•	

RIFLE SPECIFICATIONS

RIFLE MODELS	CALIBER	ACTION TYPE	OPERATING SYSTEM	STOCK TYPE	FOREND TYPE	WEIGHT W/O MAG	OVERALL LENGTH	COLLAPSED LENGTH	FOLDED LENGTH	BARREL LENGTH	RIFLING	TRIGGER TYPE	TRIGGER WEIGHT	MAG TYPE	MAG CAPACITY
SIG MCX®															
SIG MCX PATROL	5.56NATO	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Alloy KeyMod™	6.9 lb	35.5"	N/A	26.5"	16.0"	1:7	MIL-SPEC	5.5-9 lb	AR-15 Type	30
SIG MCX PATROL	300BLK	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Alloy KeyMod	6.9 lb	35.5"	N/A	26.5"	16.0"	1:6	MIL-SPEC	5.5-9 lb	AR-15 Туре	30
SIG MCX SBR	5.56NATO	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Alloy KeyMod	6.4 lb	31.0"	N/A	22.0"	11.5"	1:7	MIL-SPEC	5.5-9 lb	AR-15 Туре	30
SIG MCX SBR	300BLK	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Alloy KeyMod	6.0 lb	28.5"	N/A	19.5"	9.0"	1:5	MIL-SPEC	5.5-9 lb	AR-15 Type	30
PMCX with PSB	5.56NATO	Semi-Auto	Gas Piston, Rotating Bolt	Side-Folding SBX	Alloy KeyMod	6.4 lb	31.0"	N/A	22.0"	11.5"	1:7	MIL-SPEC	5.5-9 lb	AR-15 Type	30
PMCX with PSB	300BLK	Semi-Auto	Gas Piston, Rotating Bolt	Side-Folding SBX	Alloy KeyMod	6.0 lb	28.5"	N/A	19.5"	9.0"	1:5	MIL-SPEC	5.5-9 lb	AR-15 Type	30
SIG MPX™	•		•				'								1
SIG MPX CARBINE	9mm NATO	Semi-Auto	Gas Piston, Rotating Bolt	Multi Collapsible	Alloy KeyMod	7.6 lb	33.0"	28.5"	N/A	16.0"	1:10	MIL-SPEC	5.5-9 lb	MPX	30
SIG MPX SBR	9mm NATO	Semi-Auto	Gas Piston, Rotating Bolt	Multi Collapsible	Alloy KeyMod	6.0 lb	25.25"	21.0"	N/A	8.0"	1:10	MIL-SPEC	5.5-9 lb	MPX	30
SIG MPX with PSB	9mm NATO	Semi-Auto	Gas Piston, Rotating Bolt	Side-Folding SBX	Alloy KeyMod	6.0 lb	25.75"	N/A	17.5"	8.0"	1:10	MIL-SPEC	5.5-9 lb	MPX	30
SIG MPX Pistol	9mm NATO	Semi-Auto	Gas Piston, Rotating Bolt	N/A	Alloy KeyMod	5.0 lb	17.0"	N/A	N/A	8.0"	1:10	MIL-SPEC	5.5-9 lb	MPX	30
SIGM400®	•						1			I	I			I	
SIGM400 ELITE	5.56NATO	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Free Floating Alloy	6.5 lb	36.5"	33.25"	N/A	16.0"	1:7	MIL-SPEC	5.5-9 lb	AR-15 Type	30
SIGM400 ELITE TI	300BLK	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Free Floating Alloy	6.5 lb	36.5"	33.25"	N/A	16.0"	1:7	MIL-SPEC	5.5-9 lb	AR-15 Type	30
SIGM400 SWAT	5.56NATO	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Alloy Quad	7.3 lb	35.25"	32.0"	N/A	16.0"	1:7	MIL-SPEC	5.5-9 lb	AR-15 Type	30
SIGM400 PREDATOR	5.56NATO	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Alloy Free Float	7.0 lb	36.5"	33.25"	N/A	18.0"	1:8	2-Stage Match	4.5-8 lb	AR-15 Type	5
SIGM400 PREDATOR	300BLK	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Alloy Free Float	6.8 lb	34.5"	31.25"	N/A	16.0"	1:6	2-Stage Match	4.5-8 lb	AR-15 Type	5
PM400 ELITE PISTOL with PSB	5.56NATO	Semi-Auto	Direct Gas Impingement	SBX	Alloy Key Mod	6.0 lb	30.75"	27.5"	N/A	11.5"	1:7	MIL-SPEC	5.5-9 lb	AR-15 Type	30
PM400 ELITE PISTOL with PSB	300BLK	Semi-Auto	Direct Gas Impingement	SBX	Alloy Key Mod	5.75 lb	27.75"	N/A	N/A	9.0"	1:5	MIL-SPEC	5.5-9 lb	AR-15 Type	30
SIG516°															
SIG516 PATROL	5.56NATO	Semi-Auto	Gas Piston, Rotating Bolt	6-Position MIL-SPEC	Quad Rail	7.4 lb	35.6"	32.5"	N/A	16.0"	1:7	MIL-SPEC	5.5-9.0 lb	AR-15 Type	30
SIG716°															
SIG716 PATROL G2	7.62NATO	Semi-Auto	Gas Piston, Rotating Bolt	6-Position MIL-SPEC	Alloy Key Mod	8.5 lb	38.0"	34.75"	N/A	16.0"	1:10	MIL-SPEC	5.5-9 lb	AR-10 Type	20
SIG716 DMR G2	7.62NATO	Semi-Auto	Gas Piston, Rotating Bolt	6-Position MIL-SPEC	Alloy KeyMod	8.8 lb	37.0"	33.8"	N/A	16.0"	1:10	2-Stage Match	4.5-8 lb	AR-10 Type	20

		CALIBER MAG CA		М	EASUR	EMENT	S	WEIGHT	SIGHTS	FRA MATE			FRA	ME FIN	IISH		SLIDE MATERIAL		SLIDE	FINISH				OTHER		
	SP PISTOL ODELS	.177CAL	4.5MM	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Alloy/Poly	White Dot	Alloy	Polymer	Black HC	Flat Dark Earth	Polymer	Natural Alloy	Oil Rubbed Bronze	Alloy	Black	Flat Dark Earth	Coyote Tan	Oil Rubbed Bronze	Accessory Rail	Threaded Barrel	Beavertail	Safety	Magwell"
P22	6 °	16		8.0	5.2	1.5	3.9	2.6 lb					•						•						•	
P32	0°	30		7.9	5.6	1.3	5.0	1.7 lb										•		•						
1911	I BB	1	6	8.7	NA	NA	NA	2.6 lb					1		•					1				•	•	•

	CALIBER/ MAG CAP.	VELOCITY	MEASUREMENTS	WEIGHT	SIGHTS/OPTICS	HOUSING MATERIAL	HOUSING FINISH		OTHER
ASP RIFLE MODELS	.1775AL	.177 CAL (FPS)	Length (in) Height (in) Width (in) Barrel Length (in)	Alloy/Poly	Flip-Up 20mm SIG 20R Red Dot Optic 1-4 x 24 Scope	All Metal	Black Flat Dark Earth	Semi Automatic Action Synthetic Stock Hand Stop	Tactical Foregrip Aluminum Handguard Manual Safety Picatinny Accessory Rail
SIG MCX [®]	30	UP TO 750	34.6 8.8 1.5 18.0	6.9 lb		•			
SIG MPX®	30	UP TO 600	25.7 8.5 1.3 8.0	5.9 lb	• •	•			

	CALIBER	DECIBELS*	SIZE	WEIGHT	MOUNT	MATERIAL
PISTOL SI	JPPRESSORS					
SRD45	.45 Auto	133dB	8.4 x 1.375 in	13.8 oz	.578"-28 tpi / M16x1	Grade 9 Titanium and 17-4 Stainless Steel Baffles
SRD9	9 mm	128dB	7.8 x 1.375 in	12.6 oz	1/2"-28 tpi / M13.5x1LH	Grade 9 Titanium and 17-4 Stainless Steel Baffles
RIMFIRE S	SUPPRESSORS					
SRD22X	.22 LR / .22 Win Mag / 17 HMR	110dB	5.86 x 1 in	5.14 oz	1/2-28 tpi and M9x.75	Grade 9 Titanium Tube and 17-4 Stainless Steel Baffles
RIFLE SUF	PRESSORS					
SRD338TI-QD	300 BLK / .338 LM	128 118 (sub) / 141dB	10.5 x 1.75 in	18.9 oz	M18x1.5mm Taper-Lok® Fast-Attach Muzzle Device Included	Grade 5 Titanium
SRD762	300 BLK / .308 WIN	135 122 (sub) / 142dB	6.6 x 1.625 in	15.5 oz	5/8"-24 tpi Taper-Lok Direct Thread	Inconel 718 and Stainless Steel
SR0762-QD	300 BLK / .308 WIN / .300 WM	131 120 (sub) / 138dB / 148dB	7 x 1.625 in	17 oz	5/8"-24 tpi Taper-Lok Fast-Attach Muzzle Device Included	Inconel 718 and Stainless Steel
SRD762Ti	300 BLK / .308 WIN	132 118 (sub) / 139dB	9.3 x 1.75 in	17.6 oz	5/8"-24 tpi Taper-Lok Direct Thread	Grade 5 Titanium
SR0762Ti-QD	300 BLK / .308 WIN / .300 WM	132 119 (sub) / 138dB / 144dB	8.3 x 1.75 in	15.8 oz	5/8"-24 tpi Taper-Lok Fast-Attach Muzzle Device Included	Grade 5 Titanium
SR0556	5.56 NATO	141dB	6.4 x 1.625 in	11.5 oz	1/2"-28 tpi Taper-Lok Direct Thread	Inconel 718 and Stainless Steel
SRD556-QD	5.56 NATO	137dB	6.5 x 1.625 in	14 oz	1/2"-28 tpi Taper-Lok Fast-Attach Muzzle Device Included	Inconel 718 and Stainless Steel

ALL SPECIFICATIONS SUBJECT TO CHANGE | *DECIBEL RATINGS ARE AN AVERAGE MEASURED ACROSS MULTIPLE CONDITIONS AND AMMO LOADS.

		CALIBE MAG C		М	IEASUR	REMENT	'S	WEIGHT	SIGHTS	FRA MATE			FRA	ME FIN	IISH		SLIDE MATERIAL		SLIDE	FINISH				OTHER		
	SP PISTOL ODELS	.177GAL	4.5mm	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Alloy/Poly	White Dot	Alloy	Polymer	Black HC	Flat Dark Earth	Polymer	Natural Alloy	Oil Rubbed Bronze	Alloy	Black	Flat Dark Earth	Coyote Tan	Oil Rubbed Bronze	Accessory Rail	Threaded Barrel	Beavertail	Safety	Magwell"
P22	6 °	16		8.0	5.2	1.5	3.9	2.6											•						•	1
P32	0°	30		7.9	5.6	1.3	5.0	1.7										•		•						
1911	I BB		16	8.7	NA	NA	NA	2.6					! !		•					1				•	•	•

	CALIBER/ MAG CAP.	VELOCITY	MEASUREMEN ⁻	s	WEIGHT	SIGHTS/OPTICS	HOUSING MATERIAL	HOUSING FINISH			OTHER			
ASP RIFLE MODELS	.177CAL	.177 CAL (FPS)	Length (in) Height (in) Width (in)	Barrel Length (in)	Alloy/Poly	Flip-Up 20mm SIG 20R Red Dot Optic 1-4 x24 Scope	All Metal	Black Flat Dark Earth	Semi Automatic Action	Hand Stop	Tactical Foregrip	Aluminum Handguard	Manual Safety	Picatinny Accessory Rail
SIG MCX®	30	UP TO 750	34.6 8.8 1.5	18.0	6.9 lb							•	•	•
SIG MPX [®]	30	UP TO 600	25.7 8.5 1.3	8.0	5.9 lb		•							•

	CALIBER	DECIBELS*	SIZE	WEIGHT	MOUNT	MATERIAL
PISTOL SI	JPPRESSORS					
SRD45	.45 Auto	133dB	8.4 x 1.375 in	13.8 oz	.578"-28 tpi / M16x1	Grade 9 Titanium and 17-4 Stainless Steel Baffles
SRD9	9 mm	128dB	7.8 x 1.375 in	12.6 oz	1/2"-28 tpi / M13.5x1LH	Grade 9 Titanium and 17-4 Stainless Steel Baffles
RIMFIRE S	SUPPRESSORS					
SRD22X	.22 LR / .22 Win Mag / 17 HMR	110dB	5.86 x 1 in	5.14 oz	1/2-28 tpi and M9x.75	Grade 9 Titanium Tube and 17-4 Stainless Steel Baffles
RIFLE SUF	PPRESSORS					
SRD338TI-QD	300 BLK / .338 LM	128 118 (sub) / 141dB	10.5 x 1.75 in	18.9 oz	M18x1.5mm Taper-Lok® Fast-Attach Muzzle Device Included	Grade 5 Titanium
SRD762	300 BLK / .308 WIN	135 122 (sub) / 142dB	6.6 x 1.625 in	15.5 oz	5/8"-24 tpi Taper-Lok Direct Thread	Inconel 718 and Stainless Steel
SR0762-QD	300 BLK / .308 WIN / .300 WM	131 120 (sub) / 138dB / 148dB	7 x 1.625 in	17 oz	5/8"-24 tpi Taper-Lok Fast-Attach Muzzle Device Included	Inconel 718 and Stainless Steel
SRD762Ti	300 BLK / .308 WIN	132 118 (sub) / 139dB	9.3 x 1.75 in	17.6 oz	5/8"-24 tpi Taper-Lok Direct Thread	Grade 5 Titanium
SRD762Ti-QD	300 BLK / .308 WIN / .300 WM	132 119 (sub) / 138dB / 144dB	8.3 x 1.75 in	15.8 oz	5/8"-24 tpi Taper-Lok Fast-Attach Muzzle Device Included	Grade 5 Titanium
SRD556	5.56 NATO	141dB	6.4 x 1.625 in	11.5 oz	1/2"-28 tpi Taper-Lok Direct Thread	Inconel 718 and Stainless Steel
SRD556-QD	5.56 NATO	137dB	6.5 x 1.625 in	14 oz	1/2"-28 tpi Taper-Lok Fast-Attach Muzzle Device Included	Inconel 718 and Stainless Steel

ALL SPECIFICATIONS SUBJECT TO CHANGE | *DECIBEL RATINGS ARE AN AVERAGE MEASURED ACROSS MULTIPLE CONDITIONS AND AMMO LOADS.



SIG SAUER, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000 An ISO 9001:2008 Certified Company. Manufacturing in the U.S.A.