

### THE COMPLETE SYSTEMS PROVIDER™





### THE COMPLETE SYSTEMS PROVIDER™

FIREARMS • AMMUNITION • ELECTRO-OPTICS • SUPPRESSORS • AIRGUNS • TRAINING

**SIG SAUER, Inc.** • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000

An ISO 9001:2008 Certified Company. Manufacturing in the U.S.A.

All trademarks, service marks, trade names, trade dress, product names and logos appearing in this catalog are the property of their respective owners.

No trademark or service mark appearing in this catalog may be used without the prior written consent of the mark's owner.

	MIKODOCIION
3	History
4	Legion Intro
8	PISTOLS GUIDE
12	P220
14	P226
16	P227
18	P229
20	P225-A1
22	P210
24	P320
33	SP2022
34	1911
38	P938
40	P238
42	Rimfire
43	Custom Shop
44	RIFLES GUIDE
46	SIG MCX VIRTUS
50	SIG MCX RATTLER
52	SIG MPX
54	SIG716
55	SIG516
56	SIGM400
58	AMMUNITION
68	ELECTRO-OPTICS
102	SUPPRESSORS
108	ASP AIRGUNS
118	ACADEMY
120	Accessories
124	Merchandise
125	Specifications

INTRODUCTION 2





In our world-class facilities, we manufacture the finest firearms, ammunition, electro-optics, suppressors and Advanced Sport Pellet (ASP) airguns, while also offering the highest quality firearms and tactics training at our SIG SAUER Academy®. We do this because we share a relentless drive to develop the finest products, a love of freedom, the same unwillingness to compromise and the same pride in our country as those who choose the SIG brand. Regardless of whether a SIG product will be used by a soldier, a law enforcement officer, or a private citizen, it receives the same rigorous quality control to ensure that it will perform when it matters most.



### THE EVOLUTION OF SIG SAUER®

When business entrepreneurs, Friedrich Peyer im Hof, Heinrich Moser, and Conrad Neher opened a wagon factory near the Rhine Falls in Switzerland in 1853, they had no idea that their humble wagon factory would later become known as an international leader in the small arms industry. In response to a challenge from Switzerland's Federal Ministry of Defense, the Swiss Wagon Factory entered a competition to develop a state-of-the-art rifle, in hopes that the Swiss Army would adopt it. Four years later, they found themselves facing an order for 30,000 of the rifles, changing the name of the company to the Swiss Industrial Company. In German, the name was Schweizerische Industrie-Gesellschaft, later shortened to SIG.

In the 1970's, SIG's small arms division expanded to include Hämmerli Target Arms from Lenzburg, Switzerland, and J.P. Sauer & Sohn, GmbH, of Eckernförde, West Germany, known worldwide for their hunting rifles. In the 1980's, SIG set its sights on the United States of America. With a rich history of German and Swiss influence, the company opened its first American location in Tysons Corner, Virginia, under the name SIGARMS. Two years later, the firearms manufacturer relocated to a larger location in Virginia where the company's classic handguns (P220\*/P230/P225\*/P226\*) were imported and assembled. SIGARMS enlarged its footprint on American soil in 1990 by opening new manufacturing facilities in Exeter, New Hampshire. In 2005, SIGARMS changed its name to SIG SAUER, Inc. and continued to expand its market share in the firearms industry.



In 2014, SIG SAUER invested more than \$18 million to develop a new corporate headquarters at Pease International Tradeport in Newington, N.H. Encompassing 206,000 square feet, the leading edge manufacturing plant includes quality control testing facilities, a multi-position test-fire range, and a modern workspace designed from the ground up for efficiency. Today, SIG SAUER serves as the second largest employer in the state and is widely recognized as the fastest growing firearms manufacturer in the United States.

Pioneering designs and state-of-the-art manufacturing capabilities are the hallmarks of the company's past successes, providing the foundation for future growth. SIG SAUER has recently expanded its product line, now offering Elite Performance ammunition, electro-optics, suppressors, and Advanced Sport Pellet (ASP) airguns, earning the company a unique reputation as The Complete Systems Provider™. This total package approach sets SIG apart from other firearms manufacturers, as its diverse and innovative product line and complementary training programs are unmatched in the firearms industry.

SIG SAUER remains committed to hiring the foremost industry experts in all product categories to ensure that all new products live up to the SIG SAUER® name. When it is "MADE BY SIG™", it boasts the same exacting standards of quality, reliability, and performance that have made SIG SAUER the brand of choice for many of the most elite military, government, and law enforcement units across the globe.

FOR THOUSANDS OF YEARS, ONE SYMBOL HAS BEEN A RALLYING CRY FOR THE WORLD'S

MOST REVERED WARRIORS.

AND FOR DECADES, ONE BRAND OF FIREARMS HAS SERVED MORE ELITE FIGHTING FORCES THAN ANY OTHER.

### WELCOME TO THE LEGION

BY SIG SAUER

PAINSTAKINGLY ENGINEERED AND ENHANCED FOR THE DISCERNING FEW WITH THE SAME WARRIOR

SPIRIT THAT INSPIRED IT.

WE HAVE ALWAYS GIVEN PROFESSIONALS WHAT THEY NEED.

NOW, WE ARE GIVING THEM WHAT THEY WANT.

LEGION / SERIES

sigsauer.com/legion

### UNLEASH THE WARRIOR SPIRIT.

The SIG P220', P226' and P229'; three of the most highly regarded firearms in the professional community, are receiving a series of enhancements based on the needs and wants of elite users. For those who demand the best, we now have something even better.

### **LEGION ENHANCEMENTS**

- 1 Legion Gray Finish
  Enhances durability & lubricity
- 2 | Solid Steel Guide Rod
- 3 Checkering Under Trigger Guard
  Minimizes lateral movement
- 4 X5 Undercut
  Accommodates high grip techniques
- 5 | Grayguns Inc. Designed Trigger

Adjustable for over travel

- 6 Reduced Profile Controls
  Prevents premature activation
  of slide stop, with improved texture
  for better control
- 7 | Three Magazines
  Delivers more value

- 8 Elite Beavertail Reduction
  Reduces printing when concealed
- 9 Enhanced Polished Action with SRT

Smoother DA trigger press that enables faster follow-up shots

10 | Reduced Decocker

Slimmed down and knurled decocker for ease of use

11 | Custom G10 Grips

Provides enhanced control for high grip techniques

12 | X RAY3™ Sights

SIGSAUER P2229

Optimizes sight acquisition in all lighting conditions

13 | Enhanced Front Strap Checkering

Provides a more secure grip which provides better control



**P220 LEGION** PG. 12



P226 LEGION SAO PG. 15



P229 **LEGION** PG. 19









Become part of the Legion for members-only access to unique opportunities and gear. Purchase and register your Legion Series™ firearm, to unlock a full range of exclusive benefits.



FREE GEAR

Legion membership entitles you to a complimentary
Thermo-mold carrying case for your Legion firearm, plus a challenge coin matched to your gun.




EXCLUSIVE ACCESS

When you call to receive your free case and coin, you will be automatically registered as a Legion member, providing you exclusive access to gear and merchandise.



EXCLUSIVE COMMUNICATIONS

Be the first to know about new additions to the Legion Series. You'll also receive other exclusive communications from SIG SAUER' and the Legion.



### THIS IS ONLY THE BEGINNING

The initial Legion Series<sup>™</sup> models just scratch the surface of the vast

SIG SAUER\* lineup. In the future, expect to see a broad array of Legion Series firearms
and accessories, along with unique experiences only available to Legion owners.

#jointhelegion

sigsauer.com





### GET THE EXCLUSIVE **LEGION GEAR.**

Legion members get exclusive access to Legion gear and merchandise you cannot get anywhere else.



- > S-7 Steel
- › Legion Medallion
- > Hand-Sharpened & Honed Edge
- > Blade Guard Included for Accessory Use
- > Black Hoque" G-10 Handle
- > Sheath with Positive and Magnetic Retention
- > Form-Fitting Case
- > Made Exclusively for SIG Legion by Hogue



> Blend of KYDEX" and Leather

> Crafted by BlackPoint Tactical

> Offered with 0 Degree Cant

Retention

> All Day Comfort with Superb Concealment and

> Mag Pouch Can be Joined with Holster for an Integrated



### **LEGION TITANIUM KEY-BAR**

- > Compact and Organized Carry of Your Keys
- > Removable Titanium Pocket Clip in Your Choice of Color
- > Finished in Gray Nitride-Coated Titanium with Black Screws



### LEGION SUREFIRE® EB1B BACKUP LIGHT

- > Compact Dual-Output Flashlight with a 200-Lumen Maximum Output
- > Ideal for Everyday-Carry, Self-Defense, or Outdoor Applications
- › Indestructible LED Emitter and a Precision Total Internal Reflection (TIR) lens,
- > Lightweight Mil-Spec Hard-Anodized Aluminum Body




**LEGION LEATHER WING OWB / MAG POUCH** 



### LEGION PELTOR™ COMTAC™ III HEARING DEFENDER

- > Redesigned Cup Profiles to Better Accommodate ACH and MICH Helmet Compatibility
- $\scriptstyle >$  500 Hour Battery Life, Common AAA Battery Power
- > Comfort Gel Cups
- > Highest Rated (Passive) Hearing Protector Available
- > External Microphones for "Talk-Thru" Capability





### INSPIRED BY THE ELITE PROFESSIONAL. CARRIED BY ALL WHO DEMAND THE BEST.

A handgun is a handgun. Unless it's a SIG. Engineered to perform anywhere, at any time, and under any circumstance, SIG pistols boast unique, advanced features that stand out among the rest. Key features include:



SIGLITE® Night Sights



4-Point Safety System



SAS\* (SIG ANTI-SNAG)



SRT™ (Short Reset Trigger)



Integral Accessory Rail



Nitron® Stainless Steel Slide



Threaded Barrels



Front Cocking Serrations

### SIZING UP YOUR SITUATION

You want a pistol with frame dimensions directly suited to your needs. Whether you'll be sliding your handgun into a range bag or concealing it in a purse, shooting competitively or defending your home, SIG SAUER offers a pistol for every shooter and scenario.



### **FULL-SIZE**

When shootability and sighted accuracy are a must. Generous dimensions and even weight distribution help to deliver a more accurate sight picture and reduced felt recoil.

Frame > 7.5 x 5.5"



### CARRY

A balance of shootability with concealment. A full-size grip allows the shooter more control while reduced slide length allows for lighter carry.



### COMPACT

If concealment is an essential requirement, the reduced slide length and grip height enable easy concealment and carry with ergonomics designed to promote point-and-shoot accuracy.



Barrel < 4" Frame ≈ 7 x 5"



### SUBCOMPACT

For the next level of concealment, SIG's subcompact handguns feature even shorter slide length and grip height.



≈ **3.5**" Frame < **7** x **5**"



### MICRO-COMPACT

Often called "pocket pistols," the SIG micro-compacts deliver the ultimate in concealment, Discreet, lightweight, and able to fit almost anywhere.

Barrel < 3" Frame < 6 x 4"

### TRIGGER TIME

Any expert will tell you, it's the trigger that ultimately puts rounds on target. Weigh the pros and cons of each trigger carefully to select the one you can fire most accurately and carry most confidently.

### STRIKER-FIRED TRIGGER

### STR | Short Tactile Reset

Once fired the pistol resets quickly with a tactile feel, offering less time between shots.

### HAMMER-FIRED TRIGGERS

### $DA/SA \mid Double-Action/Single-Action$

The first trigger pull performs the double-action of cocking the hammer and then releasing the sear. Followed by lighter, single action trigger pulls on all subsequent shots. The heavier first trigger pull acts to reduce inadvertent discharges.

### SAO | Single-Action-Only

The trigger performs the single-action of releasing the hammer with a consistent trigger pull that is generally regarded as the shortest, lightest, and smoothest available. The slide can still be actuated with the safety engaged (a SIG exclusive). All models feature a manual thumb safety.

### DAO | Double-Action-Only

Every trigger pull performs two actions: first, cocking the hammer, and second, releasing the sear. The pistol remains decocked after each shot and does not require an external safety.

### THE CALIBER DEBATE

Popular opinions vary widely. Only you can select the best caliber for you. In addition to the right combination of bullet weight and velocity, think about your desired magazine capacity, plus ammunition cost and availability.



### 10MM

Offers higher velocity, greater range and more kinetic energy than the 45AUTO



### .45AUTO

Known for a combination of power and controlled penetration, due to a large diameter bullet and moderate velocities.



### .40S&W

Designed to match the performance of the FBI's reduced-velocity 10mm in a smaller cartridge size while offering an energy advantage over the 9mm.



### .357SIG

Developed in 1994 to duplicate the performance of a 125 gr.357 Magnum cartridge, it combines relatively high velocity with remarkably flat trajectory.



### 9MM

Regarded as the world's most popular and widely used handgun cartridge. It combines a flat trajectory with relatively low felt recoil.



### .380ACP

Compact and light design make it popular in handguns designed for concealed carry. Less powerful than larger calibers minimizing recoil and improving controllability.



### .22LR

Among the lightest and most affordable rounds in handguns, the .22LR is ideal for target shooting and training.

# PISTOL GUIDE SIG SAUER® pistols can be grouped into three family categories; Classics, Polymer and 1911-style

### **CLASSICS**

All-metal durability, DA/SA trigger, plus a 4-Point Safety System including decocking lever, safety intercept notch, trigger bar disconnector and patented automatic firing pin safety block.

(SAO available in select models)

### **POLYMER**

Proven SIG engineering in hard-use polymer, this series offers options in size, caliber, and trigger system.

### **1911-STYLE**

The crisp SAO trigger system and styling of the 1911, enhanced by SIG engineering and all-metal durability.

		FULL-SIZE			CARRY		сомі	PACT	SUBCOMPACT	MICRO- COMPACT
	P220°	P227	P226	P220 Carry	P227 Carry	P229°	P22	5-A1		
<b>.22</b> LR	•	1	10	Ī		•			· ·	
<b>9</b> mm			15			(15)	(E	3		
. <b>357</b> SIG			12							
<b>.40</b> S&W			(12)			(12)				
<b>.45</b> AUTO	B	10		8	10					
<b>10</b> mm	8									
<b>9</b> mm		P320° Full			P320 Carry		P320 Compact	SP2022'	P320 Subcompact	-
.357SIG					14)				(1)	
.40S&W		14)					13	12	10	
<b>.45</b> AUTO		(10)			(10)		9			
_ 1	1911		P210		1911 Carry		1911 Co	mpact	1911 Ultra	P938' P238'
.22LR	<b>▼</b>		•		•				·	10
.380ACP										6
<b>9</b> mm	9		В						8	6
.357SIG					В					
.45AUTO	8				(B)		(7		7	

DENOTES MAGAZINE CAPACITY

P220<sup>®</sup> CLASSIC FULL-SIZE PISTOL

The original that started it all—a Classic .45AUTO handgun now available in 10mm.

### **P220 LEGION 10MM**

10 MM 220R5-10-LEGION

NEW

Legion Gray Finished Slide and Frame

› Grayguns Inc. Designed Trigger

X RAY3 Day/Night Sights



P220® LEGION SAO 45auto 220R-45-LEGION-SAO

P220 LEGION

45auto 220R-45-LEGION

P220 NITRON®

45<sub>AUTO</sub> 220R-45-BSS

P220 STAINLESS ELITE 45AUTO 220R-45-SSE

> Front Cocking Serrations



› Legion Gray Finished Slide and Frame

> Nitron Stainless Steel Slide > One-Piece Ergonomic Grip > SIGLITE® Night Sights

> Natural Stainless Steel Slide > Elite Stainless Steel Beavertail

P220 **ASE** 

> X RAY3™ Day/Night Sights

**45**AUTO 220R-45-ASE

P220 HUNTER

> Grayguns Inc. Designed Trigger

> X RAY3 Day/Night Sights

10мм 220R5-10-HP-SAO



> Stainless Steel PVD Slide with Aluminum PVD Frame > Front Cocking Serrations

- > Walnut Grips



TRIGGER ACTION DA/SA ALSO AVAILABLE **SAO** 

FRAME SIZE / BARREL LENG	тн
матсн	5.0"
FULL-SIZE	4.4"
CARRY	3.9"

CALIBER	<b>.45</b> AUTO	<b>10</b> mm	STANDARD FEATURES
MAGAZINE CAPACITY	8	8	Nitron Stainless Steel Slide Lightweight Alloy Frame SIGLITE Night Sights One-Piece Ergonomic Grip

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120

DENOTES MAGAZINE CAPACITY



E26R-9-LEGION-SAO-RX

NEW

- › Grayguns Inc. Designed Trigger
- > X RAY3™ Day/Night Sights With SIG ROMEO1™ Reflex Sight







P226 LEGION

9<sub>MM</sub> / 40<sub>S&W</sub> / 357<sub>SIG</sub> E26R-(X)-LEGION E26R-9-LEGION-SAO




P226 NITRON®

9<sub>MM</sub> / 40<sub>S&W</sub> E26R-(X)-BSS











DA/SA SAO



CALIBER	9 <sub>mm</sub>	<b>.357</b> sıg	<b>.40</b> s&w	
	(15)	(12)	(12)	

### STANDARD FEATURES

- > Nitron Stainless Steel Slide
- › Lightweight Alloy Frame
- > SIGLITE Night Sights / Also Available with Contrast Sights

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120









P227® NITRON®

**45**AUTO 227R-45-BSS



P227 CARRY SAS® GEN2

45auto 227R3-45-SAS2B



TRIGGER ACTION DA/SA

FRAME SIZE / BARREL LENGTH **FULL-SIZE** 4.4" **CARRY** 3.9"

CALIBER .45 ACP (10) (14) MAGAZINE CAPACITY 10

STANDARD FEATURES

- > Nitron Stainless Steel Slide
- › Lightweight Alloy Frame
- > SIGLITE Night Sights
- › One-Piece Ergonomic Grip

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120



DENOTES MAGAZINE CAPACITY

### P223 RCLASSIC COMPACT PISTOL

Compact reliability that's been trusted by federal law enforcement professionals for decades.

### **P229 SELECT**

9 MM E29R-9-SEL

NEW

> Front Cocking Serrations > SELECT G10 Grips

› Low-Profile Controls









9мм / 40s&w E29R-(X)-BSS

P229 NITRON®









FRAME SIZE / BARREL	LENGTH
СОМРАСТ	3.9"

	CALIBER	9 <sub>mm</sub>	<b>.40</b> s&w
		(15)	(12)
1			

STANDARD FEATURES	
› Nitron Stainless Steel Slide	
› Lightweight Alloy Frame	;
> SIGLITE Night Sights	

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120



DENOTES MAGAZINE CAPACITY

### P225-A1 CLASSIC CARRY PISTOL

The original SIG Classic carry gun is back with cutting-edge enhancements that today's users demand.

CHECKERD WOOD GRIPS WITH MEDALION X-FIVE UNDERCUT

### P225-A1 CLASSIC

9 MM 225A-9-BSS-CLW

- > Nitron Stainless Steel Slide
- > Checkered Wood Grips with Medallion
- > SIGLITE Night Sights

TRIGGER ACTION	
DA/SA	

FRAME SIZE / BARREL LENGTH		
COMPACT	3.6"	

	CALIBER	9 <sub>mm</sub>
		8
3		

STANDARD FEATURES	
› Nitron Stainless Steel Slide	
› Lightweight Alloy Frame	
> SIGLITE Night Sights	

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120

DENOTES MAGAZINE CAPACITY

SIGLITE® NIGHT SIGHTS

### P225-A1 NITRON®

9мм 225A-9-BSS-CL



Black Checkered G-10 Grips
 With Medallion

### P225-A1 CLASSIC TWO-TONE

9мм 225A-9-TSS-CL



› Black Checkered G-10 Grips With Medallion



# ADJUSTABLE TARGET REAR SIGHT NITRON® STAINLESS SLIDE **CUSTOM TARGET GRIPS**

P210<sup>™</sup>

HERITAGE. TRADITION. PERFORMANCE.

The new P210 Target is the latest in the historic line of performance pistols from SIG. Crafted with unprecedented precision in New Hampshire, the P210 Target combines the classic lines and heritage of the original with updated ergonomics and a target trigger delivering unparalleled accuracy and shooting performance. Now you can own one of the finest firearms ever made with the new P210 Target from SIG.

### **P210 TARGET**

9 MM 210A-9-TARGET Precision Machined Stainless Steel Slide & Frame

NEW

> Updated Controls

Target Trigger

TRIGGER ACTION

FRAME SIZE / BARREL LENGTH				
FULL-SIZE	4.8"			

	CALIBER	9 <sub>mm</sub>
+		<b>3</b> .111111
		8
3		

STA	ND	AR	D	FEA	TUR	ES	

> Single Stack Magazine W/ Metal Base Plate

> Walnut Grips

ORIGINAL REVERSED RAIL DESIGN

> Adjustable Sights

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120

DENOTES MAGAZINE CAPACITY

### ONE OF THE FINEST HANDGUNS EVER MADE.

### TRUE TO ITS HERITAGE



### P210 TARGET (2017 U.S.)



### **ACCURACY**

**5 | SAO TARGET TRIGGER** Clean, crisp break

**4 | TARGET WALNUT GRIP** Checkered grip includes magwell

**6 | ADJUSTABLE SIGHTS** Low profile for low angle of intersection



### 

A clean, crisp, short trigger reset, safe takedown and unprecedented modularity deliver elite performance for all.

### **CHOOSE CALIBER:**

Convert to any of the available calibers.



**9MM** 



.357SIG







CALIBER X CHANGE KIT PG. 120

### **CHOOSE GRIP FIT:**

Interchangeable grip modules provide optimal grip circumference and access to controls unlike simply changing a backstrap.



**GRIP MODULES** PG. 121 LARGE

**MEDIUM** 

**SMALL** 

### P320° FEATURES



### **EXCEPTIONAL TRIGGER**

A smooth, crisp trigger pull and short tactile reset deliver heightened accuracy.



### **3-POINT TAKEDOWN** No trigger pull or tools required:

- 1. Remove magazine
- 2. Lock slide to the rear
- 3. Rotate takedown lever

### **ADDITIONAL SAFETY FEATURES:**

- > Striker Safety
- > Disconnect Safety



### **CHOOSE SIZE:**

**STEEL FRAME** 

from size to caliber to grip at will.

Provides the modularity to switch between multiple sizes.



**FULL-SIZE X GRIP** 















**CARRY** X CARRY

**COMPACT** 

**SUBCOMPACT** 



### THE CHOSEN ONE

BASED ON THE P320®, THE M17 IS THE U.S. ARMY'S CHOICE FOR TODAY AND TOMORROW.

After one of the most rigorous and highly competitive reviews in the history of military firearms, SIG SAUER Inc. was awarded the Modular Handgun System contract with a P320-based platform, the new U.S. Army M17. This award makes it the U.S. Army's first replacement sidearm in over 30 years. The Army selected the P320 based platform because of its uniquely innovative modularity, uncompromising performance and unmatched capability.

The U.S. Army's selection of the M17 officially cements the P320's place in the historical record of the world's truly influential weapons as it enters service with America's current and future armed forces across the globe in the defense of freedom.







Based on the M17 firearm selected by the U.S. ARMY

### P320<sup>®</sup> MODULAR HANDGUN SYSTEM

Unprecedented modularity with a clean crisp trigger and short reset, flexibility in caliber and frame size, and a safe takedown system. Available in three grip sizes for the perfect fit.

### P320 M17

9 MM 320F-9-M17-MS 320F-9-M17

**COMING SOON** 

- Based on the U.S.ARMY's M17 pistol
- > Coyote Slide and Grip Module
- › Night Sight Rear Plate
- > Available with a Manual Safety





9<sub>MM</sub> / 40<sub>S&W</sub> / 45<sub>AUTO</sub> 320F-(X)-BSS 320F-9-B





9мм / 357sig 320CA-(X)-BSS 320CA-9-В



### **P320 CARRY TACOPS**

9мм 320CA-9-TACOPS-ТВ



### P320 COMPACT

9мм / 40s&w / 45аито



PART #: Replace (X) with Choice of Caliber





### P320 SUBCOMPACT

9мм / 40saw



### TRIGGER ACTION

### **STRIKER-FIRED**

WITH SHORT TACTILE RESET

Available with Threaded Barrel

FRAME SIZE / BARREL LENGTH		
FULL-SIZE/M17	4.7"	
CARRY	3.9"	
СОМРАСТ	3.9"	
SUBCOMPACT	3.6"	

CALIBER	9 <sub>mm</sub>	<b>.357</b> sıg	.40s&w	<b>.45</b> auto
	17		(14)	10
MAGAZINE CAPACITY	17 (21)	(14)		10
CAPACITY	15		(13)	9
	(12)		10	

### STANDARD FEATURES

- > Modular Striker-Fired Pistol
- > Nitron® Stainless Steel Slide
- > Serialized Stainless Steel Frame
- > Contrast or SIGLITE® Night Sights
- > Multiple Sizes: Subcompact, Compact, Carry, Full-Size
- > Multiple Calibers
- > Multiple Grip Sizes

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120



DENOTES MAGAZINE CAPACITY



P320 **RX SERIES** 

A fully integrated shooting system. The P320 RX series pistols include a reflex sight and co-witnessed sights installed, zeroed and ready to go right out of the box. Shoot confidently with faster target acquisition and improved accuracy.

### **P320 FULL-SIZE RX**

TRIGGER ACTION

9 MM 320F-9-BSS-RX 320F-9-B-RX

- Modular Striker- Fired Pistol
- > Full Size Slide
- > Full Size Grip
- > ROMEO1 Reflex Sight

STRIKER-FIRED

WITH SHORT TACTILE RESET

FRAME SIZE / BARREL	LENGTH
FULL-SIZE	4.7"
COMPACT	3.9"
	////////

MAGAZINE CAPACITY	17

STANDARD FEAT	URES
---------------	------

- > Nitron® Stainless Steel Slide
- > Serialized Stainless Steel Frame
- > ROMEO1 Reflex Sight Installed
- > Co-Witness SIGLITE Suppressor Sights
- > Available with Contrast Sights

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120



P320 X VTAC™

X Carry Grip Module > VTAC Day/Night Sights > FDE Stainless Slide

> Reduced Slide Catch Lever > Slide Lightening Cuts

X GRIP MODULE WITH

INTERNAL WEIGHT

> (3) 17-Round Magazines

DAWSON ADJUSTABLE SIGHT PLATE

P320

LIGHTENING CUTS

X SERIES models include the enhanced X grip module with extended beavertail, 4-sided beveled magwell, and a deep trigger guard undercut. The flat trigger and slide lightening cuts make the 320X stand above the rest.

P320 X FIVE

X SERIES

9 MM 320X5-9-BAS

- 5" Bull Barrel

- > Optic Ready

Extended Removable Magwell

> Dawson™ Fiber Optic Front Sight > ROMEO1™ Optic Compatible

TRIGGER ACTION **STRIKER-FIRED** WITH SHORT TACTILE RESET

FRAME SIZE / BARREL LENGTH 5.0" X FIVE **X VTAC** 

**CALIBER** 9<sub>mm</sub> 21 MAGAZINE CAPACITY (17)

REMOVABLE MAGWELL

### STANDARD FEATURES

- > Modular XGrip
- > Extended Beavertail
- > Improved Slide Serrations
- > Enhanced Flat Trigger
- > 4-Sided Beveled Magwell

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120

DENOTES MAGAZINE CAPACITY

FLAT TRIGGER

31

## P320

The combination of X SERIES performance and compact concealment make the X Carry the perfect choice for the serious CCW customer. The flat trigger with 90° break, combined with X RAY3<sup>™</sup> optic ready night sights make the 320 X Carry ready for any situation...day or night.

### P320 X CARRY

X SERIES

9 MM 320XCA-9-BXR3 Optic Ready

Reduced Slide Catch Lever

> Slide Lightening Cuts

(3) 17-Round Magazines

### TRIGGER ACTION STRIKER-FIRED WITH SHORT TACTILE RESET

FRAME SIZE / BARREL LENGTH				
СОМРАСТ	3.9"			

SLIDE LIGHTENING CUTS

NGTH	CALIBER	<b>9</b> mm
3.9"	MAGAZINE CAPACITY	(17)
	_	

-	
DENOTES MAGAZINE CAD	\CITV

STANDARD FEATURES > Nitron® Stainless Steel Slide > X Carry Grip Module > X RAY3 Day/Night Sights

X CARRY POLYMER GRIP

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120

X RAY3 NIGHT-SIGHTS WITH REAR PLATE

SP2022 NITRON®

9мм/ 40s&w E2022-(X)-В

SIGLITE® NIGHT SIGHTS

**CUSTOM FDE FINISH** 

- › Nitron Stainless Steel Slide
- › Alternate Smaller Size Grip Available

**BLACK CONTROLS** 

> Contrast Sights

SP2022<sup>®</sup>

POLYMER PISTOL

All the Classic Line SIG features in a lightweight and durable polymer package.

SP2022 FDE

9 MM E2022-9-FDE

- > Custom Flat Dark Earth Finish
- > Alternate Smaller Size Grip Available
- > SIGLITE Night Sights

LIGHTWEIGHT POLYMER GRIP

DA/SA

FRAME SIZE / BARREL LENGTH		
СОМРАСТ	3.9"	

CALIBER	9 <sub>mm</sub>	<b>40</b> s&w
	15	12

STANDARD FEATURE	S
------------------	---

- › Nitron Stainless Steel Slide
- › Lightweight Polymer Grip
- > Contrast Sights (SIGLITE Night Sights Available)

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120



DENOTES MAGAZINE CAPACITY

### LOW-PROFILE NIGHT SIGHTS

**CUSTOM ENGRAVING** 

1911

**CLASSIC 45 PISTOL** 

The legendary ergonomics and accuracy of the 1911, engineered for today's shooter with SIG reliability and modern refinements.

### **1911 WE THE PEOPLE**

45 AUTO 1911T-45-WTP

NEW

> We The People Engraving

› Custom Star Aluminum Grips

> Custom Distressed Finish





**CUSTOM STAR GRIPS** 

THE COMPLETE SYSTEMS PROVIDER™













PART #: Replace (X) with Choice of Caliber



FRAME SIZE / BARREL LENGTH		
FULL-SIZE 5.0"		
CARRY	4.2"	
COMPACT	4.2"	
ULTRA COMPACT	3.3"	

CALIBER	9 <sub>mm</sub>	<b>.357</b> sig	10мм	<b>.45</b> auto	
	9		8	8	
MAGAZINE		8		8	
CAPACITY				7	
	8			7	

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120







> Match Grade Barrel

**1911 TACOPS** 

- > Stainless Steel Slide
- > Front Strap Checkering
- > Beavertail Grip Safety
- > Extended Thumb Safety
- > Low-Profile Night Sights



45 аито / 10 мм

1911R-10-TACOPS 1911R-45-TACOPS-TB

SIG SAUER" Slide Contour

Traditional Contour Slide

# 1911 CLASSIC 45 PISTOL













PART #: Replace (X) with Choice of Caliber









45<sub>AUTO</sub>







### **1911 TRADITIONAL ULTRA COMPACT TWO-TONE**

9мм 1911UT-9-TSS



Contour Slide

### PART #: Replace (X) with Choice of Caliber



FRAME SIZE / BARREL LENGTH	
FULL-SIZE	5.0"
CARRY	4.2"
СОМРАСТ	4.2"
ULTRA COMPACT	3.3"

CALIBER	9 <sub>mm</sub>	<b>.357</b> sig	<b>10</b> mm	<b>.45</b> auto
	9		8	8
MAGAZINE		8		8
CAPACITY				7
	8			7

### STANDARD FEATURES

- > Match Grade Barrel
- > Stainless Steel Slide
- > Front Strap Checkering
- > Beavertail Grip Safety
- > Extended Thumb Safety

> Low-Profile Night Sights



Slide Contour



Traditional Contour Slide

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120



DENOTES MAGAZINE CAPACITY

**STAND AND SUPPORT** Introducing the special edition P938 STAND. Show your unwavering support for the flag and for America's National Anthem with this special commemorative edition. With its stars and stripes engraved slide and custom grips with embedded flag medallion, you'll proudly share in our support for America's troops and first responders.

P938

MICRO-COMPACT PISTOL

A 1911-inspired 9mm that's easy to conceal and even easier to shoot.

# SIGLITE® NIGHT SIGHTS FLAG MEDALLION

### **P938 STAND**

9 MM 938-9-STAND-AMBI

- > Stars and Stripes Slide "STAND" Engraving
- Custom Grips
- > SIGLITE Night Sights

NEW

RETAILERS: Available at United Sporting Companies.

SAO

FRAME SIZE / BARREL LENGTH		
MICRO-COMPACT	3.0"	

CALIBER	<b>9</b> mm
	6 / 7
11111111	

STANDARD FEATURES		
Nitron Stainless Steel Slide		
› Lightweight Alloy Frame		
> 1911 Styling		

Manual Safety
 Skeletonized Hammer

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120

DENOTES MAGAZINE CAPACITY

### P938® WE THE PEOPLE 9<sub>MM</sub> 938-9-WTP



**P938 ROSE GOLD** 



› Polished and Engraved Rose Gold Slide

- Custom G-10 Grips with Rose Gold Medallion
- > SIGLITE® Night Sights

### NEW > Front Cocking Serrations > SELECT G-10 Grips > SIGLITE Night Sights

P938 BLACKWOOD



P938 **BRG** 

9мм 938-9-BRG-AMBI



P938 EMPEROR SCORPION

9<sub>MM</sub> 938-9-ESCPN-AMBI 938-9-ESCPN-TB-ESCPN



- > G-10 Piranha Grips

P938 COMBAT

P938 SELECT



- > Front Cocking Serrations
- > FDE Rubber Grips

**P938 NIGHTMARE** 

> X RAY1™ Fiber Optic Sights

9мм 938-9-NMR-AMBI



P938 **SAS**®

**9**мм 938-9-SAS-AMBI



- > SIG Anti-Snag Treatment on Slide and Frame
- > Custom Walnut Grips

P938 NITRON

9мм 938-9-BSS-AMBI



> Black Hard Anodized Frame > Black Polymer Grips

> Nitron Stainless Steel Slide > Black Hard Anodized Frame with Contrasting Controls > Black G-10 Grips

→ X RAY1™ Fiber Optic Sights

# P238 MICRO-COMPACT PISTOL


Inspired by the 1911, this easy-to-conceal, all-metal firearm chambered in .380ACP has exceptional accuracy.

### **P238 ROSE GOLD**

380 ACP 238-380-ERG

NEW

- > Polished and Engraved Rose Gold Slide
- > Custom G-10 Grips with Rose Gold Medallion
- > SIGLITE Night Sights



TRIGGER ACTION
SAO

FRAME SIZE / BARREL LENGTH		
MICRO-COMPACT	2.7"	

CALIBER	<b>.380</b> acp
	<u>6</u> /7

STANDARD FEATURES		
Nitron® Stainless Steel Slide     Lightweight Alloy Frame     1911 Styling	<ul> <li>Manual Safety</li> <li>Skeletonized Hammer</li> </ul>	

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120

( DEN

DENOTES MAGAZINE CAPACITY

### P238® WE THE PEOPLE



- > Custom Star Aluminum Grips
- > Custom Distressed Finish

P238 EMPEROR **SCORPION** 





- > Front Cocking Serrations
- › Hogue® G-10 Piranha Grips

P238 SELECT

380<sub>ACP</sub> 238-380-SEL



P238 BLACKWOOD

380<sub>ACP</sub> 238-380-BG



- > X RAY1™ Fiber Optic Sights

**P238 BRG** 

380<sub>ACP</sub> 238-380-BRG



- > SIGLITE® Night Sights
- > Black Rubber Grips

P238 DESERT

380<sub>ACP</sub> 238-380-DES



- > One-Piece FDE Rubber Grip
- > X RAY1 Fiber Optic Sights

P238 BLACK PEARL

380<sub>ACP</sub>

380<sub>ACP</sub> 238-380-B



- Nitron Stainless Slide
- > Custom Black Pearl Grips
- > SIGLITE Night Sights

**P238 NIGHTMARE** 

380<sub>ACP</sub> 238-380-NMR



- > X RAY1 Fiber Optic Sights
- > Black Checkered G-10 Grips

P238 RAINBOW

380<sub>ACP</sub> 238-380-RBT



- > Rosewood Grips
- > X RAY1 Fiber Optic Sights

P238 ROSEWOOD

380<sub>ACP</sub> 238-380-RG



- > Rosewood Grips
- > X RAY1 Fiber Optic Sights

P238 NITRON



- > SIGLITE Night Sights
- > Black Polymer Grips

P238 **SAS**®

380<sub>ACP</sub> 238-380-SAS



- > SIG Anti-Snag Treatment on Slide and Frame
- > Custom Walnut Grips



SAO/DAO/DA/SA

FRAME SIZE / BARREL LENGTH	
FULL-SIZE	4.6"
СОМРАСТ	4.1"

	CALIBER	.22 LR
-	MAGAZINE CAPACITY	10

STANDARD FEATURES			
<ul> <li>Black Hard-Coat Anodized Slide</li> <li>Adjustable Sights</li> <li>10-Round Magazine</li> </ul>			

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 126 | ACCESSORIES PG. 120



# **CUSTOM SHOP**

### **Expert Skills, Maintenance and Performance Testing**

The SIG SAUER® Custom Shop offers a wide range of services to keep your SIG SAUER pistol in peak operating condition. Services include refurbishing, action jobs, sight replacement and service programs that won't void your warranty. With years of experience and a detailed understanding of the SIG product line, our gunsmiths can bring your pistol back to top performance and appearance using only original factory parts and finishes.

### **CUSTOM SERVICES**

### **ACTION ENHANCEMENT PACKAGE**

- · Hone and polish critical surfaces to lighten and smooth both the double-action and single-action trigger pulls
- Includes Feed Ramp Polish
- Excludes SP2009, SP2340, SP2022, 226X5/X6, Mosquito, 1911-22, P210, P220 SAO, P226 SAO, P232 /230, P238, P938, P250, P290 and DAK models

### ACTION ENHANCEMENT PACKAGE FOR 226X5 AR (ALL AROUND)

- Hone and polish critical surfaces to lighten and smooth both the double-action and single-action trigger pulls
- Includes Feed Ramp Polish
- For the 226X5 All Around model only, not available for any of the other X5 or X6 models

### SHORT RESET TRIGGER PACKAGE

- Retrofit your P220, P224\*, P225\*, P226, P227\*, P228\*, P229\*, P239\* and P245™ with sear and safety lever parts
- Reduces the trigger reset travel by about 60%
- Perfect for both competition and combat shooters who want to reduce their follow-up shot times
- · Price includes parts and labor
- Original parts returned with your firearm

### **FULL SERVICE PACKAGE**

- · Detailed stripping and complete and thorough cleaning of the entire pistol
- Professional safety inspection of critical components by factory certified personnel
- Replacement of springs prone to wear (trigger bar spring, slide catch lever spring, recoil spring) and any needed small parts
- Lubrication to factory standards, reassembly and function testing.
- Not available for 1911-22 or Mosquito models

For more information on Custom Shop services, or instructions to send in your pistol for service, call the SIG SAUER Customer Service Department: (603) 610-3000, option 1. Please have your pistol's serial number on-hand. All firearms shipped to SIG SAUER must have a Return Material Authorization (RMA) number or they will be refused and returned to the sender.



# While others may settle, SIG uses world-class engineering to elevate and redefine every aspect of the rifle performance, delivering unmatched reliability and precision.

### **CARBINE**

A firearm with a 16" or longer barrel.

### **SHORT BARREL**

A firearm with a barrel length under 16" subject to NFA tax.


### **PISTOL**

A firearm with a barrel length under 16" not subject to NFA tax.

	SIGM400®	SIG516®	SIG MCX® VIRTUS	SIG716®	SIG MPX®	SIG MCX® RATTLER
				10 mm mm mm		
	GAS IMPINGEMENT	SHORT-STROKE GAS PISTON	SHORT-STROKE GAS PISTON	SHORT-STROKE GAS PISTON	CLOSED AND LOCKED ROTATING BOLT	SHORT-STROKE GAS PISTON
<b>5.56</b> NATO	30	30)	30			·
<b>300</b> BLK			30			
<b>7.62</b> NATO				20		
9 <sub>mm</sub>					(30)	

<b>5.56</b> NATO		30	•	
<b>300</b> BLK		30)		30)
<b>7.62</b> NATO				
<b>9</b> mm				

	- /					
<b>5.56</b> NATO	30	·	30	·	·	
<b>300</b> BLK			30)			30
<b>7.62</b> NATO						
9 <sub>mm</sub>					30)	



# THE FIRST TRUE MISSION-ADAPTABLE WEAPONS SYSTEM, USED BY THE MOST ELITE MILITARY UNITS IN THE WORLD.

Your mission awaits. The next level in modularity and performance is here. Configurable in more than 500 combinations, the ground-breaking and modular SIG MCX® VIRTUS is ready for any mission. Engineered for unmatched reliability, the MCX VIRTUS is designed to perform beyond 20,000 rounds without the need for replacement parts.

To enhance accuracy, the MCX VIRTUS features the new SIG MATCHLITE™ Duo trigger for crisp, clean feel. Free-Float M-LOK® handguards are available in four lengths. Ambidextrous, AR-style controls and a folding and collapsing stock enable the MCX VIRTUS Patrol to be tailored to any shooter. Available in Stealth Gray and FDE and built with the highest-quality components, the MCX VIRTUS is the apex predator of the carbine world.



SIG MATCHLITE™ Duo Trigger



Folding and Collapsing Five-Positon Stock



User-Changeable Cold Hammer-Forged Barrels



Alluminum M-LOK® Handguard with QD Sling Cups

### YOUR MISSION AWAITS

### NEXT LEVEL IN MODULARITY AND PERFORMANCE





MODULAR RIFLE PLATFORM

Conceived for the demands of the special operations community, the SIG MCX VIRTUS from SIG SAUER is engineered for adaptability, sound suppression and longevity. Cold hammer-forged barrels are user-changeable and available in 5.56 NATO and 300 BLK, in 6.75" to 16" lengths, offering the utmost in mission-specific flexibility. SIG's proven internal recoil system offers reduced recoil and a

SIG MCX VIRTUS PATROL 16"

300 BLK / 5.56 NATO RMCX-300B-16B-TAP-P RMCX-300B-16B-TAP-P-FDE RMCX-16B-TAP-P RMCX-16B-TAP-P-FDE

compact platform.

> Full Length Free-Float Handguard > 2-Position Adjustable Gas Valve > Ambi Controls

OPTIONAL ROMEO5™ FOLDING STOCK AMBI CONTROLS M-LOK® FREE-FLOAT HANDGUARD

OPTIONAL JULIET4™





OPERATING SYSTEM	
	GAS VALVE
SHORT-STROKE GAS PISTON	2-POSITION

CALIBER	<b>5.56</b> NATO	300BLK
MAGAZINE CAPACITY	30	30

STANDARD FEATURES	
→ SIG MATCHLITE™ Duo Trigger	
› Interchangable Cold Hammer-Forged Barrels	
> M-LOK® Free Float Handguard with Expanded Valve Windows	

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 128 | ACCESSORIES PG. 122

DENOTES MAGAZINE CAPACITY

# SIGMCX RATTLER

THE WORLD'S MOST COMPACT RIFLE

Developed with elite special forces in mind, the SIG MCX Rattler is the most compact rifle in the world. Capable of firing with stock folded from an overall length of 16", it redefines the standard for concealable firepower.

### SIG MCX RATTLER SBR

300 BLK RMCX-300B-5B-TAP-SBR 5-inch Cold Hammer-Forged Barrel

> Steel Reinforced Cam Patch, Feed Ramp and Charging Handle Latch Points

Ambi controls



OPERATING SYSTEM	
SHORT-STROKE GAS PISTON	GAS VALVE 2-POSITION

CALIBER	300 <sub>BLK</sub>
MAGAZINE CAPACITY	30

STANDARD FEATURES	
> Low Profile Deflector	
› Reinforced Metal QD Inserts in Hand Guard	
M-LOK® Hand Guard	

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 128 | ACCESSORIES PG. 122















**OPERATING SYSTEM GAS VALVE SHORT-STROKE GAS PISTON FIXED VALVE** 

SIG MPX PISTOL MPX-K-9-KM / MPX-K-9-KM-FDE

› Ambidextrous Selector, Mag Release, Charging Handle, and Bolt Release

> Short-Stroke Gas Piston

CALIBER **9**<sub>MM</sub> MAGAZINE (30) CAPACITY

STANDARD FEATURES > Fully Closed and Locked Rotating Bolt System > Easily Changed Barrel Length, Stock, and Handguard > Familiar, Ambidextrous AR Controls

( ) DENOTES MAGAZINE CAPACITY

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 128 | ACCESSORIES PG. 122

Barrel Length 4.5"



Lightweight MOA precision, reliability and big bore performance in a familiar AR package.

SIG716G2 DMR

**OPERATING SYSTEM** 

7.62 NATO R716G2-H16B-DMR R716G2-H16B-DMR-FDE

- 16-inch HBar with Enhanced Muzzle Brake
- > Aluminum KeyMod™ Handguard with Continuous 20 MOA M1913 Top Rail
- > Improved Lightweight Design

SHORT-STROKE GAS PISTON

Available in Black

> CALIBER 7.62NATO MAGAZINE 20 CAPACITY

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 128 | ACCESSORIES PG. 122

GAS VALVE

2-POSITION

DENOTES MAGAZINE CAPACITY

> Ambidextrous Controls

STANDARD FEATURES

> AR Platform, 7.62NATO Caliber Performance

> Integral Ambidextrous Steel QD Sling Mounts

7.62<sub>NATO</sub> SIG716G2 PATROL R716G2-16B-P / R716G2-16B-P-FDE Barrel Length > 16-inch HBar with Enhanced Muzzle Brake Available in FDE > Aluminum KeyMod Handguard with Improved Lightweight Design TELESCOPING STOCK > B5 6-Position Telescoping Stock OPTIONAL TANGO6™ ADJUSTABLE GAS SYSTEM FREE-FLOAT HANDGUARD



OPERATING SYSTEM	
SHORT-STROKE GAS PISTON	GAS VALVE 4-POSITION

CALIBER	<b>5.56</b> NATO
MAGAZINE CAPACITY	30

	STANDARD FEATURES	
1	Built for Harsh Tactical Environments     Ambidextrous Charging Handle and Controls     Lightweight Gas Block	

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 128 | ACCESSORIES PG. 122

DENOTES MAGAZINE CAPACITY



SIGM400<sup>®</sup>
DIRECT IMPINGEMENT AR PLATFORM

A true AR platform exceeding military standards to be the most accurate and reliable rifle in its class.

### SIGM400 ELITE TITANIUM +R

5.56 NATO RM400-16B-E-TI-R RM400-16B-E-R > Full-Length Free-Float Handguard
 > ROMEO5™ Red Dot Included
 > SIG Enhanced Trigger



M-LOK® FREE-FLOAT HANDGUARD

INCLUDED ROMEO5™ RED DOT









RM400-20B-E-VN-KV2



Barrel Length 20"



- > 2 Stage Matchlite Trigger
- > Free-Float Lightweight MLOK Handguard
- > 20" Precision Varmint Barrel



SIGM400 ELITE PSB

PM400-11B-E / PM400-11B-E-TI

> SIG Enhanced Trigger

5.56<sub>NATO</sub>

Barrel Length 11"



- > SIG PSB
- > SIG Enhanced Trigger

Available in Titanium

**OPERATING SYSTEM** GAS BLOCK **DIRECT IMPINGEMENT MICROLIGHT** 

CALIBER	<b>5.56</b> NATO
MAGAZINE CAPACITY	30

STANDARD FEATURES

- > Free-Float Lightweight M-LOK® Handguard
- > Enhanced Mil Spec Trigger
- › Microlight Gas Block

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 128 | ACCESSORIES PG. 122



# AMMUNITION

MADE BY SIG SAUER®

### ELITE PERFORMANCE AMMUNITION

SIG Elite Performance Ammunition delivers a higher standard of maximized reliability and accuracy across every caliber. Each round has undergone exhaustive testing to ensure consistent weight retention, energy transfer and controlled expansion.

### **FMJ FULL METAL JACKET**

Engineered to match SIG V-Crown® ballistics for a more seamless transition from practice to carry ammunition, SIG Full Metal Jacket Ammunition delivers round after round of affordable, premium-level performance. Featuring dependable primers and the same exceptional, clean-burning propellants used in the breakthrough defense rounds, SIG Full Metal Jacket delivers equivalent point-of-impact, recoil and energy. Practice or competition, SIG Full Metal Jacket measures up.

- > Ballistically Matched to SIG V-Crown
- > Affordable Practice
- > Premium Performance





V-CROWN

JACKETED HOLLOW POINTS

Innovative SIG V-Crown cartridges utilize proven engineering design features, from low-flash propellant to a cannellure shank, resulting in maximum weight retention with reliable terminal ballistic performance.

- → Consistent Penetration
- > Uniform Controlled Expansion

9MM LUGER

115grain\*

124grain

147grain

> Maximum Weight Retention

SIG V-Crown defensive rounds combine perfected material specifications and fine-tuned design innovations. Featuring a stacked hollow point cavity, to deliver exceptional on-target energy with maximum weight retention and optimal expansion – the ultimate in stopping power.

Certain V-Crown Loads are optimized for maximum terminal ballistic performance in small-frame firearms. (Identified with \*)

**357** SIG

125grain

**38** SUPER +P

125grain\*



CONTROLLED UNIFORM EXPANSION




125grain

**38** SPL +P

**380** AUTO

90grain\*





### MATCH PRECISION MATCH GRADE

SIG Match Grade rifle rounds are engineered to excel in today's precision auto-loading platforms as well as bolt-action rifles. Utilizing optimized shell case metallurgy and premium primers each round is precisionloaded using state-of-the-art, electromechanical monitoring for geometric conformity and all are 100% inspected.

- Minimal Velocity Variation
- > Precision-Loaded for Conformity
- > Renowned Sierra Matchking® Projectiles





### SIG 300 BLK SUBSONIC

SIG propellant chemistry has been optimized to produce the ideal amount of down-bore pressure for cycling both piston and gasdriven platforms, with or without sound suppression. SIG 300BLK Subsonic rounds minimize recoil, sound and muzzle flash, while maximizing the number of hits on target.

### SIG 300 BLK SUPERSONIC

The ultimate round for precision shots at extended range, SIG 300BLK Supersonic features Sierra MatchKing® projectiles in a pointed meplat design for maximum velocity retention - yielding flatter trajectories and more on-target energy.



**300** BLK **SUBSONIC** 220grain

**300** BLK **SUPERSONIC** 125grain


### CONSISTENT 1.8X DIAMETER EXPANSION

### SIG HT HUNTING



SIG HT all copper superior hunting rounds yield consistent 1.8X diameter expansion using premium-quality powders and primers for minimum velocity variation. Perfected for AR style rifle feeding, optimized nose geometry combined with premium nickel-plated shell casings delivering consistently reliable accuracy for taking down game.

- > California lead-free in compliance with California Fish and Game Code Section 3004.5
- > Consistent 1.8X Diameter Expansion
- > Minimal Velocity Variation
- > Lead-Free Projectile
- > AR-Style Rifle Feeding



**223** RFM 60grain The 60gr 223 Rem bullet has a muzzle velocity of 3,100 fps and muzzle energy of 1,280 ft-lbs, making it an effective, hardhitting round.

> **308** WIN 150grain

The 150gr 308 Win features a muzzle velocity of 2,900 fps and muzzle energy of 2,801 ft-lbs. This SIG HT 308 Win cartridge is excellent for mid-sized game including deer, antelope, hogs and predators.

300 WIN MAG 165grain



LEAD FREE PROJECTILE

The 165gr 300 Win Mag features a muzzle velocity of 3,110 fps and muzzle energy of 3.543 ft-lbs. This SIG HT cartridge is excellent for large game including elk, mule deer, and bear.


> **300** BLK 120grain

The 120gr 300 BLK bullet has a muzzle velocity of 2250 fps and muzzle energy of 1,349 ft-lbs making it an effective, hardhitting hog round, including mid-sized game.

# **VP**VARMINT & PREDATOR

SIG SAUER Varmint & Predator rounds utilize yellow tipped projectiles designed specifically for explosive expansion and unmatched accuracy. All loads feature projectiles that are light for their caliber (40 grains for the 22 caliber, 55 grains for 6mm), yielding higher muzzle velocities and flatter trajectories across all practical hunting distances. The Varmint and Predator rounds contain the same high quality single base extruded powders as SIG Match Grade rounds. This ensures consistent round-to-round muzzle velocities and insensitivity to temperature change. All SIG SAUER Varmint & Predator rounds are produced on state-of-the-art loading equipment with electromechanical monitoring for charge weight consistency and geometric conformity.

- Match Grade Accuracy
- > Flat Trajectories
- > Explosive Fragmentation on Small Game



# COMPONENTS

BAGGED BRASS / PRIMED BAGGED BRASS

SIG SAUER® cases are made from American, premium brass. These casings are rigorously tested to ensure unparalleled durability and dependability. Each casing undergoes rigorous in-line and postproduction quality assurance testing to ensure a flawless casing.







**223** REM Bagged Brass

			J. 1. 1, 1
		380 AUTO	100
		9MM	100
		357 SIG	100
		38 SPL	100
ב		357 MAG	100
		40 S&W	100
<u>=</u>		10MM	100
ON-PRIMED	45 AUTO	100	
	223 REM	100	
	22-250 REM	50	
	243 WIN	50	
	6.5 CM	50	
	300 BLK	50	
		300 WIN	50
		300 WIN MAG	50

QTY/BAG

CALIBER



_	
ם	
10.0	
ш	
2	
=	
_	
_	
ш.	

CALIBER	QTY/BAG
380 AUTO	100
9MM	100
357 SIG	100
38 SPL	100
357 MAG	100
40 S&W	100
10MM	100
45 AUTO	100

# **BALLISTICS**

### PISTOL AMMUNITION

	_
	6
	Ξ
	•
	Z
	3
	0
	Ĺ
I	>
	י
	U

CALIBER BULLET WEIGHT (grains)		VELOCITY IN FPS MUZZLE   25 YDS   50 YDS   100 YDS	ENERGY IN FTLBS MUZZLE   25 YDS   50 YDS   100 YDS	TRAJECTORY IN INCHES 25 YDS   50 YDS   100 YDS
380 AUTO	90	980   947   921   871	192   180   169   152	1.0   0.0   -9.8
	115	1185   1126   1076   1000	359   324   296   255	0.6   0.0   -7.0
9MM LUGER	124	1165   1102   1051   973	374   334   304   261	0.6   0.0   -7.3
	147	985   958   934   891	317   300   285   259	0.9   0.0   -9.5
357 SIG	125	1356   1271   1197   1080	511   449   398   324	0.4   0.0   -5.6
38 SUPER +P	125	1230   1156   1095   1004	420   371   333   280	0.6   0.0   -6.7
38 SPL +P	125	900   936   910   863	258   243   230   207	1.0   0.0   -10.0
357 MAG	125	1450   1346   1252   1106	584   503   435   340	0.3   0.0   -5.1
40.00	165	1090   1048   1013   954	435   403   376   334	0.7   0.0   -8.0
40 S&W	180	985   958   934   890	388   367   348   317	0.9   0.0   -9.4
10MM AUTO	180	1250   1174   1111   1017	624   551   493   413	0.5   0.0   -6.5
	185	995   953   917   855	407   373   345   300	0.9   0.0   -9.8
45 AUTO	200	918   900   884   853	374   360   347   323	0.8   0.0   -10.1
	230	830   810   791   755	352   335   319   291	1.4   0.0   -13.4
44 S&W SPL	200	700   685   671   643	218   208   200   184	2.1   0.0   -18.8
44 REM MAG	240	1300   1231   1171   1075	901   807   730   615	0.5   0.0   -5.8
45 COLT	230	850   829   809   771	369   351   334   304	1.3   0.0   -12.7

SIG FMJ

CALIBER	BULLET WEIGHT (grains)	VELOCITY IN FPS MUZZLE   25 YDS   50 YDS   100 YDS	ENERGY IN FTLBS MUZZLE   25 YDS   50 YDS   100 YDS	TRAJECTORY IN INCHES 25 YDS   50 YDS   100 YDS
380 AUTO 100		910   879   859   800	184   172   161   142	1.2   0.0   -11.5
	115	1185   1125   1076   999	359   323   296   255	0.6   0.0   -7.0
9MM LUGER	124	1165   1111   1065   993	374   340   312   272	0.6   0.0   -7.1
	147	985   960   936   895	317   301   286   261	0.6   0.0   -9.4
357 SIG <b>125</b>		1356   1246   1154   1024	506   427   367   389	0.5   0.0   -6.0
38 SUPER +P	125	1230   1166   1111   1026	420   377   343   292	0.5   0.0   -6.5
38 SPL	125	900   881   863   829	225   215   207   191	1.2   0.0   -11.2
357 MAG	125	1450   1330   1225   1072	584   491   417   319	0.4   0.0   -5.3
40 S&W	180	958   959   935   893	388   367   349   319	0.9   0.0   -9.4
10MM AUTO	180	1250   1185   1129   1042	624   561   510   434	0.5   0.0   -6.3
45 AUTO	230	830   816   803   777	352   340   329   308	1.4   0.0   -12.9



## **BALLISTICS**

RIFLE AMMUNITION

J
Ĺ
<u> -</u>
7
_
יש
U

CALIBER	BULLET WEIGHT (grains)	BULLET TYPE	BALLISTIC COEFFICIENT (G1)	VELOCITY IN FPS MUZZLE   100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	ENERGY IN FTLBS MUZZLE   100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	TRAJECTORY IN INCHES 100 YDS   200 YDS   300 YDS   400 YDS   500 YDS
223 REM	77	ОТМ	0.362	2750   2499   2262   2038   1828   1633	1293   1068   875   710   571   456	0.0   -4.1   -15.0   -34.3   -64.1
6.5 CM	140	ОТМ	0.535	2575   2410   2251   2099   1952   1810	2061   1806   1576   1369   1184   1018	0.0   -3.0   -12.9   -30.6   -57.3
700 \4/151	168	ОТМ	0.462	2700   2505   2318   2138   1967   1805	2719   2340   2003   1705   1443   1215	0.0   -4.1   -14.6   -32.8   -59.9
308 WIN	175	OTM	0.496	2600   2424   2256   2094   1934   1791	2626   2284   1977   1703   1460   1246	0.0   -2.9   -12.7   -30.4   -57.4
300 WIN MAG	190	ОТМ	0.533	2850   2674   2505   2343   2186   2035	3426   3017   2648   2315   2016   1784	0.0   -3.4   -12.3   -27.5   -50.1
CALIBER	BULLET WEIGHT (grains)	BULLET TYPE	BALLISTIC COEFFICIENT (G1)	VELOCITY IN FPS MUZZLE   25 YDS   50 YDS   100 YDS	ENERGY IN FTLBS MUZZLE   25 YDS   50 YDS   100 YDS	TRAJECTORY IN INCHES 25 YDS   50 YDS   100 YDS
300 BLK	125	ОТМ	0.338	2200   2140   2080   1964	1343   1270   1201   1071	-1.1   -0.2   0.0
300 BLK SUBSONIC	220	ОТМ	0.608	1000   992   983   968	488   480   472   457	1.5   3.2   0.0

SIG VP

CALIBER	BULLET WEIGHT (grains)	BULLET TYPE	BALLISTIC COEFFICIENT (G1)	VELOCITY IN FPS MUZZLE   100 YDS   200 YDS   300 YDS	ENERGY IN FTLBS MUZZLE 100 YDS 200 YDS 300 YDS	TRAJECTORY IN INCHES 100 YDS   200 YDS   300 YDS
223 REM	40	TIPPED HP	0.196	3650   3089   2570   2093	1183   847   587   389	0.0   -0.7   -6.7
22-250 REM	40	TIPPED HP	0.196	3975   3390   2844   2346	1403   1021   718   489	0.0   -0.1   -4.5
243 WIN	55	TIPPED HP	0.225	3880   3377   2928   2496	1838   1393   1047   716	0.0   -0.1   -4.2

SIG HT

CALIBER	BULLET WEIGHT (grains)	BULLET TYPE	BALLISTIC COEFFICIENT (G1)	VELOCITY IN FPS MUZZLE   100 YDS   200 YDS   300 YDS	ENERGY IN FTLBS MUZZLE 100 YDS 200 YDS 300 YDS	TRAJECTORY IN INCHES
223 REM	60	НТ	0.240	3100   2704   2340   2006	1280   974   730   536	0.0   -1.8   -10.0
300 BLK	120	НТ	0.290	2250   1977   1726   1501	1349   1042   794   600	0.0   -6.0   -23.6
308 WIN	150	НТ	0.400	2900   2669   2449   2239	2801   2372   1997   1670	0.0   -1.9   -9.6
300 WIN MAG	165	НТ	0.410	3110   2873   2649   2435	3543   3024   2570   2172	0.0   -1.2   -7.4

# ELECTRO-OPTCS

SEE THE DIFFERENCE

SIG SAUER® Electro-Optics fuses together advanced electronic technologies, superior, high-definition glass, and military-inspired designs to achieve maximum clarity, accuracy, and performance shot after shot.

We have developed truly game-changing optics for all types of shooters: military, law enforcement, hunters, and competitive shooters.

Learn more about the complete Electro-Optics line at sigsauer.com/electro-optics

- > Lockless Zeroing System
- Utilizes Quad Adjustment Springs Designed and Torture-Tested to
   Endure Handoun Recoil and Return to Zero Shot After Shot

### **SOS™ SIG Optic Stabilizer**

- > Proprietary SIG Optic Stabilizer System
- Gyroscopically Stabilized to Cancel Out Unwanted Shaking and Vibrations that Can Blur an Image, Especially at Higher Magnification Levels

### **AMR™ Angle-Modified Range**

- > Ranging Technology Using an On-Board Inclinometer
- > Reads Incline / Decline Angle and Modifies the Effective Ballistic Shooting Range to The Target
- > Equivalent Horizontal Range, Integrating Perfectly When Used with SIG Ballistic Turret Dials

### **LIGHTWAVE DSP™ Digital Signal Processing**

- > Leverages HyperScan, and Advanced Power Management Technique, Providing the Fastest Refresh Rate in Scan Mode (4 times Per Second)
- > Uses the Latest Generation Field Programmable Gate Array (FPGA)
- > reduces false positives while finding weak or distant targets

### **LUMATIC DISPLAY™**

- → Proprietary OLED (Organic Light Emitting Diode)  $\mathsf{Display}^\mathsf{TM}$
- > Ambient Light Sensor Continuously Monitors Light Conditions and Adjusts the Display Brightness Accordingly
- > No other Display Offers this Adaptive Ability to Prevent the Shooter's Pupil from Constricting in low-Light Conditions

### 90° POWERCAM™ MOUNT

- › Quick Flip Away Mount for Fast Transitions from Near to Far Distance Targets
- > No Button Actuator for Rapid Single Handed Operation

### SBT® SIG Ballistic Turret

- A Custom, Laser-Etched Elevation Dial on Most SIG SAUER\* TANGO\* and WHISKEY\* Riflescopes
- > Matched to the Ballistics of the Shooter's System at no Extra Cost
- > Inputs Bullet Specifications, Ballistic Coefficient, Muzzle Velocity, Elevation, and Other Environmental Factors
- Allows for Correct Bullet Drop Compensation and Pinpoint Accuracy at Any Range

### **FREE CUSTOM SBT DIAL**

ON ALL TANGO AND MOST WHISKEY RIFLESCOPES









### **LOCKDOWN® Zero System**

- > Zero Stop-Locking Turret Allows a Rapid Return to Zero and Locks at Zero
- > Eliminates Concern About How Far to Turn the Elevation Dial to Return to Zero

### STEALTH ID™

- > Deflection Armor Trapezoidal Surfacing Breaks Up the Shape and Visibility of the Optic
- > Slide Serrations and Grip Checkering Add Function to the Form of All SIG SAUER Electro-Optics

### **HELLFIRE®** Reticle

- Electronically Illuminated Utilizing an Advanced Fiber-Optic Technology
- Varies the Light Intensity of the Central Aiming Point From IR (InfraRed) Dim to HellFire Bright for Daylight Illumination
- > Results In a Bright, Defined Aiming Point for Precision Shot placement in any condition

### **LEVELPLEX™ Anti-Cant System**

> Utilizes an Integrated Digital Level that is Accurate to +/- 0.5° or +/- 1 Degree. Available in any WHISKEY5 or TANGO6 with side focus.

- > Provides Massive Field of View (FOV), Allowing Faster
- Provides Massive Field of View (FOV), Allowing Faster Target Acquisition
- > Enhances Awareness of Objects in the Shooter's Periphery

### **ALT™ Aspheric Lens Technology**

- > Eliminates Aberration, Reduces Weight, and Helps to Focus the Projected Image Through the Lenses
- > Superior Low Distortion Optical Performance

### **SPECTRACOAT®**

MEGAVIEW™

- > Highly Efficient, Ultra-Wide Broadband, Anti-Reflection Lens
- > Reduces Surface Reflections to Extremely Low Levels Across the Entire Visible Spectrum
- > Provides Superior Light Transmission

### HDX®

- Comprises Both High Definition (ED) and High Transmittance (HT) Glass
- > Ultra-High Resolution, Optical Performance, and Light Transmission

### **LENSARMOR™**

- > Abrasion-Resistant Lens Coatings
- > Extreme Durability Ensures the Lenses on the Scope Will Stay Sharp, Bright, and Clear

### LENSHIELD™

- > Mil-Spec Oleophobic Coating
- Sheds Water, Oil, and Gunk, Ensuring a Clean Sight Image at All Times

### MOTAC™ Motion Activated Illumination

- > Motion-Sensing Technology
- > Powers Up Illumination When Sensing Motion, and Powers Down When it Does Not, Extending Battery Life

### **SOLAR POWERED ILLUMINATION**

- > Powered By a Solar Cell
- > Extends Runtime and Improves Daylight Brightness of the Reticle
  With or Without a Battery

FIBER OPTIC POWER INDICATOR



The TANGO6 super-zoom 6X riflescope line has you covered from close quarter battle operations to long range shooting, from 3-Gun competitions to hunting dangerous game, from bolt-actions to MSR's.

### TANGO6 5-30X56 WITH LEVELPLEX™

### 34MM MAINTUBE

SOT65011 SOT65012 SOT65013 SOT65014 SOT65112 (BLACK)

- Designed for MSR/AR and Bolt Action Platforms
- Long-Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- > Fiber Optic Power Indicator
- > Offered in FFP with Multiple Reticle Options
- > LEVELPLEX Anti-Cant System

ILLUMINATION CONTROL DIAL\*

SIDE FOCUS

34MM MAINTUBE

\* Side Focus Not Available on TANGO6 1-6X24MM Models

### STANDARD FEATURES

- > 6x Super-Zoom Advanced Optical System
- > HELLFIRE\* Reticles: Fiber-optics to Vary Intensity of Central Aiming Point
- > Sunshade Included with Higher Magnification Scope Models
- > Waterproof (IPX-7 rated) and Fog-Proof Performance

> Fast Focus Eyepiece

> T-120 Tactical Turret with 120 Clicks Per Revolution

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS ONLINE AT SIGSAUER.COM/ELECTRO-OPTICS

LOCKDOWN® T-120 ELEVATION TURRET

LOCKDOWN T-120 WINDAGE TURRET

#### **FREE CUSTOM SBT ®** WITH EVERY TANGO6™ PURCHASE

See page 69 for more information.



#### **LEVELPLEX™ Anti-Cant System**



LEVELPLEX Digital Anti-Cant System utilizes an integrated digital level with user selectable reticle cant detection at +/- 0.5° or +/-1° sensitivity.

#### **RETICLES**



5.56MM / 7.62MM 300 Blackout Horseshoe Dot












#### **LOCKDOWN® Zero System**



User Configured Lockdown Zero System Locks Turret at any Position with a Resettable Zero.

#### HDX®



Advanced optical systems comprising both High Definition (ED) and High Transmittance (HT) glass for ultra-high resolution, optical performance and light transmission.

5.56/7.62 Horseshoe Dot FFP

	300 Blackout Horseshoe Dot FFP
1-6X24MM	Triplex, SFP
	MOA Milling, SFP
	MRAD Milling, SFP
	3 Gun, SFP
	DEV-L MOA Milling, FFP
3-18X44MM	DEV-L MRAD Milling, FFP
	MOA Milling, FFP
	MRAD Milling, FFP
4-24X50MM	DEV-L MOA Milling, FFP
	DEV-L MRAD Milling, FFP
	MOA Milling, FFP
	MRAD Milling, FFP
5-30X56MM	DEV-L MOA Milling, FFP
2-20/20MM	DEV-L MRAD Milling, FFP
	MOA Milling, FFP

MRAD Milling, FFP

#### TANGO6 4-24X50MM WITH LEVELPLEX

#### 34MM MAINTUBE

SOT64011, SOT64012, SOT64013, SOT64014, SOT64112 (BLACK)



- > Designed for MSR/AR and Bolt Action Platforms
- > Ideal for Mid-Range Tactical Engagements and Hunting
- > Offered in FFP with Multiple Reticle Options
- > LEVELPLEX Anti-Cant System

#### TANGO6 3-18X44MM WITH LEVELPLEX

#### 34MM MAINTUBE

SOT63011, SOT63012, SOT63013, SOT63014, SOT63112 (BLACK)



- > Designed for MSR/AR and Bolt Action Platforms
- > Ideal for Mid-Range / Long-Range Tactical Engagements and Hunting
- > Offered in FFP with Multiple Reticle Options
- > LEVELPLEX Anti-Cant System

#### **TANGO6 1-6X24MM**

#### 30MM MAINTUBE

SOT61011, SOT61111, SOT61012. SOT61015, SOT61016, SOT61017, SOT61018, SOT61112 (BLACK)



- > Designed for MSR/AR and Bolt Action Platforms
- > Ideal for CQB / Mid-Range Tactical Engagements 3-Gun Competitions and Hunting
- > Offered in SFP or FFP with Multiple Reticle Options
- > Power Selector Ring Throw Lever Included



## TANGO PRECISION RIFLESCOPES

With a 4:1 zoom first-focal plane design, illuminated glass reticles, and revolutionary LOCKDOWN\* Zero System, TANGO4 riflescopes are the ideal solution for mid to long range tactical engagements, designated marksmen, and hunting.

#### TANGO4 6-24X50MM RIFLESCOPE

**30 MM MAINTUBE** 

SOT46001 SOT46002 SOT46003 SOT46004 SOT46104 (BLACK)

- Designed for MSR/AR and Bolt Action Platforms
- Long-Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- > Fiber Optic Power Indicator
- > Offered in FFP with Multiple Reticle Options

\*Not Available on Tango4 1-4x24mm Models.

#### STANDARD FEATURES

- > 4x Super-Zoom Advanced Optical System
- › LensArmor™: Abrasion-Resistant Lens Coatings
- > MOTAC™: Motion Activated Reticle Illumination
- > Lockdown Zero System: Locks at Zero with a Resettable Zero
- > Low Dispersion (LD) Glass Provides Optical Clarity for any Situation
- > Lenshield™: Proprietary Mil-Spec Oleophobic Coating for Clean Images
- > Elevation Turret with Rotation Indicator Window
- > Waterproof (IPX-7 rated) and Fog-Proof Performance
- > Stealth ID™: Deflection Armor Surfacing for Less Detection

#### **FREE** CUSTOM SBT ® WITH EVERY TANGO4™ PURCHASE

See page 69 for more information.



#### **LOCKDOWN® Zero System**



User Configured Lockdown Zero System locks turret at zero with a resettable zero.

#### LENSHIELD™



Lenshield™ is a proprietary Mil-Spec oleophobic coating that sheds water, oil, and gunk to ensure a clean sight image at all times.

#### LENSARMOR™



Abrasion-resistant lens coatings for extreme durability ensures the lenses on your scope will stay sharp, bright, and clear.

#### **RETICLES**



5.56mm / 7.62mm 300 Blackout Horseshoe Dot



MOA/MRAD MILLING



MOA/MRAD DEV-L

1-4X24 MM	5.56/7.62 Horseshoe Dot FFP
1-4/24 [*][*]	300 Blackout Horseshoe Dot FFP
3-12X42 MM	MOA Milling, SFP
	MRAD Milling, SFP
4 1CV 4 4 MM	DEV-L MOA Milling, FFP
4-16X44 MM	DEV-L MRAD Milling, FFP
6-24X50 MM	MOA Milling, FFP
	MRAD Milling, FFP

#### **TANGO4 4-16X44MM**

#### 30MM MAINTUBE

SOT44001, SOT44002. SOT44003, SOT44004, SOT44104 (BLACK)



- > Designed for MSR/AR and Bolt Action Platforms
- > Mid to Long Range Tactical Engagements, Designated Marksmen and Hunting
- > Offered in FFP with Multiple Reticle Options

#### **TANGO4 3-12X42MM**

#### 30MM MAINTUBE

SOT43001, SOT43002, SOT43003, SOT43004, SOT43104 (BLACK)



- > Designed for MSR/AR and Bolt Action Platforms
- > Mid to Long Range Tactical Engagements, Designated Marksmen and Hunting
- > Offered in FFP with Multiple Reticle Options

#### **TANGO4 1-4X24MM**

#### 30MM MAINTUBE

SOT41001, SOT41002. SOT41003, SOT41004, SOT41101 (BLACK)



- > Designed for MSR/AR and Bolt Action Platforms
- > Ideal for CQB / Mid-Range Tactical Engagements 3-Gun Competitions and Hunting
- > Offered in FFP with Multiple Reticle Options



CAPPED WINDAGE TURRET

## WHISKEY5<sup>TM</sup>

PRECISION TACTICAL-HUNTER RIFLESCOPES

Built to perform in the toughest hunting conditions, the new WHISKEY5 super-zoom 5:1x riflescope line from SIG SAUER® brings the hardest of targets into sharp focus. Featuring the proprietary HDX® optical system for extreme clarity and low-light performance, and HELLFIRE® fiber optic illuminated reticles.

WHISKEY5 5-25X52MM RIFLESCOPE WITH LEVELPLEX™

#### **30 MM MAINTUBE**

SOW55011 SOW55012 SOW55014

- Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- Long-Range Precision Shooting and Long-Range
- Fiber Optic Power Indicator
- > Offered in SFP with Multiple Reticle Options
- > All Black Exterior Design
- > LEVELPLEX Anti-Cant System

\* Focus Dial is Not Available on WHISKEY5 1-3X74MM and 2-10X42MM Models

FREE CUSTOM SBT

30MM MAINTUBE

ILLUMINATION

SIDE FOCUS \*WITH

**PUSH BUTTON** 

LEVELPLEX ACTIVATION

CONTROL DIAL\*

FAST FOCUS EYEPIECE

WITH MOST WHISKEY5 PURCHASES See page 69 for more information

#### STANDARD FEATURES

- > 5x Super-Zoom Advanced Optical System
- > STEALTH ID™: Deflection Armor Surfacing
- > SPECTRACOAT™: Reduces Surface Reflections
- > HDX® Optics: Unequaled Light Transmission and Optical Clarity
- > HELLFIRE Reticles: Fiber-Optics to Vary Intensity of Central Aiming Point ! > Fast Focus Eyepiece
- > LENSHIELD™: Proprietary Mil-Spec Oleophobic Coating for Clean Images
- > Waterproof (IPX-7 rated) and Fog-Proof Performance
- > Offered in Second Focal Plane (SFP) and Multiple Reticles

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS ONLINE AT SIGSAUER.COM/ELECTRO-OPTICS

#### THE COMPLETE SYSTEMS PROVIDER™

#### WHISKEY5® 3-15X52MM WITH LEVELPLEX™

30MM MAINTURE

SOW53013, SOW53014 SOW53016



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > Medium-to-Long Range Scenarios Across a Wide Range of Calibers
- > Offered in SFP with Multiple Reticle Options
- > LEVELPLEX Anti-Cant System

#### WHISKEY5 2.4-12X56MM WITH LEVELPLEX

30MM MAINTURE SOW52015



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > European Hunting at Short to Medium Range Low Light Scenarios Across a Wide Range of Calibers
- > Offered in SFP with Multiple Reticle Options
- > LEVELPLEX Anti-Cant System



#### **LEVELPLEX Anti-Cant System**

LEVELPLEX Digital Anti-Cant System utilizes an integrated digital level with user selectable reticle cant detection at +/- 0.5° or +/-1° sensitivity. (New MOA Milling Hunter Reticle Shown)

TH-100 Turret. Locks and stops zero. 100 clicks per rotation

#### **RETICLES**



HELLFIRE®

QUADPLEX\*

HELLFIRE\*

TRIPLEX®





Circle

QUADPLEX

MOA Milling Hunter

HELLFIRE TRIPLEX, SFP HELLFIRE QUADPLEX, SFP HELLFIRE Circle QUADPLEX, SFP MOA Milling Hunter

HELLFIRE

QUADPLEX, SFP HELLFIRE Circle QUADPLEX, SFP

WHISKEY5 3-15X44MM WITH LEVELPLEX



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > Medium to Long Range Scenarios Across a Wide Range of Calibers
- > Offered in SFP with Multiple Reticle Options
- > LEVELPLEX Anti-Cant System

#### WHISKEY5 2-10X42MM

30MM MAINTUBE

30MM MAINTUBE

SOW53011, SOW53012,

SOW53015

SOW52011, SOW52012, SOW52014



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > Extended Long Range Scenarios, as well as Low Light Shooting, and Recreational Shooting Across a Wide Range of Calibers
- > Offered in SFP with Multiple Reticle Options

#### WHISKEY5 1-5X24MM

30MM MAINTUBE

SOW51011. SOW51012



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > Short-Range Scenarios Where a Wide FOV and Immediate Target Acquisition is Necessary
- > Offered in SFP with Multiple Reticle Options



1" MAINTUBE

FIBER OPTIC POWER INDICATOR

**ELEVATION TURRET** 

WINDAGE TURRET

WHISKEY3<sup>TM</sup>

**HUNTING RIFLESCOPES** 

The WHISKEY3 riflescopes features low dispersion glass, rugged chassis, capped windage and elevation turrets, it's rugged industrial design provides reliability and protection from the elements.

#### WHISKEY3 4-12X50MM

1" MAINTUBE SOW34011 SOW34012 SOW34015 SOW34107 SOW34108

- Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- Fiber Optic Power Indicator
- Offered in SFP with Multiple Reticle Options

#### STANDARD FEATURES

- > 3x Zoom Optical System
- > STEALTH ID™: Deflection Armor Surfacing
- > LENSARMOR™: Abrasion-Resistant Lens Coatings
- > Low Dispersion (LD) Glass Provides Industry Leading Optical Clarity
- › European Style Eyepiece for a Smooth, Fast, & Precise Reticle Adjustment 🖰 › Offered in Second Focal Plane (SFP) and Multiple Reticles
- > Waterproof (IPX-7 rated) and Fog-Proof Performance
- > HELLFIRE\* Reticles: Fiber-Optics to Vary Intensity of Central Aiming Point > 3x Optical Zoom, Illuminated and non-Illuminated Reticles

#### WHISKEY3™ 4-12X40MM

1" MAINTUBE

SOW34105, SOW34106, SOW34009, SOW34010



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- > Offered in SFP with Multiple Reticle Options



HELLFIRE\* Reticle is an electronically illuminated reticle system utilizing advanced fiber-optic technology to vary the light intensity of the central aiming point from extreme low-light to HELLFIRE bright for daylight illumination.



Abrasion-resistant lens coatings for extreme durability ensures the lenses on your scope will stay sharp, bright, and clear

### FREE CUSTOM SBT® WITH MOST WHISKEY3 PURCHASES

See page 69 for more information.



#### **RETICLES**



HELLFIRE\* HELLFIRE QUADPLEX\* TRIPLEX



HELLFIRE QUADPLEX
Circle
QUADPLEX™



Circle QUADPLEX

#### 2-7X32MM

HELLFIRE QUADPLEX, SFP
HELLFIRE Circle QUADPLEX, SFP
QUADPLEX, SFPCircle
QUADPLEX, SFP

HELLFIRE QUADPLEX,SFP

HELLFIRE TRIPLEX, SFP

QUADPLEX, SFP

TRIPLEX, SFP

#### WHISKEY3 3-9X50MM

#### 1" MAINTUBE

SOW33103, SOW33104, SOW33006, SOW33009, SOW33110



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- > Offered in SFP with Multiple Reticle Options

#### WHISKEY3 3-9X40MM

#### 1" MAINTURE

SOW33101, SOW33102, SOW33005, SOW33107, SOW33108, SOW33013



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- → Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- > Offered in SFP with Multiple Reticle Options

#### WHISKEY5 2-7X32MM

#### 1" MAINTUBE

SOW32101, SOW32102, SOW32103, SOW32104



- > Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- > Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- > Offered in SFP with Multiple Reticle Options



**ELEVATION ADJUSTMENT** 

TOP RAIL

REMOVABLE PICATINNY

MEGAVIEW™ EYEPIECE

**BRAVO**<sup>TM</sup> **BATTLESIGHTS** 

The BRAVO battlesights combine crystal clear fixed power optics, intuitive reticles, super bright illumination and a rugged aluminum housing into one attractive package. With 5.56/.308 and 300Blackout reticles this family of optics is the perfect addition to any MSR/AR platform.

#### BRAVO3™ BATTLESIGHT

3X24MM SOB33101 SOB33102

NEW

- Designed for Professionals and Civilian MSR/AR
- > 40% Wider Field of View Than Current Battlesights
- > Distortion Free Image, Edge-to-Edge Clarity
- > Integrated Picatinny Rails for Accessories
- > Waterproof (IPX-7 rated) and Fog-Proof Performance

#### 1/2" HEX RAIL MOUNT

MOTAC (MOTION ACTIVATED ILLUMINATION)

#### STANDARD FEATURES

- → MOTAC<sup>TM</sup> (Motion Activated Illumination) Powers Up When it Senses Motion and Powers Down when it Does Not
- > LENSARMOR™: Abrasion-Resistant Lens Coatings to Withstand the Harshest of Conditions
- > MEGAVIEW Advanced Prism and Ocular Design Yields 40% Greater Field of View Than the Competitive Prism-Based Battle Sights
- > Low dispersion (LD) Glass Provides Industry Leading Optical Clarity
- > Adjustable Evepiece with +/- 2 Diopter Correction

#### BRAVO4™ **BATTLESIGHT**

4X30MM SOB44001 SOB44003



- > Lightweight Design with Protective Features for Snag Points
- > Quick Release M1913 Picatinny Mount
- > Engineered with the Centerline of the Optical Axis at 1.535" Above the Top of an M1913 Picatinny Rail Interface for Night Vision Compatibility
- > Waterproof (IPX-7 rated) and Fog-proof Performance

#### BRAVO5™ BATTLESIGHT


5x24MM SOB53101 SOB53102



#### NEW

- Designed for MSR Shooters for Fast, Accurate Shooting at Distance.
- > Lightweight Design with Protective Features for Snag Points
- > Removable Picatinny Rails for Accessories
- > Textured and Intuitive Illumination Knob for Quick Changes
- > Waterproof (IPX-7 rated) and Fog-Proof Performance

#### **RETICLES**



5.56MM / 7.62MM Horseshoe Dot




300 Blackout Horseshoe Dot

#### MEGAVIEW™



The Patented MegaView™ Aspherical Lens Eyepiece Provides 47% More Eye Relief



Massive 10° Field of View, 40% Wider Than Standard 6° Sights. That's 53 Feet of View at 100 Yards vs. 37 Feet

SIX (6) DISPLAY MODES, INCLUDING WHITE HOT AND BLACK HOT

TOP MOUNT FOR ROMEO1™ OR PEEP SIGHT

WATERPROOF (IPX-6 RATED)



The ECHO1 Digital Thermal Imaging Reflex Sight is the most innovative direct view thermal sight in the world. Based on the newest generation of thermal imaging sensors, this compact, ultra-lightweight thermal is the ultimate day/night sighting system for predator and hog hunting.

#### **ECHO1 THERMAL REFLEX SIGHT**

1x/2x ZOOM SOE11001 SOE11011\*

- > Based on the Newest Generation of Thermal Imaging Sensors. 12 Micron Pixel Size, Instead of 17 Micron Standard on the Commercial Market, for Higher Definition and Better Detection at Longer Distances
- > Perfect for Home Defense, Law Enforcement, Military, and Search and Rescue
- > Provides for Day and Night Time Hog Hunting
- › Adapter Plate for Romeol Open Reflex Sight or Backup Sight
- > Dual Supercapacitors Provide Continuous Operation Under Heavy Recoil

\*SOE11011 Does Not Include: ROMEO1 Adapter Plate, Rugged USB Cable, and Protective Cover

M1913 PICATINNY CROSS-SLOT STANAG COMPLIANT MOUNT

ASSEMBLED IN USA

#### STANDARD FEATURES

- $\rightarrow$  206X156 / 12 Micron Thermal Core
- > Thermal Detection >1000 Yards, Range >300 Yards
- $\rightarrow$  Electronic Zoom from 1x to 2x

- > Top Mount Peep Sight and ROMEO1 Adapter Plate for Backup Sights
- > Includes a M1913 Picatinny Cross-Slot STANAG Compliant Mount
- > Sight Can Take Pictures, Individual and Burst Mode

- > Waterproof (IPX-6 Rated) Performance
- 30 Hz Frame Rate
- > 8 hour Minimum Runtime



The Display View with LCD Color for Day/Night Time Direct View Targeting.



Top Mount Peep Sight for Rapid Target Acquisition.




Six (6) Display Modes, Including White Hot and Black Hot



Shown with optional ROMEO1™ Red Dot Sight.



2017 SHOOTING ILLUSTRATED "Optic of the Year"





HIGH PERFORMANCE COATINGS

#### ROMEO1 MICRO REFLEX SIGHT

MICRO REFLEX SIGHT

#### 1x30MM

SOR11001 SOR11005 SOR11600 NEW SOR11000

- Designed for Modern Semi-Automatic Pistols, MSR Platforms and Shotguns
- > Received the Prestigious "Optic Of The Year" Award from Guns & Ammo Magazine
- > Tested to Withstand Over 10000 Rounds of .45 ACP with 230 Grain Bullets
- Available in Pistol Adapter Pack, KeyMod™/Picatinny, and Standalone



3 MOA Red-Dot



6 MOA Red-Dot



ILLUMINATION CONTROLS

Adapter Pack Option Available Please see Sigsauer.com for Options.

#### STANDARD FEATURES

diverse environments.

> Molded Glass AsphericLens for Superior Light Transmittance and Zero Distortion

ROMEO1™

Designed for fast, responsive target acquisition and accuracy, our miniature open-reflex ROMEO1 Red Dot sight was engineered to withstand the punishment of

- > Manual Illumination Controls that Remember your Last Used Settings
- ightarrow 3 or 6 MOA Red-Dot with 10 Settings for Rapid Target Acquisition
- → MOTAC<sup>™</sup> (Motion Activated Illumination) Powers up when it Senses Motion and Powers down when it does Not
- > Top-loading CR1632 Battery, Allowing for Quick Battery Replacement Without Firearm Removal
- > Waterproof (IPX-7 Rated for Complete Immersion up to 1 Meter) and Fog-Proof Performance

MOTAC (MOTION

QUICK DETACH

1.41" RISER MOUNT

ACTIVATED ILLUMINATION)

#### AIRCRAFT GRADE CNC ALUMINUM HOUSING

WATERPROOF (IPX-7 RATED) PERFORMANCE

HIGH PERFORMANCE COATINGS

## ROMEO3<sup>TM</sup>


MINI REFLEX SIGHT

The open reflex ROMEO3 Red Dot sight is the ideal sighting solution for MSR rifles, shotguns, carbines, submachine guns, and full size handguns, designed with Picatinny and KeyMod mounts in mind.

#### **ROMEO3 MINI REFLEX SIGHT**

1x25MM SOR31002

- Designed for MSR Rifles, Shotguns, Carbines, Submachine Guns, Full-Size Handguns
- > Proprietary Red-Notch Coating Ensures Bright Red Dot
- > Manual Illumination Controls



CONTROLS

MANUAL ILLUMINATION

#### STANDARD FEATURES

- > High Transmittance Red Notch Reflector for Excellent Brightness and Zero Distortion
- > MOTAC™ (Motion Activated Illumination) Powers up or down when Sensing motion
- 3 or 6 MOA Red-Dot with 11 Settings for Rapid Target Acquisition

- > Extremely Strong and Lightweight Aircraft Grade CNC Aluminum Housing
- > Side-Loading CR2032 Battery, Allowing for Quick Battery Replacement without Firearm Removal
- > Waterproof (IPX-7 Rated for Complete Immersion up to 1 Meter) and Fog-Proof Performance



Chosen by elite government and military agencies, the ROMEO4 is the ultimate Red Dot sight when fast, accurate target acquisition is a must, regardless of lighting conditions, weather conditions, or terrain. Whether it's a moving target, dangerous game at full charge, or a fast-breaking tactical situation at close quarters, the rugged ROMEO4 Red Dot sight can handle the job. Battery and solar powered options available.

#### ROMEO4T™ MIL-SPEC RED DOT SIGHT

#### 1X20MM

SOR43031 (BLACK) SOR43032 (BLACK) SOR43131 (FDE) **NEW** 

- > Designed for AR Platform Pistols, MSR Platforms and Shotguns
- > Short and Medium Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- > MIL-SPEC 810G Tested and Approved
- > Lightweight CNC 7075 Aluminum Housing Ensures a Lifetime of Reliable Service
- > Runtime In Excess Of 100,000 Hours with Solar and Battery Usage
- > Waterproof (IPX-8 rated) and Fog Proof

#### STANDARD FEATURES ASSEMBLED IN USA

- > Unlimited Eye-Relief to Acquire Aiming Point and Target, Regardless of Eye Position Behind Sight
- → MOTAC $^{\text{\tiny{TM}}}$  (Motion Activated Illumination) Powers up When Sensing Motion
- > Utilizes an Ultra-Efficient Red LED Illumination for Daylight Visibility and Extended Runtime
- > Strong and Lightweight Aircraft Grade CNC Aluminum Housing (7075 Grade on ROMEO4T)
- > Absolute Co-Witness QR Mount and Low Mount Included (Absolute Co-Witness 1/2" Hex Nut on ROMEO4T)
- > Users can Select from 4 Different Reticle Options, Per Model (Dot, CircleDot, Dot with Holds, CircleDot with Holds)

CLEAR LENS CAPS

100.000 HOUR BATTERY LIFE

+ SOLAR POWERED

ELEVATION ADJUSTMENT

1/2" HEX BOLT MOUNT

Available

in FDE



#### 1X20MM SOR43021, SOR43022



- > Short and Medium Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- > Extremely Strong and Light CNC Aluminum Housing
- > Runtime in Excess of 100,000 Hours with Solar and Battery Usage
- > Comes Standard with Lens Caps and Quick-Release Mount
- > Waterproof (IPX-7 rated) and Fog Proof




> Comes standard with Lens Caps and Quick-Release Mount


ROMEO4H™ CLOSED RED DOT SIGHT

- > 50,000+ Hour Battery Life and the Readily Available CR2032 Battery is Side Loading for Quick Battery Replacement
- > Waterproof (IPX-7 rated) and Fog Proof

#### **RETICLES**



2 MOA Red Dot Ballistic Circle Dot



1 MOA Red Dot Ballistic Circle QUADPLEX™

#### **MOTAC™** Motion Activated Illumination

Activated through motion sensing technology, MOTAC immediately powers up illumination when it senses motion and powers down when it does not in order to extend battery life.





RETICLE CONTROLS

HIGH-PERFORMANCE COATINGS

## ROMEO5 CLOSED RED DOT SIGHT

The ROMEO5 Red Dot Sight mounts on any platform, and is as tough as it is small. The solid, lightweight aluminum design will give peak performance and years of service, making it a trusted companion for men and women in the US armed forces and responsible citizens alike.

ALUMINUM HOUSING

AAA BATTERY

#### ROMEO5XDR™ CLOSED RED DOT SIGHT

1X20MM SOR52102 (BLACK)

NEW

- $\rightarrow$  2 MOA Red Dot with 65 MOA Circle Provides 10 Illumination Settings (8 Daylight Plus 2 NV) for Visibility in all Light Conditions
- > Runs on a Single AAA Battery for up to 50,000 Hours of Runtime Under Normal Use
- Modular M1913 Picatinny Riser Mount for 1.41" (Absolute Co-Witness) or 1.63" (1/3 Lower Co-Witness) Sight Heights.
- > Dependable Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 Meter) and Fog-Proof Performance

PICATINNY RAIL MOUNT

LIGHTWEIGHT

#### STANDARD FEATURES

- > Ultra-Low Parallax So Point-of-Aim is Point-of-Impact and the Red Dot Remains Parallel to the Bore or Your Firearm, no Matter What Your Viewing Angle is Relative to the Optical Axis of the Sight
- > Unlimited Eye Relief to Acquire Aiming Point and Target, Regardless of Eye Position Behind Sight
- → MOTAC $^{\text{\tiny{IM}}}$  (Motion Activated Illumination) Powers Up or Down When Sensing Motion

 $\Rightarrow \mbox{ Ultra-Dependable Waterproof (IPX-7 \ Rated for Complete Water Immersion up to 1 \ Meter) and Fog-Proof Performance}$ 

#### ROMEO5X™ CLOSED RED DOT SIGHT

1X20MM SOR52101




#### NEW

- $\rightarrow$  2 MOA Red Dot Provides 10 Illumination Settings (8 Daylight Plus 2 NV) for Visibility in all Light Conditions
- > Runs on a Single AAA Battery for up-to 50,000 Hours of Runtime Under Normal use
- > Dependable Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 Meter) and Fog-Proof Performance
- > Modular M1913 Picatinny Riser Mount for 1.41" (Absolute Co-Witness) or 1.63" (1/3 Lower Co-Witness) Sight Heights.

#### **RETICLES**

Circle-Dot (65 MOA Circle/2 MOA Dot)



#### ROMEO5™ CLOSED RED DOT SIGHT

1X20MM SOR52001




- $\rightarrow$  2 MOA Red Dot Provides 10 Illumination Settings (8 Daylight Plus 2 NV) for Visibility in all Light Conditions
- Integrated M1913 Picatinny Interface Provides Industry-Standard Mounting Options for a Wide Range of Applications
- > Side-loading CR2032 Battery Allowing for Quick Battery Replacement Without Having to Remove the Sight From the Firearm

#### **MOTAC™** Motion Activated Illumination

Activated through motion sensing technology, Motac immediately powers up illumination when it senses motion and powers down when it does not in order to extend battery life.










2 MOA Red Dot Ballistic Circle-Dot



SEE-THROUGH LENS COVERS

## ROMEO6<sup>TM</sup>

**FULL-SIZED RED DOT SIGHT** 

The ROMEO6 Red Dot sight provides the ideal full-sized sighting solution for today's MSR/AR platforms. The solid, lightweight design comprised of CNC 7075 aluminum, will withstand the rigors of harsh environments and conditions. A trusted accessory for law enforcement, US armed forces, and trusted citizens alike.

UNLIMITED EYE RELIEF

12 ILLUMINATION SETTINGS

1/2" HEX BOLT MOUNTING

**ROMEO6H FULL SIZE RED DOT SIGHT** 

1X30MM SOR61011, SOR61012

#### ROMEO6T™ FULL SIZED RED DOT SIGHT

1x30MM SOR61031 SOR61032

- > Red LED Illumination System for Daylight Visibility with Extended Runtime
- > Mil-Spec Red Dot Sight
- > MOTAC™ (Motion Activated Illumination) Powers up when it Senses Motion and Powers down when it does not
- Solar Panel with Twin Super Capacitors that Provide Up to 9 Hours of Battery Free Life (Battery Backup)



→ Ballistic Circle-Dot and Ballistic Circle Quadplex™ Reticle Options

ASSEMBLED IN USA

> IPX7 Waterproofing

#### STANDARD FEATURES

- > ROMEO6T Features a Solar Panel with 2 Super Capacitors that Provide up to 9 Hours of Battery | > 2 MOA Red Free Life (Battery Backup).
- > Unlimited Eye Relief to Acquire Aiming Point and Target, Regardless of Eye Position Behind Sight
- > 2 MOA Red Dot with 12 Intensity Settings for Rapid Target Acquisition
- > MOTAC (Motion Activated Illumination) Powers Up or Down when Sensing Motion

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS ONLINE AT SIGSAUER.COM/ELECTRO-OPTICS

#### JER.COM/ELECTRO-OPTICS

THE COMPLETE SYSTEMS PROVIDER™

MOTAC™ (MOTION ACTIVATED ILLUMINATION)

## ROMEO7 TM CLOSED RED DOT SIGHT

The ROMEO7 full-size Red Dot sight provides the civilian and armed professional with a robust 1x aiming solution optimized for today's MSR platforms, regardless of caliber.



#### **ROMEO7 CLOSED RED DOT SIGHT**

1x30MM SOR71001

- > Designed for MSR Platforms for the Civilian and Armed Professional
- $\,{}^{\backprime}$  High Performance Lens Coating for Excellent Light Transmission and Zero Distortion
- > Manual Illumination Controls
- > 2 MOA Red Dot is Optimal for Close Quarters Battle to Mid-Range Engagement
- > Side Loading AA Battery Compartment for Ease of Replacement
- > 62,500 Hours of Continuous Battery Life in Medium Setting
- > IPX-7 Rated for Complete Immersion up to 1 Meter

LOW PROFILE CROSS BOLT M1913 STANAG MOUNT

#### **RETICLES**



#### FAST FOCUS EYEPIECE



Easily transition between close quarters and medium range targets with a flip of our JULIET magnifier. Alone or with a Red Dot the JULIET features a quick-release PowerCam mount that flips easily to one side when not in use. Built-in recoil lugs ensure zero hold even after removing and reinstalling.



#### **JULIET6 MAGNIFIER**

6X24MM SOJ61001

NEW

- > Designed for Modern Semi-Automatic Pistols, MSR Platforms and Shotguns
- > Power and Versatility of a 1-6x Scope, in a Modular System That is Lighter Weight
- > Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- > STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile

#### STANDARD FEATURES ASSEMBLED IN USA

- > Quick Release Mount with Built-In Recoil Lugs for a Repeatable Zero
- > PowerCam 90°Mount Pivots to the Side When not Needed
- > Adjustable Height Using Included Spacers

- > Use Stand-Alone or Aligned with a Red Dot Sight
- > Aerospace Grade 6061 Aluminum Housing Ensures a Lifetime of Reliable Service
- > Waterproof Rated IPX-8 (20 Meters for 1 Hour)



#### NEW

- > Designed for Modern Semi-Automatic Pistols, MSR Platforms and Shotguns
- > Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- > STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile

#### **POWERCAM 90° MOUNT**



JULIET4 Magnifier with POWERCAM™ in the Locked Position.

#### JULIET4™ MAGNIFIER

4X24MM SOJ41001



#### NEW

- > Designed for Modern Semi-Automatic Pistols, MSR Platforms and Shotguns
- > Power and Versatility of a 1-4x Scope, in a Modular System
- > Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- > STEALTH ID Trapezoidal Design Breaks up the Optic Shape and Visibility Profile



JULIET4 Magnifier Pivoted  $90^\circ$  with POWERCAM Mount. Rapid, singlehand use.

#### MULTI-POSITION TWIST-UP EYECUP



LIGHTWEIGHT MAGNESIUM HOUSING

## DIGITAL BALLISTIC LASER RANGEFINDERS

The KILO family of Digital Laser Rangefinders is engineered for extreme accuracy. KILO products are the most advanced and yet simple to use rangefinders on the market today. Updating at 4x per second in HyperScan mode, all KILO rangefinders come with proprietary LIGHTWAVE™ DSP technology, are lightning fast as well as amazingly accurate.

#### KILO2400ABS™ DIGITAL BALLISTIC LASER RANGEFINDER

7X25MM SOK24701 Up to 1400 yos DEER

Up to 1800 yos TREES

Up to 2 MILES REFLECTIVE

- > Ranges up to 2 miles with the Revolutionary LIGHTWAVE DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- Advanced Rangefinder Featuring an Embedded Applied Ballistics Calculator and Bluetooth for Synchronizing with a Free Applied Ballistics App. Available on Both IOS and Android Platforms
- > Integrated Temperature, Humidity, Pressure and Compass
- New Milling Reticle with 2.4 MRAD Inner Diameter and 3 MRAD Outer Diameter Center Aiming Circle. Milling Features are 5 MRAD to the Dots and 10 MRAD to the Lines.

Includes a Tripod Adapter, Smartphone Jack WindMETER, Ballistic Nylon Mole Kit Bag, Nylon Carry Pouch, Tactical Pen/Stylus, Lanyard and 3 Spare Batteries



Configurable reticle with 3 options: Center Aiming Circle only, Center Aiming Circle & Horizontal Milling Grid, and Center Aiming Circle & Horizontal and Vertical Milling Grid



Includes free app for Android & iO, onepiece, solid-machined, tripod mount, TYR water resistant molle gear bag, wind meter, tactical pen/stylus, lanyard, and 3 batteries.

#### STANDARD FEATURES

- $\,{}^{}_{}_{}_{}_{}$  Will Range Over a Mile with Results Displayed to the Nearest 1/10th Yard
- → LUMATIC OLED Display™, Continuously Monitors Light Conditions & Adjusts the Display Brightness Accordingly
- > Multi-Position Twist-Up Eyecup Provides a Custom Fit for Each User

- ASSEMBLED IN USA
- Compact, Lightweight Polymer Housing with Diopter Adjustment
- > User Selectable Target Modes Featuring LAST or BEST for Pinpoint Accuracy
- > Powered by a Lithium CR2 Battery

#### KILO2200MR™ RANGEFINDER

7X25MM SOK22701



- > Ranges up to 2 Miles with the Revolutionary LIGHTWAVE DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- > SpectraCoat™ Anti-Reflection Coatings for Superior Light Transmission and optical clarity.
- > HyperScan™ Technology Provides 4 Range Updates per Second in Scan Mode while RangeLock™ Reports the Last Range Result when Ranging Distant Targets.
- › Advanced OLED Display™ Provides a Smaller, More Accurate Center Aiming Circle Along with Milling Features.

Up to 1300 yos DEER Up to 1600 yos TREES Up to 2 MILES REFLECTIVE





KILO2400ABS syncs with a smart phone via the Applied Ballistic's Ballistic Solver app. Calculating long-range rifle trajectories for the perfect shot. (Smart phone app display shown.)

#### **KILO1250™ RANGEFINDER**







6X20MM



- → Ranges up to 1600 Yards with the Revolutionary LIGHTWAVE DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- > Features Line of Sight (LOS) or Angle Modified Range (AMR). Units in Yards or Meters to Tenth Y/M Resolution
- > High Transmittance LCD display
- > User-Selectable Target Modes Featuring LAST or BEST for Pinpoint Accuracy
- > Simplified user interface with RANGE and MODE buttons only
- > Viper Western Camouflage Also Available in Black/Grey

Up to 750 yes DEER Up to 950 yos TREES

Up to 1600 yos REFLECTIVE

#### **KILO850™ RANGEFINDER**




4X20MM SOK85401




- → Ranges up to 1200 Yards with the Revolutionary LIGHTWAVE DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- > Features line of sight (LOS) or Angle Modified Range (AMR). Units in Yards or Meters to Tenth Y/M Resolution
- > Transmissive LCD Display
- > User-Selectable Target Modes Featuring LAST or BEST for Pinpoint Accuracy
- > Simplified User Interface with RANGE and MODE Buttons only
- > Viper Woodlands Camouflage also Available in Black/Grey

Up to 600 yos DEER Up to 800 yos TREES

Up to 1200 yos REFLECTIVE



Angle Modified Range, AMR is advanced ranging technology using an on board inclinometer that reads incline/decline angle and modifies the effective ballistic shooting range to the target.



LIGHTWAVE DSP (Digital Signal Processing) engine leverages HyperScan-an advanced power management technique that provides the fastest refresh rate in scan mode (4 times per second) even at distances over a mile.



- > Ideal for Target Shooting, Conceal Carry and Personal Defense
- > Precision engineered to fit SIG P238 and P938 pistols, including rubber grip variants
- > Powered by Lithium 1/3N battery
- > Dual-sided switch supports ambidextrous operation



The SIG SAUER\* proprietary LIMA320 Laser Grip Module integrates and fits perfectly with our P320\* and P250\* pistol platforms. LIMA Red or Green Lasers are the most advanced, low profile laser sights on the market and are virtually invisible to the operator. The LIMA38 pistol laser is engineered to fit SIG P238\* and P938\* pistols, including rubber grip variants.



#### LIMA320 LASER GRIP

RED/GREEN LASER SOL51001 SOL51002

- > Integrates and Fits Perfectly with our P320° and P250° Pistol Platforms
- > State-of-the-Art Laser Targeting in a Package That is Stealth and Virtually Invisible to the Operator
- > Same Material as SIG SAUER Standard Polymer Frames and Textured to Match
- > Seamlessly Integrates Either a Red (Oclaro) or Direct Green (Osram) High Quality and High Efficiency Laser Module for Extreme Accuracy
- > Powered by a Bottom Mounted Lithium 1/3N Battery in the Palm Swell
- > Works with Carry, Compact and Full Size

STANDARD FEATURES ASSEMBLED IN USA

- > Latest Generation 5 mW Red or Green Lasers for Unmatched Runtime
- Ambidextrous Switches for Easy Finger Actuation
- ...
- > Momentary or Continuous On with 5 Minute Auto-Timeout

- $\flat$  Internal Battery Compartment Access Without Removing the Laser
- > Windage and Elevation adjustments

#### ADJUSTABLE EYECUPS

## OSCAR SPOTTING SCOPES

The revolutionary OSCAR3 mini spotting scope features advanced electronic image stabilization technology that fits in the palm of a hand — no tripod required. The OSCAR7 spotting scope offers an industry-leading HDX\* optical design combining extra-low dispersion glass with high-light transmittance glass to provide you with the maximum in color clarity and image brightness.



SPOTTING SCOPE

#### OSCAR7 20-60X82MM

1x30mm SOV72001

- › Offers an Industry Leading HDX Optical Design that Combines Extra-Low Dispersion and High Light Transmittance Glass
- State-of-the-Art Triplet Apochromatic Lens System
- > Maximum in Color Clarity and Image Brightness for Unmatched Resolution and Image Contrast
- > Angled Eyepiece with Rotating Tripod Collar Provides Multiple Viewing Angles

- > Advanced Electronic Image Stabilization Technology that Fits in the Palm of a Hand
- Proprietary SOS System is Gyroscopically Stabilized, Cancels Out Unwanted Shaking and Vibrations
- Ideal for Backpacking, Hunting, Wildlife and Sports Observation, Law Enforcement, and Military Reconnaissance

#### **FEATURES OSCAR3**

#### FEATURES OSCAR7

- > SOS™ (SIG Optic Stabilizer): Stabilizes the Image and Virtually Eliminates a Shaky Image
- The Small Size and Ranging Capability of the OSCAR3 is Ideal for Backpacking, Spot/Stalk and Tree Stand Archery, or Long Range Rifle Hunting in Open Country or Mountains as well as Concealed Viewing Situations for LE or Military Use
- > Angled Eyepiece of the OSCAR7 Along with a Rotating Tripod Collar, Provide Multiple Viewing Angles
- > Fully Multi-Coated Lenses Combined with HDX Glass Provide Extreme Clarity and Brightness



Next to a zeroed rifle, a clear and bright pair of binoculars is the best piece of gear to have on hand. ZULU binoculars perform in the harshest conditions, giving unmatched performance in inclement weather or rugged terrain.

MULTI-POSITION EYECUP ABBE-KOENIG PRISMS RUBBER ARMOR

#### **ZULU9 ABBE-KOENIG PRISM**

9x45mm HDX soz99001

11x45mm HDX SOZ99002


- > Combines Superior Optical Performance with In-the-Field Utility
- High Quality Glass, Fully Multi-Coated SPECTRACOAT™ Lenses
- > Phase-Coated Abbe-Koenig Prisms Provide Maximum Brightness, Contrast and Crisp Resolution
- > Performs in the Harshest Conditions, Giving Unmatched Performance in Inclement Weather or Rugged Terrain
- > Superior Low Light Performance


#### STANDARD FEATURES

- $\rightarrow$  Rugged and Durable, the ZULU Binoculars Incorporates a Magnesium Housing
- > Oversized Chemical-Resistant Fluorescent Polymer Front Dot Sight Gives Confidence in any Environment
- > Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 Meter) and Fog-Proof Performance
- > Multi-Position Twist-Up Eyecups Create Generous Eye Relief
- > Durable Rubber Armor Protects with an Ergonomic Non-Slip Grip Design
- > Tripod-Compatible, Includes Tethered Lens Covers, Strap, Lens Cloth, and Padded Case


# ZULU7™ HDX OPEN-BRIDGE 8x42mm HDX soZ78001 10x42mm HDX soZ71001 12x50mm HDX soZ71201 NEW

- > Multi-Position Twist-Up Eyecups Provide a Custom Fit for Each User
- > Fully Multi-Coated Roof Prism Binocular Incorporates Super High Reflectance Phase-Coated BAK4 Prisms for Unmatched Resolution and Image Contrast
- > Field & Stream Best of the Best Winner 2016





The Abbe-Koenig prism system eliminates the mirrors used in conventional roof prism binoculars. Using Total Internal Reflection (TIR) for all reflections inside the prism, the ZULU9 provides 8-15% higher light transmission than a standard roof prism design.



Advanced optical systems comprising both High Definition (ED) and High Transmittance (HT) glass

#### **ZULU5™ HD OPEN-BRIDGE**

-BRIDGE

8x42mm HD 50Z52081 10x42mm HD

SOZ52101



#### NEW

- > HD Glass for Superior Clarity and Color Correctness
- > Silver Deposition Phase-Coated BAK4 Prisms
- > Lightweight and Durable Magnesium Alloy Body

#### **ZULU3™ COMPACT OPEN-BRIDGE**

8x32mm soz38001

10x32mm SOZ31001



- Our Low Dispersion Glass Offers Maximized Clarity and Color
- > Uniquely Compact, Can Easily be Held for Extended Periods
- > Rugged Polymer Frame and Non-Slip Rubber Armor

# **XRAY**ENHANCED DAY/NIGHT SIGHTS

The X RAY family of pistol sights make target acquisition intuitive and fast in any lighting condition. The high contrast front sights paired with the glare reducing rear sights keep your focus on the front sight. The X RAY1 front sight combines a durable light pipe with a photoluminescent ring providing a bright dot in daylight and a glowing ring that will see you through the dusk transition.

# LIGHT PIPE ROUND (U) NOTCH

#### X RAY3 ENHANCED DAY/NIGHT SIGHTS



SOX10001 (SQUARE) SOX10002 (ROUND U) SOX10003 (SQUARE) SOX10004 (ROUND U) SOX10005 (SQUARE) SOX10006 (ROUND U) SOX10007 (SQUARE) SOX10008 (ROUND U)

ASSEMBLED IN USA

PISTOL SIGHTS

#### **X RAY1 SIGHT SET**

#### PISTOL SIGHTS

SOX11011 (GREEN) SOX11012 (GREEN) SOX11013 (GREEN) SOX11014 (GREEN) SOX11014 (GREEN) SOX11016 (RED) SOX11016 (RED) SOX11017 (RED) SOX11018 (RED)

- > Three Dot Fiber Optic Sights for Fast Target Acquisition
- > Luminescent Front Sight Ring Glows in the Dark for up to 1 Hour
- > Available in Red or Green Light Pipe
- > Round (U) Notch Sight

- The Ideal Sighting Solution for Carry, Sport, or Duty Handguns
- > 3 Dot Tritium System has Superior Glowing Illumination in Low Light and Remains Bright and White for Daylight Conditions

#### STANDARD FEATURES

- > Oversized Chemical-Resistant Fluorescent Polymer Front Dot Sight Gives Confidence in any Environment
- > Tested to 20,000 Rounds, the Steel Housing Provides a Tough, Reliable Sight that Lasts as Long as the Firearm
- $\rightarrow$  Rear Sights come in Standard SIG SAUER\* sizes of #6 and #8

- > Fits SIG SAUER P238\*, P938\*, P320\* and Classic Line Models
- > Torture Tested to 20,000 Rounds. Durable Design for Hard Use

#### MOUNTS TO ANY 1913 PICATINNY OR SIG SAUER® RAIL

AIRCRAFT GRADE CNC ALUMINUM HOUSING AMBIDEXTROUS DUAL FINGER ACTUATED TACT

## FOXTROT®

The FOXTROT1 Pistol Weapon Light is the most advanced, rail-mounted flashlight available. The unique, FOXTROT1 mounts to any Picatinny 1913 or SIG SAUER\* proprietary rails with no need for adapters or cross-slot modifications.



#### **FOXTROT1 PISTOL WEAPON LIGHT**

TACTICAL WEAPON LIGHT

SOF11001

- > Ideal for Home Defense, Law Enforcement or Military Applications
- > Mounts to any Picatinny 1913 or SIG SAUER Proprietary Rails
- > White LED Runs for Over Two Hours at 200 Lumens on a CR123 Battery
- Dual, Finger-Actuated Tact Switches Support Ambidextrous use
- User Selectable 100/200/300 Lumins

#### STANDARD FEATURES

- > Latest Generation Cree LEDs for Maximum Brightness and Runtime
- > User-Selectable Output from 100 / 200 / 300 Lumens
- > Ambidextrous Tact Switches for Easy Finger Actuation

- › Momentary or Continuous On
- Battery Changed Through the LED Bezel with Quarter Turn Lockout
- Dependable Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 meter) and Fog-Proof Performance

SCOPE RINGS **ALPHA1 TACTICAL** SOA10001, SOA10002

HEX KEY FASTENERS

## **ALPHA** RIFLESCOPE MOUNTS/RINGS

Our type 2 black anodized, precision machined, Alpha Tactical Mount is machined from aircraft grade 6061-T6 aluminum and not only look tough, but are tough. Our proprietary steel alloy Alpha Hunting Rings are machined with an exactness that is both strong and ductile, allowing for an exact fit around a riflescope.

#### **ALPHA2 TACTICAL**

#### SCOPE MOUNT

SOA20001 | 30MM 0 CANT SOA20002 | 30MM 20 MOA CANT SOA20003 | 34MM 0 CANT SOA20004 | 34MM 20 MOA CANT

Cantilever Design for Use on MSR Platforms.

O or 20 MOA Cant Options.

TWO-SCREW DESIGN

#### SCOPE RINGS

SOA10003 SOA10004 SOA10007, SOA10008

#### ASSEMBLED IN USA ALPHA TACTICAL MOUNT FEATURES ALPHA HUNTING FEATURES

- > Aluminum 1-Piece Cantilever Design with HELICOILS for Locking Down with Confidence. Same Industrial Design as our Electro-Optics
- > One-Piece Aluminum Cantilever Mount with 20 MOA Built-in for Long-Range Shooting

Proprietary Steel Alloy Weaver Style Rings that are Epoxy Powder-Coated to Prevent Oxidation and Resist Gun Oils, Cleaning Solutions, & Outdoor Exposure

**ALPHA1 HUNTING** 

6061-T6 ALUMINUM



- Unlimited Lifetime Guarantee
- Fully Transferable
- No Warranty Card Required
- No Receipt Required
- No Time Limit Applies
- No Charge




### 5-YEAR WARRANTY


Covers any defects in materials and workmanship in the electronic and Tritium components of illuminated riflescopes/sights, pistol sights, electronic sights, flashlights, lasers, binoculars, spotting scopes and rangefinders for five years from date of manufacture.


# SUPPRESSIES MADE BY SIG SAUER®


# WELCOME TO THE FUTURE OF SILENCE.

With decades of product design and R&D experience under their belts, SIG SAUER® engineers have developed the next generation of suppressors. At SIG, suppressors are not treated as bolt-on accessories. It is understood that they interact with the gas system of the host firearm and can affect accuracy, reliability, back pressure, and other critical factors. Designing firearms, suppressors, and ammunition as a complete, integrated system maximizes overall performance. The end result is the most advanced, most dependable suppressor technology the world has seen, or heard.









#### **ALIGNMENT**

#### TAPER-LOK® MOUNT

- > Innovative Tapers Self-Center the Suppressor Bore and Rifle Bore, Greatly Reducing Point-of-Impact Shift and Group Dispersion
- A Larger Contact Area Maximizes Retention During Repeated Firing, Requiring About 20% More Force to Remove than it did to Install
- > Taper-Lok Mounts are Available in Multiple Thread Pitches and Calibers
- > Backwards-Compatible with Traditional 90-Degree Shouldered Barrels

#### **MODULARITY**

#### MUZZLE DEVICES



CQB FLASH HIDER



DOUBLE PORT BRAKE

#### PRECISION PERFORMANCE

#### QD SUPPRESSOR

- Locking Onto the Taper-Lok Mount, QD Suppressors Feature a Secondary Retention Latch for More Secure Attachment During Fire
- > Wrench Flats Allow for Easy Removal, even with Heavy Carbon Build-Up. The Wrench will Automatically Disengage the Secondary Retention Latch with no Ratchet Teeth to Wear Out
- > Sub-Caliber Mounts are also Available for True Multi-Caliber Versatility

#### RIFLE SUPPRESSOR MATERIALS

#### TITANIUM

GREATER VOLUME, LIGHTWEIGHT, BEST FOR FULL LENGTH BARRELS

#### INCONEL

FOR HEAVY DUTY USE, BEST FOR SHORT BARREL RIFLES, GREATER DURABILITY

#### SIG ADVANTAGE

- > Tubeless Design
- > Precision QD Mounting System
- > Self-Centering Taper-Lok QD System
- > Comes with Muzzle Brake
- › Easy Muzzle Device Timing

CALIBER	THE FIRST TUBELESS RIFLE SUPPRESSORS
.338 lapua magnum	Greater Internal Volume     Greater Sound Reduction
7.62nato/.300win mag/300blk	> Reduced Flash > Increased Durability
5.56nato	> Lighter Weight > Greater Reliability

#### PISTOL AND RIMFIRE SUPPRESSOR MATERIALS

#### TITANIUM

GREATER VOLUME, LIGHTWEIGHT, BEST FOR FULL STRENGTH, LIGHTWEIGHT TUBE

#### 17-4 STAINLESS

ALL 17-4 STAINLESS BAFFLES FOR GREATER DURABILITY, HEAVY USE.

#### SIG ADVANTAGE

- > User-Serviceable
- > Stainless Steel Baffles
- > Comes with Alternate Pistons
- > Titanium Outer Tube

CALIBER	BENEFITS
9мм	> Easy POI Corrections with 21 Points of Adjustment
<b>45</b> AUTO	Comes with Two Pistons, Covering the User for all the Most Popular Host Pistols on the Market.
	> Includes a Fixed Barrel Spacer to Adapt the Suppressor to Fixed Barrel Hosts, like the SIG MPX®
22LR/22 MAGNUM	> Increased Durability with all 17-4 stainless steel baffles
	- Due to the strength of 17-4 Baffle Construction, There is no Specific Order to Baffle Stack Assembly

## RIFLE

Each suppressor is built in New Hampshire using innovative engineering techniques, cutting-edge manufacturing processes, and superior materials.

SRD338TI-QD

338 LAPUA MAGNUM

Taper-Lok Fast Attach

- Grade 5 Titanium
- M18x1.5mm Taper-Lok QD
- Muzzle Brake Included



**SRD**556 5.56 NATO INCONEL 718 **SRD**762 7.62 NATO / 300 WIN MAG / 300 BLK INCONEL 718 SRD762TI

7.62 NATO / 300 WIN MAG / 300 BLK GRADE 5 TITANIUM

## PISTOL & RIMFIRE

**SUPPRESSORS** 



SRD9
9MM
GRADE 9 TITANIUM TUBE
ALL 17-4 STAINLESS BAFFLES

**SRD**45

SRD 45 45 AUTO GRADE 9 TITANIUM TUBE ALL 17-4 STAINLESS BAFFLES

SIGHTS OPTIONAL

## **SUR300** SUPPRESSED UPPER RECEIVER

Optimized for the 300 Blackout cartridge, the SUR300 starts with a 6.75" barrel with a permanently attached 19 baffle titanium suppressor pinned and welded to it. Capable of firing both super sonic and subsonic ammunition, the SUR300 delivers an accurate drop-on upper compatible with both SIG MCX® and standard AR15 lowers.

#### SIG MCX® VIRTUS SUPPRESSED UPPER

300 BLK UPPER SUR300

NEW

- > 6.75" 300 BLK Cold Hammer-Forged Barrel with Permanently Attached 19 Baffle Titanium Suppressor
- > Rifle Length Suppressor Compliant, Free-Float M-LOK® Handguard
- > Compatible with Standard AR-15 Lower Receivers
- > 2-Position Gas Valve Tuned for Subsonic and Supersonic Ammunition with Included Receiver
- > Shown With Sights (Sold Seperately)

CALIBER 300<sub>RLK</sub> MAGAZINE

**OPERATING SYSTEM** 

GAS VALVE

2-POSITION

SHORT-STROKE GAS PISTON

(30) CAPACITY

MATCHLITE™ **DUO** Included with SUR300

INCLUDED

1913 ADAPTER

Convert your standard AR lower to remove the buffer tube and accept SIG 1913 stocks

STANDARD FEATURES

> Includes SIG MATCHLITE™ DUO trigger kit

> Modular SIG MCX VIRTUS Upper Receiver Accepts All Barrel Options

# SUPPRESSOR ACCESSORIES

#### **SUPPRESSOR PISTONS**

Pistol suppressor pistons can convert thread pitch or caliber

- > Made of 17-4 Heat-Treated Stainless Steel.
- Available in 9/16-24, M14.5x1 LH, M16x1 LH, M16x1 RH, .578x28, 1/2x28, M13.5x1 LH



#### **MUZZLE BRAKES**

Add additional baffle protection from unburnt powder particulates

- > Reduces Felt Recoil
- > Reduces Ground Disturbance
- > User-Replaceable
- > Simple and Fast Timing



#### RIFLE SD HANDGUARDS

Constructed of Mil-grade aluminum and features a top picatinny rail for sight and optic.

- > Wide Handguard to Accommodate Suppressors
- Multiple Gas Block Access Ports for Different Length Barrels and Calibers
- > M-LOK® Rails on Sides and Bottom



#### FLASH **HIDERS**

When fired without suppressor

- > Reduces Flash over Brake use
- > User-Replaceable
- > Simple and Fast Timing



#### TAPER-LOK® MOUNTS

Interchangeable Taper-Lok mounts are compatible with all QD SIG Suppressors

- > Revolutionary Taper-Lok Fast-Attach System Enables Quick and Simple Muzzle Device Installation
- > No More Shims
- > Forward-Thinking Design Optimizes Alignment, Improving Accuracy and Greatly Reducing Point-of-Impact (POI) Shift, even after Multiple Install / Removal Cycles





#### **SUPPRESSOR WRAPS & HEAT MITS**

The SIG SAUER\* Mirage Cover significantly reduces the effects of suppressor mirage on the shooter's ability to identify and engage a target. Constructed with multi-ply carbon fiber and a repellant outer shell and sewn with Kevlar and Inconel threads.

The SIG SAUER suppressor removal mitt gives shooter's the ability to remove their suppressor safely without causing harm. The mitt is quilted with grey Nomex threads, constructed with a carbon twill front and lined with carbon felt.



# ADVANCED SPORT PELLET

MADE BY SIG SAUER®

The most elite name in firearms introduces an entirely new line of advanced pelletfiring platforms with performance up to the exacting standards of SIG SAUER.

Designed to imitate their counterpart firearm model specs in weight and balance, SIG Advanced Sport Pellet pistols and rifles - together with a full line of accessories and ammunition - deliver more authentic handling for increased, year-round accessibility to practical training.

For 2018, SIG is adding new models for target shooting and expanding the ASP line to include airguns for small game and pest control.

Shoot more. Shoot better. Shoot SIG.

Learn more about the ASP Airgun line at sigsauer.com/airguns

# TECHNOLOGY

SUPERIOR DESIGN

SIG SAUER® break barrel rifles, air pistols, air rifles and accessories are engineered to elevate airguns to a new standard of performance.

#### PATENTED BREAK BARREL TECHNOLOGY

#### **ASP MATCHLITE™ TRIGGER**

Completely new two-stage adjustable match-grade trigger system that performs better than traditional airgun triggers on the market today. Can be adjusted to one of eight different pull rates – from 2.5 to 4 pounds. The trigger breaks at 4mm regardless of the pull rate selected.



#### GLIDELITE™ COCKING MECHANISM

Makes it significantly easier to use than other break barrel rifles. Cocks at 33 lbs vs the standard 48 - 52 lb cocking effort found in competitive products in this power range.



#### PROPRIETARY BREECH-LOCKING SYSTEM

Precisely aligns the barrel to the action, ensuring consistent accuracy.



#### PATENTED CO2 TECHNOLOGY

#### **SIG ASP RIFLES**

The unparalleled performance of SIG's patented Rapid Pellet Magazine for the MPX and MCX  $\rm CO_2$  rifles smoothly feeds up to 30 rounds in 3.5 seconds. Rifles come standard with one magazine and refillable belt. Accessory RPM (purchased separately) includes three spare belts.



#### SIG ASP PISTOLS

In line with the RPM magazine for the  $CO_2$  rifles, SIG has introduced the patented Rapid Pellet Magazine for select  $CO_2$  pistols as well. Available in either 20 round or 30 round (depending on model), the belt magazine allows for more trigger time between refills.



#### SIG ASP CAM LEVER CO<sub>2</sub> LOADING

The innovative cam lever loading system (available on select models) automatically seats and pierces the  $CO_2$  cartridge without the use of any tools.



# ASP20 BREAK BARREL AIR RIFLES

Introducing the most advanced break barrel system in the marketplace, engineered and produced by SIG in Newington, New Hampshire. The common misconception among many is that high muzzle velocity makes for a better air rifle. In actuality, foot-pound muzzle energy is a more accurate gauge of the power of air rifles than the speed at which a projectile comes out of the barrel. Down-range accuracy and retained energy are better with a heavier projectile leaving the barrel at subsonic speed rather than an impractically-lightweight projectile leaving the barrel at a supersonic speed of 1400+ feet per second.

#### **ASP 20 WOOD STOCK**

.177 / .22 CAL AIR-ASP20-1711 AIR-ASP20-2211

NEW

- > SIG Black Beech Wood Stock with High Grip Stippling
- > 14-inch Barrel with Permanently Attached Suppressor
- > Picatinny Rail for Mounting Optional Optics
- Rubber Butt Pad





- > Picatinny Rail for Mounting Optional Optics
- > QD Mounts for Sling Usage

ASP BREAK BARREL RIFLES			BARREL LENGTH	CALIBER	.177CAL	.22CAL	STANDARD FEATURES
VELOCITY	.177CAL .22CAL	Up to 1021* FPS Up to 841** FPS	ASP20 14"	FP ENERGY	20	23	Lightest Cocking Effort in Industry at This Power Level     Smooth and Consistent Trigger     Designed for Reliability and Durability     Built in the USA

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 125 | ACCESSORIES PG. 116

DENOTES FP ENERGY \* USING 8.64 GR LEAD PELLET \*\*USING 14.65 GR LEAD PELLET

SIG ASP SEMI-AUTOMATIC AIR RIFLES

FLIP-UP FRONT SIGHT

From tactical drills to target practice, the CO<sub>2</sub>-powered SIG MCX ASP delivers 30 rounds of rapid-firing, authentic SIG MCX® performance and handling for more realistic, economical training and practice - any time, any place. The SIG MPX redefined modern pistol caliber SBRs, and this ASP version does no less for CO2 rifles. The SIG MPX ASP airgun puts more accurate performance into more accessible practice.

SIG MCX ASP

.177 CAL AIR-MCX-177-88G-30-BLK AIR-MCX-177-88G-30-FDE Black Housing, Handguard, Stock

30-Round RPM (Rapid Pellet Magazine)

> Flip-Up Front and Rear Sights

> Available with Red Dot or 1-4x24 Scope

> Velocity Up to 700FPS



ADJUSTABLE FOREND GRIP

FLIP-UP REAR SIGHT





SIG RPM ASP The unparalleled performance of SIG's patented pellet drive system smoothly feeds up to 30 rounds in 3.5 seconds. Rifles come RAPID PELLET MAGAZINE standard with one magazine and refillable belt. Accessory RPM (purchased separately) includes three spare belts.



- > 1-4 x24 SIG Scope
- > Tactical Foregrip





> Black Housing, Handguard and Stock > 20mm SIG 20R Red Dot Optic



> Tactical Foregrip



Available in FDE

.177 cal AIR-MPX-MRD-177-88G-30-BLK AIR-MPX-MRD-177-88G-30-FDE



.177 cal AIR-MPX-177-88G-30-BLK AIR-MPX-177-88G-30-FDE

Barrel Length 8"



- > Black Housing, Handguard and Stock
- > Flip-Up Front and Rear Sights
- 30-Round RPM Magazine



#### SIG MPX ASP RED DOT

Barrel Length

- > FDE Housing, Handguard and Stock
- > 20mm SIG 20R Red Dot Optic
- 30-Round RPM Magazine



#### **ASP RIFLES VELOCITY** SIG MCX Up to 700\* SIG MPX Up to 575\*

BARREL LENGTH	
SIG MCX	18"
SIG MPX	8″

CALIBER	.177	STANDARD FEATURES	
MAGAZINE CAPACITY	30)	<ul> <li>→ 30-Round RPM™ Magazine</li> <li>→ Manual Safety</li> <li>→ Synthetic Stock And Handguard</li> <li>→ 90g* CO<sub>2</sub> Cartridge (sold seprately)</li> </ul>	Metal Housing     Flip-Up Front and Rear Sights     (not available on scope models)     Picatinny Rail (optics & Accessories)

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 125 | ACCESSORIES PG. 116

DENOTES MAGAZINE CAPACITY

\*88g Compatible



THE COMPLETE SYSTEMS PROVIDER™



4.5 MM Steel BB



FULL METAL BLOWBACK SLIDE / FRAME

SIG BB

1911 CO<sub>2</sub> PISTOLS

The original that started it all—a Classic .45ACP handgun now available in a BB pistol.

/<sub>4</sub>

> Full Metal Blowback Slide and Frame

- › Max Michel Logo and Signature on Slide
- > Custom Max Michel Grips
- Same Styling and Trigger Shape as 1911 MAX Firearm
- > Skeletonized Hammer

MOLON LABE GRIPS

16-ROUND MAGAZINE

**1911 SPARTAN BB** 

4.5 MM Steel BB AIR-1911BB-SPARTAN

- Oil-Rubbed Bronze Slide and Frame
- > MOLON LABE Logo on Slide
- > Custom Spartan Grips
- › Skeletonized Trigger

BB PISTOL AIRGUNS	
VELOCITY	Up to 410 FPS

CALIBER	4.5mm Steel BBs	STANDARD FEATURES		
MAGAZINE CAPACITY	(16)	<ul> <li>16-Round Magazines</li> <li>Full Blowback, Metal Slide and Frame</li> <li>Semi-Auto</li> <li>Cam Lever CO<sub>2</sub> Loading Port</li> </ul>	Functioning Grip Safety     Textured Grip     White Dot Sights     Same Styling as our 1911 Pistols	

SKELETONIZED TRIGGER

ALL SPECIFICATIONS SUBJECT TO CHANGE | COMPLETE SPECS PG. 125 | ACCESSORIES PG. 116

DENOTES MAGAZINE CAPACITY

ACCESSORY RAIL

# ASP ACCESSORIES

ENGINEERED TO A NEW STANDARD OF PERFORMANCE

## **PELLETS**

ADVANCED PRECISION, PERFECTED.

SIG ASP lead and lead-free pellets have been engineered to optimize performance from target to competition shooting to hunting with exacting blends of material and design features affecting range, stability and velocity. In very general terms, flat-topped pellets make superior target shooting loads; domed designs boast greater aerodynamics for long-range accuracy; pointed tops increase penetration. There's a SIG engineered, high-performance pellet designed to excel in every situation.

LEAD FREE ALLOY TRADITIONAL LEAD PELLETS .177CAL | .22CAL

.177CAL | .22CAL



MATCH

CRUX™

WRAITH™

## CO<sub>2</sub> CYLINDERS

PREMIUM AIRGUN PERFORMANCE

Precision-built SIG ASP pistols and rifles depend on quality ammunition and fuel to perform up to SIG standards. A higher-quality, cleaner gas in a superiorengineered cylinder can influence the lifetime and performance of any airgun. Over time, a poor cylinder seal can mechanically degrade a critical o-ring. Dirty CO<sub>2</sub> can interfere with valves and seals while diminishing velocities - equating to fewer shots per cylinder. Investing in SIG premium cylinders is a simple way to ensure longer-lasting, SIG precision performance.

- > Standard Neck Air Ports
- Fit most Airguns designed for use with 12g or 90g CO2 cartridges
- > Mutiple Count Packages
- > Stable Consistant Power Outputs







## **MAGAZINES**

PREMIUM AIRGUN PERFORMANCE

Constructed of rugged polymer composite, the ASP Air Rifle magazines are engineered to elevate performance to SIG standards. This patented magazine removes the limitations to firing speed in the SIG MCX® and SIG MPX® ASP. Using a rotary pellet drive system, the SIG RPM™ smoothly feeds 30 rounds per belt - with three refillable belts included - for consistent optimized firing. All of the pistol magazines for the various air pistols are constructed of durable polymer.



30-Round RPM Magazine (Rapid Pellet Magazine)

30 Round Pellet Magazine

BB Magazine

Learn more about the ASP Airgun line at sigsauer.com/airguns

## **ASP TARGETS & TRAPS**

AIRGUN PRACTICE AND TRAINING TOOLS.

SIG expert training has advanced the skills of many of the world's most elite, tactical shooters. SIG ASP practice tools engage at every level from fundamental skill building to advanced or competitive marksmanship – indoor or outdoor.

#### **Features**

SIG EXPERT TRAINING DESIGNS
HEAVY DUTY RUGGED COMPONENTS

ALL-WEATHER DURABLE POWDER COATING SAFE & SECURE PLACEMENT/MOUNTS



#### **SHOOTING TRAPS**

The SIG Pellet Trap delivers ease and enjoyment with its simple setup design. The heavy duty metal framing offers noise recognition and minimal clean-up for endless skill-building and conditioning drills. Traps come with 25ct paper targets and additional paper target refills are available.



#### **TEXAS STAR TARGETS**

Nine center mass targets rotate around a single, central axis using strikes to vary both the gravity-driven speed and direction of the spin for engaging and dynamic practice.







#### **SWIVEL TARGETS**

In dual or quad configurations, SWIVEL targets feature SIG logos that flip up when struck until reset with a center mass hit.



#### **SHOOTING GALLERIES**

Shooting Galleries have center mass targets that magnetically lock down when struck, while used pellets are collected for easy range cleanup. A central SIG logo knockdown target resets the gallery upon impact.



# SIG SAUER ACADEMY® No matter what you shoot, we'll make you a better shooter. Guaranteed. Learn more at sigsaueracademy.com



# 140 ACRES. 110 COURSES. 100% TRAINING.

From executive protection to active shooter response, from close quarters combat and basic marksmanship to long-range sniper training, the SIG SAUER Academy' has provided the highest quality firearms and tactics training available anywhere in the United States for more than two decades. Located on over 140 acres in Epping, NH—only an hour from Boston, MA—our facility features state-of-the-art indoor and outdoor ranges, tactical training areas, urban environments, shoot houses, a maritime training area, and a force-onforce village. The SIG SAUER Academy offers a comprehensive arsenal of more than 110 courses for the armed professional and responsible citizen. Whatever your firearm training needs, wherever you need training, and whatever you choose to shoot, we have a solution that will exceed your expectations and make you a better shooter, guaranteed.



The SIG SAUER Academy\* is internationally recognized for the use of superior training techniques and unmatched results. Armed professionals and responsible citizens continuously choose to train at the SIG SAUER Academy for all their firearms, tactical, and related training needs.

#### WHY TRAIN AT SIG

The SIG SAUER Academy offers the very best self-defense and firearms training available, as well as expert law enforcement training. That's why discriminating individuals and elite government agencies call upon SIG SAUER Academy for their firearms, tactical, and law enforcement training needs. The SIG SAUER Academy is unique; we are not a public shooting range, though more than half of our classes are open to responsible citizens (check the prerequisites or schedule for restrictions). Range use is restricted to scheduled classes, shooting matches, and qualified group leases that meet Academy requirements. Proper credentials are required to take the scheduled classes, and may include either a background check or a current license to carry permit.

#### **THE TEAM**

SIG SAUER Academy instructors and support staff have years of experience and are ready to assist you in any way you need during your time at the academy.

#### **FACILITIES**

The SIG SAUER Academy offers state of the art indoor and outdoor training facilities. SIG SAUER Academy has continued to develop a variety of ranges and infrastructures including a maritime training area, a tactical training area, multiple shoothouses, the only publicly accessible 1000 yard range in the New England area, and a 360 degree range. Additionally, in 2012 the Academy invested in a brand new home for the SIG SAUER Academy Pro Shop that displays the entire line of SIG SAUER firearms and expanded its coverage of accessories and products with vendors that represent the best of the industry marchandise.

For course descriptions, schedules, and more, visit **sigsaueracademy.com** 



#### ARMORER CERTIFICATION

The SIG SAUER' factory armorer certification enables the agency armorer or individual user to completely disassemble, inspect, service, and reassemble associated weapons systems without voiding the factory warranty. Proper and routine weapon maintenance and inspection of a firearm are essential to ensure maximum reliability. Factory armorer courses at the SIG SAUER Academy certify agency armorers or individuals to maintain, inspect, service, and repair selected SIG SAUER firearms while preserving the factory warranty. Upon successful completion, armorers will fully understand each firearm and be factory-certified for a period of three years.



#### SHOOTING DEVELOPMENT

From the first-time shooter to the range veteran, our progressive shooting development courses offer a logical shooting evolution designed to build a complete shooter. Pistol, rifle, and shotgun courses are taught in basic, intermediate, and advanced levels that follow a simple and easily reproducible experience utilizing best practices. Breaking from traditional firearms training concepts, the SIG SAUER Academy uses a unique, simplified method of adult learning behavior to achieve near instant positive results.



#### INSTRUCTOR DEVELOPMENT

The SIG SAUER Academy takes special care in preparing knowledgeable men and women to become effective firearms instructors for students of all levels. It takes more than subject mastery to be a good instructor. We focus on teaching proven techniques that successfully transfer essential skills and knowledge from instructor to student in less time. Instructor candidates practice teaching techniques acquired with each other and are rigorously evaluated for classroom and range skills mastery.



#### **SPECIALTY TRAINING**

Each specialty course has a specific objective outside the scope of standard firearms training. These courses focus on a specialty discipline or scenario and incorporate training methods designed to achieve nothing short of success. Students will be confronted with unfamiliar and uncomfortable situations in order to familiarize themselves with such eventualities and learn to prevail.

# ACCESSORIES

#### **CLASSIC EXCHANGE KITS**

Change calibers, or change equipment. Run the elite warriors' firearm in any situation.

- > Converts P226® and P229® to 9mm, .357 SIG or .40 S&W
- > RX and Suppressor-Height Sights Available
- > Includes: Complete Slide, Barrel, Recoil Spring Assembly and Magazine

NEW





#### P320® EXCHANGE KITS

The modular pistol has arrived. Removing P320's fire control group unlocks hundreds of combinations.

- Includes: Complete Slide, Barrel, Recoil Spring Assembly, Grip Module and Magazine
- > RX and Suppressor-Height Sights Available
- > Not Compatible with Manual Safety Models



#### **PISTOL MAGAZINES**

Original factory magazines designed specifically for SIG SAUER\* pistols.

- > Capacities from 6 to 21 Rounds
- Found in .380 ACP, 9mm, .357 SIG, .40 S&W, 10mm, and .45 ACP



#### **RX SLIDE KITS**

 $\mathsf{ROMEO}^*$  reflex optic slides for P226, P229 and P320 models.

- > Includes: Complete Slide with Pre-Installed ROMEO1
- Only Available in 9mm

NEW



#### PISTOL BARRELS

Pistol barrels MADE BY SIG.

- > Machined in .380 ACP, 9mm, .357 SIG, .40 S&W, 10mm, .45 AUTO
- > Threaded and Non-Threaded Versions



#### **P320 GRIP MODULES**

Engineered to fit your hand and your P320\*.

- > Full-Sized, Carry, Compact and Sub-Compact
- > Black, Flat Dark Earth and White
- Large, Medium and Small (Not Available in All Colors and X-Series)
- > X5 Grip Module Includes Weight and Magazine Funnel





#### **PISTOL GRIPS**

Modify the look and feel of your Classic, Single-Action or 1911.

- Designed by SIG SAUER\*
- > Available in Multitudes of Colors and Configurations



#### **PISTOL TRIGGER UPGRADES**

Introduce the next level in precision to Classic and P320 pistols.

> Made in Flat and Curved Trigger Shoe Configurations





#### PISTOL BAGS

- > Padded Interior with Internal Zipped Compartment
- > Elastic Magazine Retention Holds up to (5) Pistol Magazines
- Durable 500D Nylon
- > Available in Black



#### **PISTOL PART KITS**

Keep your favorite firearm running like new.

- > Replacement Parts Kits for Classic and P320 Models
- > Factory Approved Parts for Every Need





#### **PISTOL RANGE BAGS**

- > Rugged 600D Cordura Material
- > Five External Pockets
- > Detachable Shoulder Strap
- > YKK Zippers
- > Internal Molle Attachments
- > 10" High, 15" Long, 12" Wide



# ACCESSORIES

#### **SIG MCX® AR UPGRADE KIT**

Transform any MIL-SPEC AR lower receiver into an adaptive and modular SIG MCX\* Virtus.

- > Complete SIG MCX Upper Receiver Assembly
- > Lower Receiver Stock Adapter
- > Side-Folding AR Buffer Tube Knuckle

NEW



#### SIG MCX & SIG MPX® STOCKS

Options as diverse as your mission.

- › M4 Adjustable Folding
- > Fixed Folding
- > Dual-Rod Collapsible
- > Skeletonized Mini
- > Skeletonized Plus (not pictured)
- > Dual-Rod pistol stabilizing brace (PSB)
- > Tele-Stock



#### SIG MCX VIRTUS/RATTLER CALIBER EXCHANGE KIT

Move swiftly and easily between calibers and barrel lengths.

- > 16-inch Barrels (5.56 NATO/.300 BLK)
- > 11.5-inch Barrel (5.56 NATO)
- > 9 inch Barrels (.300 BLK)
- > 6.75 inch Barrels (.300 BLK)
- Rattler Only 5.5-inch (.300 BLK)
- > Includes Bolt Assembly

NEW



#### SIG MCX & SIG MPX® TELE-STOCK & ASSEMBLY

Fit and function no matter the assignment.

- > Snap-on Cheek Comb
- › Concave Buttpad
- > Convex Buttpad



#### SIG MCX VIRTUS HANDGUARDS

Change the barrel? Modify the Virtus handguard to match.

- > PDW, Carbine, Rifle and DMR Lengths Available
- › Offered in Black, FDE and Virtus Gray
- Suppressor Adaptable Configurations in Three Colors

NEW





#### **SIG MCX® RATTLER CONVERSION KIT**

- > Convert any MIL-SPEC AR Lower into a MCX Rattler
- > Complete SIG MCX Rattler Upper Receiver Assembly
- > Lower Receiver Stock Adapter
- > Side-Folding AR Buffer Tube Knuckle

#### NEW



#### **SIG MPX® CALIBER EXCHANGE KIT**

Transition between barrel lengths efficiently.

- > 16, 8, 6.5 and 4.5 inch Barrels (9mm)
- > Kit Includes Barrel Assembly



#### **SIG MATCHLITE™ TRIGGERS**

Triggers made for a SIG SAUER\* rifle, and perfect for any AR.

- > Double-Action Duo
- > Single-Action Mono

#### NEW





#### **SIG MPX HANDGUARDS**

Configure the MPX for the barrel and the activity of your choice.

- > K, PDW and Carbine Lengths Available
- › Offered in Black Anodized

#### NEW





#### **RIFLE MAGAZINES**

Original factory replacement for SIG SAUER rifles.

- > Available in 10, 20 and 30 Round Capacities
- > Found in 9mm, 5.56 NATO, .300 BLK, 7.62 NATO



#### RIFLE BAG

- Made of Rugged Ballistic Nylon with the SIG Mark Logo on the Center Pocket Panel
- > Protects Two Rifles During Transport and Storage
- › Padded Backpack Straps
- Available in 36" Black



## SIG MERCHANDISE

Show SIG pride with a full line of SIG SAUER\* apparel, hats, and branded accessories. Choose from a wide range of sizes, men's or women's, and a variety of styles. There's something for everyone.

#### SIG BRANDED ACCESSORIES

- > SIG SAUER branded Shot Glasses
- > Coffee Mugs
- > Drink Chillers
- > SIG Branded Watches



#### **SIG WOMEN'S APPAREL**

- > V-Neck T-Shirts
- > SIG SAUER Hoodies
- > Full Zip Jackets
- > Performance Polos



#### **SIG BRANDED HATS**

- > Digicam Hat
- > SIG Mark Chino Hat
- > Flexfit Legion Hat
- > Trucker Hat



#### **SIG GEAR**

- > SIG SAUER Ear Protection
- > Knives
- > SIG Stickers
- > Patches





#### **SIG MEN'S APPAREL**

- > SIG SAUER T-Shirts
- > Pullover Hoodie
- > Half Zip Pullover
- Jackets











#### **SIG AT HOME**

- > SIG SAUER Gun Mats
- > SIG Concealment Pistol Shelves
- > Spare Tire Cover
- > Trailer Hitch Cover





ASP								- 1	SYSTEM												
PISTOL MODELS	.1/7CAL	4.5mm	.177 CAL (FPS)	Length (in)	Height (in)	Width (in)	Barrel Length (in)					White Dot									
X FIVE® 20	0		UP TO 430	9.0	6.5	1.5   4	1.6	3 lb	12G CO2	ALL METAL		•									
P226* 16	6		UP TO 480	8.0	5.2	1.5   3	3.9	2.6 lb	12G CO2	ALL METAL		•									
P320° 30	0	$\neg$	UP TO 430	7.9	5.6	1.3   5	5.0	1.7 lb	12G CO2	METAL / POLY		•									
1911 BB	1	16	UP TO 410	8.7	NA	NA I	NΑ	2.6 lb	12G CO2	ALL METAL		•									
	ALIBEI		VELOCITY	ME	EASURE	MENTS	V	WEIGHT	OPERATING SYSTEM	CONSTRUCTION	SIGH	HTS/OF	PTICS								
ASP RIFLE MODELS	.I//CAL	.22 CAL	.177 CAL (FPS)	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Alloy/Poly			Flip-Up	20mm SIG 20R Red Dot Optic	1-4 x24 Scope								
ASP20		1	UP TO 1021*	45.5	6	1.5   14	4.0	8.5 lb	GAS PISTON	STEEL											
SIG MCX <sup>®</sup>	0		UP TO 750	34.6	8.8	1.5   18	3.0	6.9 lb	90G CO2	METAL / POLY	•	•	•								
SIG MPX <sup>®</sup> 30	0		UP TO 575	25.7	8.5	1.3 8	8.0	5.9 lb	90G CO2	METAL / POLY	٠	•									
		CAL	IBER	DI	ECIBEL	S*		SIZE	WEIGHT	٨	10UNT	-					М	IATERIA	L		
PISTOL SUPP	PRF	<u>-S</u>	SORS																		
SRD45			OTUA		133dB		8.4	x 1.375 ir	n 13.8 oz	.578"-2	8 tpi /	′ M16x1			Grade	9 Titani	um and	d 17-4 S	tainless	Steel E	 Baffles
SRD9		9 r	mm		128dB		7.8	x 1.375 ir	12.6 oz	1/2″-28 t	pi / M	13.5x1L	.Н		Grade	9 Titani	um and	d 17-4 S	tainless	Steel E	3affles
RIMFIRE SUP	PF	RE:	SSORS																		
			n Mag / 17 HMR		110dB		5.8	86 x 1 in	5.14 oz	1/2-28 tp	oi and	M9x.7	5		Grade	9 Titar		ıbe and Baffles	17-4 St	ainless	Steel
RIFLE SUPPR	RF.	SS	ORS																		
SRD338TI-QD			/ .338 LM	128 118	(sub)	/ 141dB	10.5	5 x 1.75 ir	18.9 oz	M18x1.5mm Taper-Lok	Fast-		n Muzz	e Device			Grad	e 5 Tita	nium		
						/ 142dB	6.6	x 1.625 ir	15.5 oz	5/8"-24 tpi Tap	er-Lok	Direc	t Thre	ad		Incor	nel 718	and Sta	inless S	teel	
SRD762-QD 300	00 BLK		005. / NIW 8C	31   120	(sub) / 148dB	138dB /	7 x	x 1.625 in	17 oz	5/8″-24 tpi Taper-Lok In	Fast-,		Muzz	e Device		Incor	nel 718	and Sta	inless S	teel	
SRD762Ti	300	BLK /	/.308 WIN	132   118		/ 139dB	9.3	3 x 1.75 in	17.6 oz	5/8"-24 tpi Tap			t Thre	ad			Grad	e 5 Tita	nium		
SRD762Ti-QD	00 BLK		08 WIN / .300 1 /M	32   119	(sub) / 144dB	138dB /	8.3	3 x 1.75 in	15.8 oz	5/8"-24 tpi Taper-Lok In	Fast-		Muzz	e Device			Grad	e 5 Tita	nium		
SRD556	5.56 NATO 141dB 6.4 x 1.625 in 11.5 oz 1/2"-28 tpi Taper-Lok Direct Thread				ıd		Incor	nel 718	and Sta	inless S	teel										
SRD556-QD		5.56	NATO		137dB		6.5	x 1.625 ir	n 14 oz	1/2″-28 tpi Taper-Lok In	Fast-A		Muzzl	e Device		Incor	nel 718	and Sta	ainless S	teel	

ALL SPECIFICATIONS SUBJECT TO CHANGE | \*DECIBEL RATINGS ARE AN AVERAGE MEASURED ACROSS MULTIPLE CONDITIONS AND AMMO LOADS.

## **PISTOL SPECIFICATIONS**

		CALI	IBER/M	AGAZIN	IE CAPA	ACITY			A	CTION TY	PE.			MEA	SUREME	ENTS		WEIGHT		
PISTOL MODELS	.22LR	.380ACP	9mm	.357SIG	.40S&W	.45ACP	10mm	DA/SA	SRT" (DA/SA)	DAO	SAO	STRIKER	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Alloy/Poly (oz)	Stainless (oz)	
P210™ TARGET			8	i !			! !		1	! !	•	! !	8.4	5.3	1.6	4.8	6.7		38.0	
P220°						8	8	•	•				7.7	5.5	1.3	4.4	6.3	30.4	39.1	
P220 SAO		!		!		8	! !		1	!	•	!	7.7	5.5	1.5	4.4	6.3	30.4	1	
P220 CARRY						8	i !		•				7.1	5.5	1.5	3.9	5.7	30.4	39.1	
P227 <sup>°</sup>		!		!		10	!		•	!		!	7.7	5.5	1.5	4.4	6.3	32.0	i !	
P227 CARRY						10	i !		i				7.1	5.5	1.5	3.9	5.7	30.5	!	
P226 <sup>°</sup>	10	!	15	12	12			•	•				7.7	5.5	1.5	4.4	6.3	34.0	42.2	
P226 SAO			15				i !		!		•	!	7.9	5.5	1.8	4.4	6.3	34.0	<u> </u>	
P226 SAO 22LR	10	!	!		!		1			!	•	!	7.9	5.5	1.7	4.6	5.7	23.7	1	
P229 <sup>°</sup>		!	15	12	12		1	•	•	!		!	7.1	5.4	1.5	3.9	5.7	32.0	!	
P225-A1*		!	8	i !	!		1	•	1	i		1	6.9	5.2	1.3	3.6	5.2	30.5		
P320° MHS		!	17		1		1			!			8.1	5.5	1.3	4.7	6.6	29.5	!	
P320 FULL-SIZE		i	17		14	10	1		1	1	1		8.1	5.5	1.3	4.7	6.6	29.5	1	
P320 CARRY		i	17	14	14	10	i I		i i	! !	i i		7.2	5.5	1.3	3.9	5.8	26.5	I I	
P320 COMPACT			15	13	13	9			!	1			7.2	5.3	1.3	3.9	5.8	25.8	1	
P320 SUBCOMPACT		i !	12	10	10		i !		1	1	1	•	6.7	4.7	1.3	3.6	5.5	24.9	1	
P320 RX FULL-SIZE		<u>.</u>	17				i !		1	<del>:</del> ! !			8.1	6.2	1.3	4.7	6.6	30.3		
P320 RX COMPACT		 	15		1		 		1	! !	1		7.2	6.0	1.3	3.9	5.8	26.1	1	
P320 XFIVE			21				 		1	1			8.6	5.8	1.3	5.0	6.9	35.6	1	
P320 X CARRY		i i	17				   		1	! !	1		7.4	5.3	1.3	3.9	5.8	27.0	1	
P320 X VTAC			17						1	1	!	•	8.3	5.4	1.3	4.7	6.6	28.7	1	
SP2022'			15		12		1	•	1	1		1	7.4	5.7	1.4	3.9	5.9	29.0	1	
1911			9	8	8	8	8		1		•	1	8.7	5.5	1.4	5.0	6.5		41.6	
1911 CARRY		1	1	8	1	8	 		1	 		 	7.7	5.5	1.4	4.2	5.7		38.8	
1911 COMPACT/C3°		 	1	 	1	7	<del> </del> 		1	<del> </del>  -  -	•	<del> </del>  -  -	7.7	4.8	1.4	4.2	5.7	29.5	35.5	
1911 ULTRA COMPACT		†  -  -	8	<del> </del> 		7	<del> </del> 		1	<del> </del> 	•	<del> </del> 	6.8	4.8	1.4	3.3	4.8	28.0	1	
P938 <sup>°</sup>	10	1	6/7		1		 		1	 	•	1	5.9	3.9	1.1	3.0	4.0	16.0	19.0	
P238*		6/7	1	<u> </u> 	i i	i i	<del>!</del> ! !		1	<del>!</del> ! !		<del> </del> 	5.5	3.9	1.1	2.7	3.8	15.2	18.0	

ALL SPECIFICATIONS SUBJECT TO CHANGE

	SIG	iHTS			GRIPS		FRAN	ИЕ МАТЕ	ERIAL		FRAME	FINISH		SLI MATE	DE ERIAL	SLI	DE FINI:	SH	OTHER					
Contrast	Night Sights	Adj. Target	Romeol Red Dot	Polymer	Custom Wood	Rubber	Alloy	Stainless	Polymer	Black HC	Nitron	Stainless	Polymer	Alloy	Stainless	FDE	Nitron	Stainless	Accessory Rail	Threaded Barrel	Beavertail	Ambi-Safety	Magwell"	
			1		•	1		•	!		•	!	!		•		• ¦				•			
	•		 		•	! !	•	•		•	! !	•			•	ļ		•	•		•			
	•		! !	<u> </u>	! !	! !	•	! !	! !	•	! !	! !	! !		•		•		•		•	•		
	•		!		•	1	•	•		•	1	•			•		•	•	•		•			
	•	! !	! !	•	! !	! !	٠		! !	•		! !			•	!	•		•				•	
	•	! !	! !	·	! !	I I	٠		!	•	! !	! !			•		•		•					
	•	1	! !	•	•	 	٠	•	! !	•	 	•			•	•	•	٠	•	٠	•		•	
	•	1 1	1		I I	I I	٠	 	1	•	I I	I I			•		•		•	· · · · · · · · · · · · · · · · · · ·	•	•		
		•	!		•	1	٠						!				•		•		•	•		
	•		1	•	•	1	•			•	1				•		•		•	•	•			
	٠	i	i			!	•			•		i !			•		•	•		•		į		
	•	i	i		!	! !		•	i		!	•			•	•	i		•		i			
•	•	i	i !		!	!		•	1		!	•			•		•	•	•			i		
 •	•	i i	i I		i i	! !		•	i		I	•			•		•	•	•	•		i		
•	•	i	i !		!	!		•			!	•			•		•	•	•	•		i		
 •	•	i i	i i		i i	!		•	i		!	•			•		•	.	•			i		
	•	i !	•		!	!		•	1		!	•			•		•		•			i		
	•	i	•		!	!		•			!	•			•		•		•			i		
		•	! !		!	!		•			!	•			•		•		•		•	į	•	
	•	i	i !			!		•				•			•		•		•		•	i		
	•	i		•				•				•			•	•	i		•		•	i		
•	•	<u> </u>	: !			: ! !			•		!	!	•		•		•	•	•	•	i			
•	•				•			•			•	•			•		•	•	•	•	•	•	•	
	•	!		•	•	-		•	-		•	•	!		•		•	•	•	•	•	•	•	
	•				•	•	•	•		•	•	•			•		•	•	•		•			
	•	i !	1		•	!	•			•	!	!			•		• !	•			•			
	•	•		•	•	•	•	•		•	1	1		•	•	i i	•	•			•	•		
 •	•	i !	!	•	•	•	•	•		•	1	•			•		•	•				•		

## **RIFLE SPECIFICATIONS**

RIFLE MODELS	CALIBER	ACTION TYPE	OPERATING SYSTEM	STOCK TYPE	FOREND TYPE	WEIGHT W/O MAG	OVERALL LENGTH	COLLAPSED LENGTH	FOLDED LENGTH		RIFLING	TRIGGER TYPE	MAG TYPE	MAG CAPACITY
SIG MCX® VIRTUS														
SIG MCX VIRTUS PATROL	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK	7.9 lb	35.5"	N/A	26.5"	16.0"	1:7	2-Stage Match	AR-15 Type	30
SIG MCX VIRTUS PATROL	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK	7.9 lb	35.5"	N/A	26.5"	16.0"	1:6	2-Stage Match	AR-15 Type	30
SIG MCX VIRTUS SBR 11"	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK	7.4 lb	31.0"	N/A	22.0"	11.0"	1:7	2-Stage Match	AR-15 Type	30
SIG MCX VIRTUS SBR 9"	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK	7.0 lb	28.5"	N/A	19.5"	9.0"	1:5	2-Stage Match	AR-15 Type	30
PMCX with PSB 11"	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	3-Position Tele PSB	Free-Float M-LOK	7.4 lb	31.0"	N/A	22.0"	11.0"	1:7	2-Stage Match	AR-15 Type	30
PMCX with PSB 9"	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	3-Position Tele PSB	Free-Float M-LOK	7.0 lb	28.5"	N/A	19.5"	9.0"	1:5	2-Stage Match	AR-15 Type	30
SIG MCX® RATTLER			1							I.				1
SIG MCX RATTLER SBR	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	PDW Thin Folding	Free-Float M-LOK	5.7 lb	23.5"	N/A	16"	5"	1:5	MIL-SPEC	AR-15 Type	30
SIG MCX RATTLER PSB	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	3-Position Tele PSB	Free-Float M-LOK	5.1 lb	19.3"	19.75"	N/A	5"	1:5	MIL-SPEC	AR-15 Type	30
SIG MPX®				I	<u> </u>	<u> </u>	1						ı	
SIG MPX CARBINE	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Multi Collapsible	Alloy KeyMod	7.6 lb	33.0"	28.5"	N/A	16.0"	1:10	MIL-SPEC	MPX	30
SIG MPX with PSB	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Side-Folding SBX	Alloy KeyMod	6.0 lb	25.75"	N/A	17.5"	8.0"	1:10	MIL-SPEC	MPX	30
SIG MPX K	9MM	Semi-Auto	Gas Piston, Rotating Bolt	N/A	Alloy KeyMod	5.0 lb	22.5"	20.0"	N/A	4.5"	1:10	MIL-SPEC	MPX	30
SIGM400®				1									I	1
SIGM400 ELITE	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Free-Float M-LOK	6.5 lb	36.5"	33.25"	N/A	16.0"	1:7	MIL-SPEC	AR-15 Type	30
SIGM400 ELITE TI	300 BLK	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Free-Float M-LOK	6.5 lb	36.5"	33.25"	N/A	16.0"	1:7	MIL-SPEC	AR-15 Type	30
SIGM400 VANISH	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position MIL-SPEC	Free-Float M-LOK	7.0 lb	36.5"	33.25"	N/A	20.0"	1:8	2-Stage Match	AR-15 Type	5
SIGM44 ELITE PSB	5.56 NATO	Semi-Auto	Direct Gas Impingement	SBX	Free-Float M-LOK	6.0 lb	30.75"	N/A	N/A	11.5"	1:7	MIL-SPEC	AR-15 Type	30
SIG516°	•	1	1	!			'		•		'			
SIG516 PATROL	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	6-Position MIL-SPEC	Quad Rail	7.4 lb	36.5"	33.25"	N/A	16.0"	1:7	MIL-SPEC	AR-15 Type	30
SIG716°														•
SIG716 PATROL G2	7.62 NATO	Semi-Auto	Gas Piston, Rotating Bolt	6-Position MIL-SPEC	Alloy Key Mod	8.5 lb	37.0"	33.8"	N/A	16.0"	1:10	MIL-SPEC	SR25 Type	20
SIG716 DMR G2	7.62 NATO	Semi-Auto	Gas Piston, Rotating Bolt	6-Position MIL-SPEC	Alloy KeyMod	8.8 lb	37.0"	33.8"	N/A	16.0"	1:10	2-Stage Match	SR25 Type	20